

```

<GPOS>
  <Version value="1.0"/>
  <ScriptList>
    <!-- ScriptCount=3 -->
    <ScriptRecord index="0">
      <ScriptTag value="DFLT"/>
      <Script>
        <DefaultLangSys>
          <ReqFeatureIndex value="65535"/>
          <!-- FeatureCount=2 -->
          <FeatureIndex index="0" value="0"/>
          <FeatureIndex index="1" value="1"/>
        </DefaultLangSys>
        <!-- LangSysCount=0 -->
      </Script>
    </ScriptRecord>
    <ScriptRecord index="1">
      <ScriptTag value="geor"/>
      <Script>
        <DefaultLangSys>
          <ReqFeatureIndex value="65535"/>
          <!-- FeatureCount=2 -->
          <FeatureIndex index="0" value="0"/>
          <FeatureIndex index="1" value="1"/>
        </DefaultLangSys>
        <!-- LangSysCount=0 -->
      </Script>
    </ScriptRecord>
    <ScriptRecord index="2">
      <ScriptTag value="latn"/>
      <Script>
        <DefaultLangSys>
          <ReqFeatureIndex value="65535"/>
          <!-- FeatureCount=2 -->
          <FeatureIndex index="0" value="0"/>
          <FeatureIndex index="1" value="1"/>
        </DefaultLangSys>
        <!-- LangSysCount=0 -->
      </Script>
    </ScriptRecord>
  </ScriptList>
  <FeatureList>
    <!-- FeatureCount=2 -->
    <FeatureRecord index="0">
      <FeatureTag value="ss07"/>
      <Feature>
        <!-- LookupCount=1 -->
        <LookupListIndex index="0" value="0"/>
      </Feature>
    </FeatureRecord>
    <FeatureRecord index="1">
      <FeatureTag value="ss13"/>
      <Feature>
        <!-- LookupCount=2 -->
        <LookupListIndex index="0" value="2"/>
        <LookupListIndex index="1" value="3"/>
      </Feature>
    </FeatureRecord>
  </FeatureList>
  <LookupList>
    <!-- LookupCount=5 -->
    <Lookup index="0">
      <LookupType value="8"/>
      <LookupFlag value="0"/>
      <!-- SubTableCount=2 -->

```

```
<ChainContextPos index="0" Format="3">
  <!-- BacktrackGlyphCount=1 -->
  <BacktrackCoverage index="0" Format="2">
    <Glyph value="A"/>
    <Glyph value="B"/>
    <Glyph value="C"/>
    <Glyph value="D"/>
    <Glyph value="E"/>
    <Glyph value="F"/>
    <Glyph value="G"/>
    <Glyph value="H"/>
    <Glyph value="I"/>
    <Glyph value="J"/>
    <Glyph value="K"/>
    <Glyph value="L"/>
    <Glyph value="M"/>
    <Glyph value="N"/>
    <Glyph value="O"/>
    <Glyph value="P"/>
    <Glyph value="Q"/>
    <Glyph value="R"/>
    <Glyph value="S"/>
    <Glyph value="T"/>
    <Glyph value="U"/>
    <Glyph value="V"/>
    <Glyph value="W"/>
    <Glyph value="X"/>
    <Glyph value="Y"/>
    <Glyph value="Z"/>
    <Glyph value="a"/>
    <Glyph value="b"/>
    <Glyph value="c"/>
    <Glyph value="d"/>
    <Glyph value="e"/>
    <Glyph value="f"/>
    <Glyph value="g"/>
    <Glyph value="h"/>
    <Glyph value="i"/>
    <Glyph value="j"/>
    <Glyph value="k"/>
    <Glyph value="l"/>
    <Glyph value="m"/>
    <Glyph value="n"/>
    <Glyph value="o"/>
    <Glyph value="p"/>
    <Glyph value="q"/>
    <Glyph value="r"/>
    <Glyph value="s"/>
    <Glyph value="t"/>
    <Glyph value="u"/>
    <Glyph value="v"/>
    <Glyph value="w"/>
    <Glyph value="x"/>
    <Glyph value="y"/>
    <Glyph value="z"/>
    <Glyph value="Aacute"/>
    <Glyph value="Eacute"/>
    <Glyph value="Iacute"/>
    <Glyph value="Oacute"/>
    <Glyph value="Uacute"/>
    <Glyph value="Yacute"/>
    <Glyph value="aacute"/>
    <Glyph value="eacute"/>
    <Glyph value="iacute"/>
    <Glyph value="oacute"/>
    <Glyph value="uacute"/>
    <Glyph value="yacute"/>
```

```
<Glyph value="Ccaron"/>
<Glyph value="ccaron"/>
<Glyph value="Dcaron"/>
<Glyph value="dcaron"/>
<Glyph value="Ecaron"/>
<Glyph value="ecaron"/>
<Glyph value="Ncaron"/>
<Glyph value="ncaron"/>
<Glyph value="Rcaron"/>
<Glyph value="rcaron"/>
<Glyph value="Scaron"/>
<Glyph value="scaron"/>
<Glyph value="Tcaron"/>
<Glyph value="tcaron"/>
<Glyph value="Uring"/>
<Glyph value="uring"/>
<Glyph value="Zcaron"/>
<Glyph value="zcaron"/>
<Glyph value="joinc"/>
<Glyph value="joinl"/>
<Glyph value="joins"/>
<Glyph value="onarrow"/>
<Glyph value="oacutenarrow"/>
<Glyph value="vnarrow"/>
<Glyph value="wnarrow"/>
<Glyph value="bnarrow"/>
<Glyph value="b.ini"/>
<Glyph value="bnarrow.ini"/>
<Glyph value="e.ini"/>
<Glyph value="eacute.ini"/>
<Glyph value="ecaron.ini"/>
<Glyph value="f.ini"/>
<Glyph value="h.ini"/>
<Glyph value="i.ini"/>
<Glyph value="iacute.ini"/>
<Glyph value="j.ini"/>
<Glyph value="k.ini"/>
<Glyph value="l.ini"/>
<Glyph value="m.ini"/>
<Glyph value="n.ini"/>
<Glyph value="ncaron.ini"/>
<Glyph value="p.ini"/>
<Glyph value="r.ini"/>
<Glyph value="rcaron.ini"/>
<Glyph value="s.ini"/>
<Glyph value="scaron.ini"/>
<Glyph value="t.ini"/>
<Glyph value="tcaron.ini"/>
<Glyph value="u.ini"/>
<Glyph value="uring.ini"/>
<Glyph value="uacute.ini"/>
<Glyph value="v.ini"/>
<Glyph value="vnarrow.ini"/>
<Glyph value="w.ini"/>
<Glyph value="wnarrow.ini"/>
<Glyph value="x.ini"/>
<Glyph value="y.ini"/>
<Glyph value="yacute.ini"/>
<Glyph value="z.ini"/>
<Glyph value="zcaron.ini"/>
</BacktrackCoverage>
<!-- InputGlyphCount=1 -->
<InputCoverage index="0" Format="1">
  <Glyph value="a"/>
  <Glyph value="c"/>
  <Glyph value="d"/>
  <Glyph value="g"/>
```

```

    <Glyph value="o"/>
    <Glyph value="q"/>
    <Glyph value="aacute"/>
    <Glyph value="oacute"/>
    <Glyph value="ccaron"/>
    <Glyph value="dcaron"/>
    <Glyph value="onarrow"/>
    <Glyph value="oacutenarrow"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=0 -->
  <!-- PosCount=0 -->
</ChainContextPos>
<ChainContextPos index="1" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="a"/>
    <Glyph value="c"/>
    <Glyph value="d"/>
    <Glyph value="g"/>
    <Glyph value="o"/>
    <Glyph value="q"/>
    <Glyph value="aacute"/>
    <Glyph value="oacute"/>
    <Glyph value="ccaron"/>
    <Glyph value="dcaron"/>
    <Glyph value="onarrow"/>
    <Glyph value="oacutenarrow"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=0 -->
  <!-- PosCount=1 -->
  <PosLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="1"/>
  </PosLookupRecord>
</ChainContextPos>
</Lookup>
<Lookup index="1">
  <LookupType value="1"/>
  <LookupFlag value="0"/>
  <!-- SubTableCount=1 -->
  <SinglePos index="0" Format="1">
    <Coverage Format="1">
      <Glyph value="a"/>
      <Glyph value="c"/>
      <Glyph value="d"/>
      <Glyph value="g"/>
      <Glyph value="o"/>
      <Glyph value="q"/>
      <Glyph value="aacute"/>
      <Glyph value="oacute"/>
      <Glyph value="ccaron"/>
      <Glyph value="dcaron"/>
      <Glyph value="onarrow"/>
      <Glyph value="oacutenarrow"/>
    </Coverage>
    <ValueFormat value="5"/>
    <Value XPlacement="80" XAdvance="80"/>
  </SinglePos>
</Lookup>
<Lookup index="2">
  <LookupType value="2"/>
  <LookupFlag value="0"/>
  <!-- SubTableCount=1 -->
  <PairPos index="0" Format="2">
    <Coverage Format="2">
      <Glyph value="uni10D0"/>

```

```
<Glyph value="uni10D1"/>
<Glyph value="uni10D2"/>
<Glyph value="uni10D3"/>
<Glyph value="uni10D4"/>
<Glyph value="uni10D5"/>
<Glyph value="uni10D6"/>
<Glyph value="uni10D7"/>
<Glyph value="uni10D8"/>
<Glyph value="uni10D9"/>
<Glyph value="uni10DA"/>
<Glyph value="uni10DB"/>
<Glyph value="uni10DC"/>
<Glyph value="uni10DD"/>
<Glyph value="uni10DE"/>
<Glyph value="uni10DF"/>
<Glyph value="uni10E0"/>
<Glyph value="uni10E1"/>
<Glyph value="uni10E2"/>
<Glyph value="uni10E3"/>
<Glyph value="uni10E4"/>
<Glyph value="uni10E5"/>
<Glyph value="uni10E6"/>
<Glyph value="uni10E7"/>
<Glyph value="uni10E8"/>
<Glyph value="uni10E9"/>
<Glyph value="uni10EA"/>
<Glyph value="uni10EB"/>
<Glyph value="uni10EC"/>
<Glyph value="uni10ED"/>
<Glyph value="uni10EE"/>
<Glyph value="uni10EF"/>
<Glyph value="uni10F0"/>
<Glyph value="GR_varD"/>
<Glyph value="GR_varL"/>
<Glyph value="GR_varO"/>
<Glyph value="GR_varR"/>
<Glyph value="GR__san"/>
<Glyph value="GR__jan"/>
<Glyph value="GR__don"/>
<Glyph value="GR__las"/>
<Glyph value="GR__ghan"/>
<Glyph value="GR__nar"/>
<Glyph value="GR__tsil"/>
<Glyph value="GR__chin"/>
<Glyph value="GR__rae"/>
<Glyph value="GR__ban"/>
</Coverage>
<ValueFormat1 value="4"/>
<ValueFormat2 value="0"/>
<ClassDef1 Format="1">
  <ClassDef glyph="Frame" class="0"/>
  <ClassDef glyph="GR__ban" class="3"/>
  <ClassDef glyph="GR__chin" class="15"/>
  <ClassDef glyph="GR__don" class="1"/>
  <ClassDef glyph="GR__ghan" class="6"/>
  <ClassDef glyph="GR__jan" class="8"/>
  <ClassDef glyph="GR__jan_" class="0"/>
  <ClassDef glyph="GR__las" class="8"/>
  <ClassDef glyph="GR__nar" class="4"/>
  <ClassDef glyph="GR__rae" class="13"/>
  <ClassDef glyph="GR__san" class="17"/>
  <ClassDef glyph="GR__san_" class="0"/>
  <ClassDef glyph="GR__tsil" class="2"/>
  <ClassDef glyph="GR__xan" class="0"/>
  <ClassDef glyph="GR_an_" class="0"/>
  <ClassDef glyph="GR_chara_" class="0"/>
  <ClassDef glyph="GR_chari_" class="0"/>
```

```
<ClassDef glyph="GR_djana_" class="0"/>
<ClassDef glyph="GR_djani_" class="0"/>
<ClassDef glyph="GR_dzil_" class="0"/>
<ClassDef glyph="GR_en_" class="0"/>
<ClassDef glyph="GR_far_" class="0"/>
<ClassDef glyph="GR_jan_" class="0"/>
<ClassDef glyph="GR_kan_" class="0"/>
<ClassDef glyph="GR_kar_" class="0"/>
<ClassDef glyph="GR_man_" class="0"/>
<ClassDef glyph="GR_san_" class="0"/>
<ClassDef glyph="GR_shin_" class="0"/>
<ClassDef glyph="GR_tar_" class="0"/>
<ClassDef glyph="GR_tsan_" class="0"/>
<ClassDef glyph="GR_un_" class="0"/>
<ClassDef glyph="GR_varD" class="8"/>
<ClassDef glyph="GR_varL" class="8"/>
<ClassDef glyph="GR_var0" class="17"/>
<ClassDef glyph="GR_varR" class="13"/>
<ClassDef glyph="GR_vin_" class="0"/>
<ClassDef glyph="bnnarrow" class="0"/>
<ClassDef glyph="dash" class="0"/>
<ClassDef glyph="inch" class="0"/>
<ClassDef glyph="joinc" class="0"/>
<ClassDef glyph="joinl" class="0"/>
<ClassDef glyph="joins" class="0"/>
<ClassDef glyph="joinx" class="0"/>
<ClassDef glyph="lbound" class="0"/>
<ClassDef glyph="lbounda" class="0"/>
<ClassDef glyph="minus" class="0"/>
<ClassDef glyph="oacutenarrow" class="0"/>
<ClassDef glyph="onarrow" class="0"/>
<ClassDef glyph="perthousand" class="0"/>
<ClassDef glyph="quotedblbase" class="0"/>
<ClassDef glyph="quotedblleft" class="0"/>
<ClassDef glyph="quoteleft" class="0"/>
<ClassDef glyph="quoteright" class="0"/>
<ClassDef glyph="rbound" class="0"/>
<ClassDef glyph="scarondepth" class="0"/>
<ClassDef glyph="scaronleft" class="0"/>
<ClassDef glyph="sdepth" class="0"/>
<ClassDef glyph="sleft" class="0"/>
<ClassDef glyph="times" class="0"/>
<ClassDef glyph="uni10D0" class="14"/>
<ClassDef glyph="uni10D1" class="12"/>
<ClassDef glyph="uni10D2" class="5"/>
<ClassDef glyph="uni10D3" class="8"/>
<ClassDef glyph="uni10D4" class="8"/>
<ClassDef glyph="uni10D5" class="8"/>
<ClassDef glyph="uni10D6" class="17"/>
<ClassDef glyph="uni10D7" class="17"/>
<ClassDef glyph="uni10D8" class="17"/>
<ClassDef glyph="uni10D9" class="8"/>
<ClassDef glyph="uni10DA" class="8"/>
<ClassDef glyph="uni10DB" class="19"/>
<ClassDef glyph="uni10DC" class="23"/>
<ClassDef glyph="uni10DD" class="25"/>
<ClassDef glyph="uni10DE" class="24"/>
<ClassDef glyph="uni10DF" class="8"/>
<ClassDef glyph="uni10E0" class="18"/>
<ClassDef glyph="uni10E1" class="17"/>
<ClassDef glyph="uni10E2" class="7"/>
<ClassDef glyph="uni10E3" class="8"/>
<ClassDef glyph="uni10E4" class="8"/>
<ClassDef glyph="uni10E5" class="22"/>
<ClassDef glyph="uni10E6" class="8"/>
<ClassDef glyph="uni10E7" class="8"/>
<ClassDef glyph="uni10E8" class="16"/>
```

```

<ClassDef glyph="uni10E9" class="15"/>
<ClassDef glyph="uni10EA" class="9"/>
<ClassDef glyph="uni10EB" class="20"/>
<ClassDef glyph="uni10EC" class="2"/>
<ClassDef glyph="uni10ED" class="10"/>
<ClassDef glyph="uni10EE" class="14"/>
<ClassDef glyph="uni10EF" class="21"/>
<ClassDef glyph="uni10F0" class="11"/>
<ClassDef glyph="vnarrow" class="0"/>
<ClassDef glyph="wnarrow" class="0"/>
</ClassDef1>
<ClassDef2 Format="2">
  <ClassDef glyph="GR__san" class="1"/>
  <ClassDef glyph="GR__san_" class="1"/>
  <ClassDef glyph="GR_en_" class="2"/>
  <ClassDef glyph="GR_kan_" class="3"/>
  <ClassDef glyph="GR_san_" class="1"/>
  <ClassDef glyph="GR_shin_" class="12"/>
  <ClassDef glyph="GR_un_" class="5"/>
  <ClassDef glyph="GR_var0" class="6"/>
  <ClassDef glyph="GR_varR" class="10"/>
  <ClassDef glyph="uni10D1" class="13"/>
  <ClassDef glyph="uni10D6" class="11"/>
  <ClassDef glyph="uni10D7" class="6"/>
  <ClassDef glyph="uni10D9" class="7"/>
  <ClassDef glyph="uni10DB" class="10"/>
  <ClassDef glyph="uni10DC" class="1"/>
  <ClassDef glyph="uni10DE" class="4"/>
  <ClassDef glyph="uni10E1" class="10"/>
  <ClassDef glyph="uni10E3" class="6"/>
  <ClassDef glyph="uni10E4" class="6"/>
  <ClassDef glyph="uni10E8" class="12"/>
  <ClassDef glyph="uni10E9" class="10"/>
  <ClassDef glyph="uni10EB" class="6"/>
  <ClassDef glyph="uni10EC" class="1"/>
  <ClassDef glyph="uni10ED" class="8"/>
  <ClassDef glyph="uni10EE" class="14"/>
  <ClassDef glyph="uni10EF" class="9"/>
  <ClassDef glyph="uni10F0" class="10"/>
</ClassDef2>
<!-- Class1Count=26 -->
<!-- Class2Count=15 -->
<Class1Record index="0">
  <Class2Record index="0">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="1">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="2">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="3">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="4">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="5">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="6">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="7">
    <Value1 XAdvance="0"/>
  </Class2Record>

```

```
<Class2Record index="8">
  <Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="9">
  <Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="10">
  <Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="11">
  <Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="12">
  <Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="13">
  <Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="14">
  <Value1 XAdvance="0"/>
</Class2Record>
</Class1Record>
<Class1Record index="1">
  <Class2Record index="0">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="1">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="2">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="3">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="4">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="5">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="6">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="7">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="8">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="9">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="10">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="11">
    <Value1 XAdvance="-170"/>
  </Class2Record>
  <Class2Record index="12">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="13">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="14">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="14">
    <Value1 XAdvance="0"/>
  </Class2Record>
```



```
</Class2Record>
</Class1Record>
<Class1Record index="2">
  <Class2Record index="0">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="1">
    <Value1 XAdvance="80"/>
  </Class2Record>
  <Class2Record index="2">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="3">
    <Value1 XAdvance="-90"/>
  </Class2Record>
  <Class2Record index="4">
    <Value1 XAdvance="60"/>
  </Class2Record>
  <Class2Record index="5">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="6">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="7">
    <Value1 XAdvance="-50"/>
  </Class2Record>
  <Class2Record index="8">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="9">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="10">
    <Value1 XAdvance="80"/>
  </Class2Record>
  <Class2Record index="11">
    <Value1 XAdvance="80"/>
  </Class2Record>
  <Class2Record index="12">
    <Value1 XAdvance="60"/>
  </Class2Record>
  <Class2Record index="13">
    <Value1 XAdvance="150"/>
  </Class2Record>
  <Class2Record index="14">
    <Value1 XAdvance="90"/>
  </Class2Record>
</Class1Record>
<Class1Record index="3">
  <Class2Record index="0">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="1">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="2">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="3">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="4">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="5">
    <Value1 XAdvance="0"/>
  </Class2Record>
```

```
</Class2Record>
<Class2Record index="6">
  <Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="7">
  <Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="8">
  <Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="9">
  <Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="10">
  <Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="11">
  <Value1 XAdvance="-120"/>
</Class2Record>
<Class2Record index="12">
  <Value1 XAdvance="-130"/>
</Class2Record>
<Class2Record index="13">
  <Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="14">
  <Value1 XAdvance="0"/>
</Class2Record>
</Class1Record>
<Class1Record index="4">
  <Class2Record index="0">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="1">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="2">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="3">
    <Value1 XAdvance="-80"/>
  </Class2Record>
  <Class2Record index="4">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="5">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="6">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="7">
    <Value1 XAdvance="-60"/>
  </Class2Record>
  <Class2Record index="8">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="9">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="10">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="11">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="12">
```

```
<Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="13">
  <Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="14">
  <Value1 XAdvance="0"/>
</Class2Record>
</Class1Record>
<Class1Record index="5">
  <Class2Record index="0">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="1">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="2">
    <Value1 XAdvance="-50"/>
  </Class2Record>
  <Class2Record index="3">
    <Value1 XAdvance="-80"/>
  </Class2Record>
  <Class2Record index="4">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="5">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="6">
    <Value1 XAdvance="-20"/>
  </Class2Record>
  <Class2Record index="7">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="8">
    <Value1 XAdvance="-10"/>
  </Class2Record>
  <Class2Record index="9">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="10">
    <Value1 XAdvance="-20"/>
  </Class2Record>
  <Class2Record index="11">
    <Value1 XAdvance="-190"/>
  </Class2Record>
  <Class2Record index="12">
    <Value1 XAdvance="-190"/>
  </Class2Record>
  <Class2Record index="13">
    <Value1 XAdvance="-20"/>
  </Class2Record>
  <Class2Record index="14">
    <Value1 XAdvance="-20"/>
  </Class2Record>
</Class1Record>
<Class1Record index="6">
  <Class2Record index="0">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="1">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="2">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="3">
```

```
<Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="4">
  <Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="5">
  <Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="6">
  <Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="7">
  <Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="8">
  <Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="9">
  <Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="10">
  <Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="11">
  <Value1 XAdvance="-170"/>
</Class2Record>
<Class2Record index="12">
  <Value1 XAdvance="-140"/>
</Class2Record>
<Class2Record index="13">
  <Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="14">
  <Value1 XAdvance="0"/>
</Class2Record>
</Class1Record>
<Class1Record index="7">
  <Class2Record index="0">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="1">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="2">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="3">
    <Value1 XAdvance="-80"/>
  </Class2Record>
  <Class2Record index="4">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="5">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="6">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="7">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="8">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="9">
    <Value1 XAdvance="0"/>
  </Class2Record>
</Class1Record>
```

```
<Class2Record index="10">
  <Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="11">
  <Value1 XAdvance="-170"/>
</Class2Record>
<Class2Record index="12">
  <Value1 XAdvance="-130"/>
</Class2Record>
<Class2Record index="13">
  <Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="14">
  <Value1 XAdvance="0"/>
</Class2Record>
</Class1Record>
<Class1Record index="8">
  <Class2Record index="0">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="1">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="2">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="3">
    <Value1 XAdvance="-80"/>
  </Class2Record>
  <Class2Record index="4">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="5">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="6">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="7">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="8">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="9">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="10">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="11">
    <Value1 XAdvance="-170"/>
  </Class2Record>
  <Class2Record index="12">
    <Value1 XAdvance="-140"/>
  </Class2Record>
  <Class2Record index="13">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="14">
    <Value1 XAdvance="0"/>
  </Class2Record>
</Class1Record>
<Class1Record index="9">
  <Class2Record index="0">
    <Value1 XAdvance="0"/>
  </Class2Record>
```

```
<Class2Record index="1">
  <Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="2">
  <Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="3">
  <Value1 XAdvance="-80"/>
</Class2Record>
<Class2Record index="4">
  <Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="5">
  <Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="6">
  <Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="7">
  <Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="8">
  <Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="9">
  <Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="10">
  <Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="11">
  <Value1 XAdvance="-170"/>
</Class2Record>
<Class2Record index="12">
  <Value1 XAdvance="-150"/>
</Class2Record>
<Class2Record index="13">
  <Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="14">
  <Value1 XAdvance="0"/>
</Class2Record>
</Class1Record>
<Class1Record index="10">
  <Class2Record index="0">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="1">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="2">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="3">
    <Value1 XAdvance="-80"/>
  </Class2Record>
  <Class2Record index="4">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="5">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="6">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="7">
    <Value1 XAdvance="0"/>
  </Class2Record>
```

```
</Class2Record>
<Class2Record index="8">
  <Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="9">
  <Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="10">
  <Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="11">
  <Value1 XAdvance="-120"/>
</Class2Record>
<Class2Record index="12">
  <Value1 XAdvance="-100"/>
</Class2Record>
<Class2Record index="13">
  <Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="14">
  <Value1 XAdvance="0"/>
</Class2Record>
</Class1Record>
<Class1Record index="11">
  <Class2Record index="0">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="1">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="2">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="3">
    <Value1 XAdvance="-80"/>
  </Class2Record>
  <Class2Record index="4">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="5">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="6">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="7">
    <Value1 XAdvance="-60"/>
  </Class2Record>
  <Class2Record index="8">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="9">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="10">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="11">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="12">
    <Value1 XAdvance="-30"/>
  </Class2Record>
  <Class2Record index="13">
    <Value1 XAdvance="20"/>
  </Class2Record>
  <Class2Record index="14">
```

```
<Value1 XAdvance="0"/>
</Class2Record>
</Class1Record>
<Class1Record index="12">
  <Class2Record index="0">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="1">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="2">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="3">
    <Value1 XAdvance="-80"/>
  </Class2Record>
  <Class2Record index="4">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="5">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="6">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="7">
    <Value1 XAdvance="-60"/>
  </Class2Record>
  <Class2Record index="8">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="9">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="10">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="11">
    <Value1 XAdvance="-120"/>
  </Class2Record>
  <Class2Record index="12">
    <Value1 XAdvance="-130"/>
  </Class2Record>
  <Class2Record index="13">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="14">
    <Value1 XAdvance="0"/>
  </Class2Record>
</Class1Record>
<Class1Record index="13">
  <Class2Record index="0">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="1">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="2">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="3">
    <Value1 XAdvance="-80"/>
  </Class2Record>
  <Class2Record index="4">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="5">
```



```
<Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="6">
  <Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="7">
  <Value1 XAdvance="-60"/>
</Class2Record>
<Class2Record index="8">
  <Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="9">
  <Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="10">
  <Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="11">
  <Value1 XAdvance="-80"/>
</Class2Record>
<Class2Record index="12">
  <Value1 XAdvance="-130"/>
</Class2Record>
<Class2Record index="13">
  <Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="14">
  <Value1 XAdvance="0"/>
</Class2Record>
</Class1Record>
<Class1Record index="14">
  <Class2Record index="0">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="1">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="2">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="3">
    <Value1 XAdvance="-80"/>
  </Class2Record>
  <Class2Record index="4">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="5">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="6">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="7">
    <Value1 XAdvance="-60"/>
  </Class2Record>
  <Class2Record index="8">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="9">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="10">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="11">
    <Value1 XAdvance="-120"/>
  </Class2Record>
</Class1Record>
```

```
<Class2Record index="12">
  <Value1 XAdvance="-140"/>
</Class2Record>
<Class2Record index="13">
  <Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="14">
  <Value1 XAdvance="0"/>
</Class2Record>
</Class1Record>
<Class1Record index="15">
  <Class2Record index="0">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="1">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="2">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="3">
    <Value1 XAdvance="-80"/>
  </Class2Record>
  <Class2Record index="4">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="5">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="6">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="7">
    <Value1 XAdvance="-60"/>
  </Class2Record>
  <Class2Record index="8">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="9">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="10">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="11">
    <Value1 XAdvance="-50"/>
  </Class2Record>
  <Class2Record index="12">
    <Value1 XAdvance="-50"/>
  </Class2Record>
  <Class2Record index="13">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="14">
    <Value1 XAdvance="0"/>
  </Class2Record>
</Class1Record>
<Class1Record index="16">
  <Class2Record index="0">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="1">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="2">
    <Value1 XAdvance="0"/>
  </Class2Record>
</Class1Record>
```

```
<Class2Record index="3">
  <Value1 XAdvance="-80"/>
</Class2Record>
<Class2Record index="4">
  <Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="5">
  <Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="6">
  <Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="7">
  <Value1 XAdvance="-60"/>
</Class2Record>
<Class2Record index="8">
  <Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="9">
  <Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="10">
  <Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="11">
  <Value1 XAdvance="-50"/>
</Class2Record>
<Class2Record index="12">
  <Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="13">
  <Value1 XAdvance="50"/>
</Class2Record>
<Class2Record index="14">
  <Value1 XAdvance="0"/>
</Class2Record>
</Class1Record>
<Class1Record index="17">
  <Class2Record index="0">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="1">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="2">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="3">
    <Value1 XAdvance="-80"/>
  </Class2Record>
  <Class2Record index="4">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="5">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="6">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="7">
    <Value1 XAdvance="-60"/>
  </Class2Record>
  <Class2Record index="8">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="9">
    <Value1 XAdvance="0"/>
  </Class2Record>
```

```
</Class2Record>
<Class2Record index="10">
  <Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="11">
  <Value1 XAdvance="-170"/>
</Class2Record>
<Class2Record index="12">
  <Value1 XAdvance="-140"/>
</Class2Record>
<Class2Record index="13">
  <Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="14">
  <Value1 XAdvance="0"/>
</Class2Record>
</Class1Record>
<Class1Record index="18">
  <Class2Record index="0">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="1">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="2">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="3">
    <Value1 XAdvance="-80"/>
  </Class2Record>
  <Class2Record index="4">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="5">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="6">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="7">
    <Value1 XAdvance="-60"/>
  </Class2Record>
  <Class2Record index="8">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="9">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="10">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="11">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="12">
    <Value1 XAdvance="-140"/>
  </Class2Record>
  <Class2Record index="13">
    <Value1 XAdvance="10"/>
  </Class2Record>
  <Class2Record index="14">
    <Value1 XAdvance="0"/>
  </Class2Record>
</Class1Record>
<Class1Record index="19">
  <Class2Record index="0">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Value1 XAdvance="0"/>
</Class1Record>
```

```
</Class2Record>
<Class2Record index="1">
  <Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="2">
  <Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="3">
  <Value1 XAdvance="-80"/>
</Class2Record>
<Class2Record index="4">
  <Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="5">
  <Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="6">
  <Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="7">
  <Value1 XAdvance="-60"/>
</Class2Record>
<Class2Record index="8">
  <Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="9">
  <Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="10">
  <Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="11">
  <Value1 XAdvance="-40"/>
</Class2Record>
<Class2Record index="12">
  <Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="13">
  <Value1 XAdvance="50"/>
</Class2Record>
<Class2Record index="14">
  <Value1 XAdvance="0"/>
</Class2Record>
</Class1Record>
<Class1Record index="20">
  <Class2Record index="0">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="1">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="2">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="3">
    <Value1 XAdvance="-80"/>
  </Class2Record>
  <Class2Record index="4">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="5">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="6">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="7">
```

```
<Value1 XAdvance="-60"/>
</Class2Record>
<Class2Record index="8">
  <Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="9">
  <Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="10">
  <Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="11">
  <Value1 XAdvance="-40"/>
</Class2Record>
<Class2Record index="12">
  <Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="13">
  <Value1 XAdvance="30"/>
</Class2Record>
<Class2Record index="14">
  <Value1 XAdvance="0"/>
</Class2Record>
</Class1Record>
<Class1Record index="21">
  <Class2Record index="0">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="1">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="2">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="3">
    <Value1 XAdvance="-80"/>
  </Class2Record>
  <Class2Record index="4">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="5">
    <Value1 XAdvance="-10"/>
  </Class2Record>
  <Class2Record index="6">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="7">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="8">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="9">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="10">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="11">
    <Value1 XAdvance="-170"/>
  </Class2Record>
  <Class2Record index="12">
    <Value1 XAdvance="-140"/>
  </Class2Record>
  <Class2Record index="13">
    <Value1 XAdvance="0"/>
  </Class2Record>
</Class1Record>
```

```
<Class2Record index="14">
  <Value1 XAdvance="0"/>
</Class2Record>
</Class1Record>
<Class1Record index="22">
  <Class2Record index="0">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="1">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="2">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="3">
    <Value1 XAdvance="-80"/>
  </Class2Record>
  <Class2Record index="4">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="5">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="6">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="7">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="8">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="9">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="10">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="11">
    <Value1 XAdvance="-40"/>
  </Class2Record>
  <Class2Record index="12">
    <Value1 XAdvance="-5"/>
  </Class2Record>
  <Class2Record index="13">
    <Value1 XAdvance="50"/>
  </Class2Record>
  <Class2Record index="14">
    <Value1 XAdvance="0"/>
  </Class2Record>
</Class1Record>
<Class1Record index="23">
  <Class2Record index="0">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="1">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="2">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="3">
    <Value1 XAdvance="-80"/>
  </Class2Record>
  <Class2Record index="4">
    <Value1 XAdvance="0"/>
  </Class2Record>
```

```
<Class2Record index="5">
  <Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="6">
  <Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="7">
  <Value1 XAdvance="-60"/>
</Class2Record>
<Class2Record index="8">
  <Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="9">
  <Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="10">
  <Value1 XAdvance="0"/>
</Class2Record>
<Class2Record index="11">
  <Value1 XAdvance="-70"/>
</Class2Record>
<Class2Record index="12">
  <Value1 XAdvance="-50"/>
</Class2Record>
<Class2Record index="13">
  <Value1 XAdvance="30"/>
</Class2Record>
<Class2Record index="14">
  <Value1 XAdvance="0"/>
</Class2Record>
</Class1Record>
<Class1Record index="24">
  <Class2Record index="0">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="1">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="2">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="3">
    <Value1 XAdvance="-80"/>
  </Class2Record>
  <Class2Record index="4">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="5">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="6">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="7">
    <Value1 XAdvance="-60"/>
  </Class2Record>
  <Class2Record index="8">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="9">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="10">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="11">
    <Value1 XAdvance="-70"/>
  </Class2Record>

```



```

</Class2Record>
<Class2Record index="12">
  <Value1 XAdvance="-50"/>
</Class2Record>
<Class2Record index="13">
  <Value1 XAdvance="10"/>
</Class2Record>
<Class2Record index="14">
  <Value1 XAdvance="0"/>
</Class2Record>
</Class1Record>
<Class1Record index="25">
  <Class2Record index="0">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="1">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="2">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="3">
    <Value1 XAdvance="-80"/>
  </Class2Record>
  <Class2Record index="4">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="5">
    <Value1 XAdvance="-80"/>
  </Class2Record>
  <Class2Record index="6">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="7">
    <Value1 XAdvance="-60"/>
  </Class2Record>
  <Class2Record index="8">
    <Value1 XAdvance="-20"/>
  </Class2Record>
  <Class2Record index="9">
    <Value1 XAdvance="-10"/>
  </Class2Record>
  <Class2Record index="10">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="11">
    <Value1 XAdvance="-170"/>
  </Class2Record>
  <Class2Record index="12">
    <Value1 XAdvance="-140"/>
  </Class2Record>
  <Class2Record index="13">
    <Value1 XAdvance="0"/>
  </Class2Record>
  <Class2Record index="14">
    <Value1 XAdvance="0"/>
  </Class2Record>
</Class1Record>
</PairPos>
</Lookup>
<Lookup index="3">
  <LookupType value="8"/>
  <LookupFlag value="0"/>
  <!-- SubTableCount=2 -->
  <ChainContextPos index="0" Format="3">
    <!-- BacktrackGlyphCount=1 -->
    <BacktrackCoverage index="0" Format="2">

```

```

<Glyph value="uni10D0"/>
<Glyph value="uni10D1"/>
<Glyph value="uni10D2"/>
<Glyph value="uni10D3"/>
<Glyph value="uni10D4"/>
<Glyph value="uni10D5"/>
<Glyph value="uni10D6"/>
<Glyph value="uni10D7"/>
<Glyph value="uni10D8"/>
<Glyph value="uni10D9"/>
<Glyph value="uni10DA"/>
<Glyph value="uni10DB"/>
<Glyph value="uni10DC"/>
<Glyph value="uni10DD"/>
<Glyph value="uni10DE"/>
<Glyph value="uni10DF"/>
<Glyph value="uni10E0"/>
<Glyph value="uni10E1"/>
<Glyph value="uni10E2"/>
<Glyph value="uni10E3"/>
<Glyph value="uni10E4"/>
<Glyph value="uni10E5"/>
<Glyph value="uni10E6"/>
<Glyph value="uni10E7"/>
<Glyph value="uni10E8"/>
<Glyph value="uni10E9"/>
<Glyph value="uni10EA"/>
<Glyph value="uni10EB"/>
<Glyph value="uni10EC"/>
<Glyph value="uni10ED"/>
<Glyph value="uni10EE"/>
<Glyph value="uni10EF"/>
<Glyph value="uni10F0"/>
<Glyph value="GR_varD"/>
<Glyph value="GR_varL"/>
<Glyph value="GR_varO"/>
<Glyph value="GR_varR"/>
</BacktrackCoverage>
<!-- InputGlyphCount=1 -->
<InputCoverage index="0" Format="1">
  <Glyph value="uni10D1"/>
</InputCoverage>
<!-- LookAheadGlyphCount=0 -->
<!-- PosCount=0 -->
</ChainContextPos>
<ChainContextPos index="1" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D1"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=0 -->
  <!-- PosCount=1 -->
  <PosLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="4"/>
  </PosLookupRecord>
</ChainContextPos>
</Lookup>
<Lookup index="4">
  <LookupType value="1"/>
  <LookupFlag value="0"/>
  <!-- SubTableCount=1 -->
  <SinglePos index="0" Format="1">
    <Coverage Format="1">
      <Glyph value="uni10D1"/>
    </Coverage>

```

```
<ValueFormat value="5"/>
<Value XPlacement="70" XAdvance="70"/>
</SinglePos>
</Lookup>
</LookupList>
</GPOS>
```