

```

<GSUB>
  <Version value="1.0"/>
  <ScriptList>
    <!-- ScriptCount=3 -->
    <ScriptRecord index="0">
      <ScriptTag value="DFLT"/>
      <Script>
        <DefaultLangSys>
          <ReqFeatureIndex value="65535"/>
          <!-- FeatureCount=8 -->
          <FeatureIndex index="0" value="0"/>
          <FeatureIndex index="1" value="3"/>
          <FeatureIndex index="2" value="6"/>
          <FeatureIndex index="3" value="9"/>
          <FeatureIndex index="4" value="12"/>
          <FeatureIndex index="5" value="15"/>
          <FeatureIndex index="6" value="18"/>
          <FeatureIndex index="7" value="21"/>
        </DefaultLangSys>
        <!-- LangSysCount=0 -->
      </Script>
    </ScriptRecord>
    <ScriptRecord index="1">
      <ScriptTag value="geor"/>
      <Script>
        <DefaultLangSys>
          <ReqFeatureIndex value="65535"/>
          <!-- FeatureCount=8 -->
          <FeatureIndex index="0" value="1"/>
          <FeatureIndex index="1" value="4"/>
          <FeatureIndex index="2" value="7"/>
          <FeatureIndex index="3" value="10"/>
          <FeatureIndex index="4" value="13"/>
          <FeatureIndex index="5" value="16"/>
          <FeatureIndex index="6" value="19"/>
          <FeatureIndex index="7" value="22"/>
        </DefaultLangSys>
        <!-- LangSysCount=0 -->
      </Script>
    </ScriptRecord>
    <ScriptRecord index="2">
      <ScriptTag value="latn"/>
      <Script>
        <DefaultLangSys>
          <ReqFeatureIndex value="65535"/>
          <!-- FeatureCount=8 -->
          <FeatureIndex index="0" value="2"/>
          <FeatureIndex index="1" value="5"/>
          <FeatureIndex index="2" value="8"/>
          <FeatureIndex index="3" value="11"/>
          <FeatureIndex index="4" value="14"/>
          <FeatureIndex index="5" value="17"/>
          <FeatureIndex index="6" value="20"/>
          <FeatureIndex index="7" value="23"/>
        </DefaultLangSys>
        <!-- LangSysCount=0 -->
      </Script>
    </ScriptRecord>
  </ScriptList>
  <FeatureList>
    <!-- FeatureCount=24 -->
    <FeatureRecord index="0">
      <FeatureTag value="liga"/>
      <Feature>
        <!-- LookupCount=1 -->
        <LookupListIndex index="0" value="0"/>

```

```
</Feature>
</FeatureRecord>
<FeatureRecord index="1">
  <FeatureTag value="liga"/>
  <Feature>
    <!-- LookupCount=1 -->
    <LookupListIndex index="0" value="0"/>
  </Feature>
</FeatureRecord>
<FeatureRecord index="2">
  <FeatureTag value="liga"/>
  <Feature>
    <!-- LookupCount=1 -->
    <LookupListIndex index="0" value="0"/>
  </Feature>
</FeatureRecord>
<FeatureRecord index="3">
  <FeatureTag value="ss01"/>
  <Feature>
    <!-- LookupCount=1 -->
    <LookupListIndex index="0" value="15"/>
  </Feature>
</FeatureRecord>
<FeatureRecord index="4">
  <FeatureTag value="ss01"/>
  <Feature>
    <!-- LookupCount=1 -->
    <LookupListIndex index="0" value="15"/>
  </Feature>
</FeatureRecord>
<FeatureRecord index="5">
  <FeatureTag value="ss01"/>
  <Feature>
    <!-- LookupCount=1 -->
    <LookupListIndex index="0" value="15"/>
  </Feature>
</FeatureRecord>
<FeatureRecord index="6">
  <FeatureTag value="ss02"/>
  <Feature>
    <!-- LookupCount=5 -->
    <LookupListIndex index="0" value="1"/>
    <LookupListIndex index="1" value="3"/>
    <LookupListIndex index="2" value="5"/>
    <LookupListIndex index="3" value="7"/>
    <LookupListIndex index="4" value="9"/>
  </Feature>
</FeatureRecord>
<FeatureRecord index="7">
  <FeatureTag value="ss02"/>
  <Feature>
    <!-- LookupCount=5 -->
    <LookupListIndex index="0" value="1"/>
    <LookupListIndex index="1" value="3"/>
    <LookupListIndex index="2" value="5"/>
    <LookupListIndex index="3" value="7"/>
    <LookupListIndex index="4" value="9"/>
  </Feature>
</FeatureRecord>
<FeatureRecord index="8">
  <FeatureTag value="ss02"/>
  <Feature>
    <!-- LookupCount=5 -->
    <LookupListIndex index="0" value="1"/>
    <LookupListIndex index="1" value="3"/>
    <LookupListIndex index="2" value="5"/>
    <LookupListIndex index="3" value="7"/>
```

```
    <LookupListIndex index="4" value="9"/>
  </Feature>
</FeatureRecord>
<FeatureRecord index="9">
  <FeatureTag value="ss03"/>
  <Feature>
    <!-- LookupCount=5 -->
    <LookupListIndex index="0" value="2"/>
    <LookupListIndex index="1" value="4"/>
    <LookupListIndex index="2" value="6"/>
    <LookupListIndex index="3" value="8"/>
    <LookupListIndex index="4" value="9"/>
  </Feature>
</FeatureRecord>
<FeatureRecord index="10">
  <FeatureTag value="ss03"/>
  <Feature>
    <!-- LookupCount=5 -->
    <LookupListIndex index="0" value="2"/>
    <LookupListIndex index="1" value="4"/>
    <LookupListIndex index="2" value="6"/>
    <LookupListIndex index="3" value="8"/>
    <LookupListIndex index="4" value="9"/>
  </Feature>
</FeatureRecord>
<FeatureRecord index="11">
  <FeatureTag value="ss03"/>
  <Feature>
    <!-- LookupCount=5 -->
    <LookupListIndex index="0" value="2"/>
    <LookupListIndex index="1" value="4"/>
    <LookupListIndex index="2" value="6"/>
    <LookupListIndex index="3" value="8"/>
    <LookupListIndex index="4" value="9"/>
  </Feature>
</FeatureRecord>
<FeatureRecord index="12">
  <FeatureTag value="ss04"/>
  <Feature>
    <!-- LookupCount=2 -->
    <LookupListIndex index="0" value="10"/>
    <LookupListIndex index="1" value="11"/>
  </Feature>
</FeatureRecord>
<FeatureRecord index="13">
  <FeatureTag value="ss04"/>
  <Feature>
    <!-- LookupCount=2 -->
    <LookupListIndex index="0" value="10"/>
    <LookupListIndex index="1" value="11"/>
  </Feature>
</FeatureRecord>
<FeatureRecord index="14">
  <FeatureTag value="ss04"/>
  <Feature>
    <!-- LookupCount=2 -->
    <LookupListIndex index="0" value="10"/>
    <LookupListIndex index="1" value="11"/>
  </Feature>
</FeatureRecord>
<FeatureRecord index="15">
  <FeatureTag value="ss05"/>
  <Feature>
    <!-- LookupCount=2 -->
    <LookupListIndex index="0" value="12"/>
    <LookupListIndex index="1" value="13"/>
  </Feature>
</FeatureRecord>
```

```
</FeatureRecord>
<FeatureRecord index="16">
  <FeatureTag value="ss05"/>
  <Feature>
    <!-- LookupCount=2 -->
    <LookupListIndex index="0" value="12"/>
    <LookupListIndex index="1" value="13"/>
  </Feature>
</FeatureRecord>
<FeatureRecord index="17">
  <FeatureTag value="ss05"/>
  <Feature>
    <!-- LookupCount=2 -->
    <LookupListIndex index="0" value="12"/>
    <LookupListIndex index="1" value="13"/>
  </Feature>
</FeatureRecord>
<FeatureRecord index="18">
  <FeatureTag value="ss06"/>
  <Feature>
    <!-- LookupCount=1 -->
    <LookupListIndex index="0" value="14"/>
  </Feature>
</FeatureRecord>
<FeatureRecord index="19">
  <FeatureTag value="ss06"/>
  <Feature>
    <!-- LookupCount=1 -->
    <LookupListIndex index="0" value="14"/>
  </Feature>
</FeatureRecord>
<FeatureRecord index="20">
  <FeatureTag value="ss06"/>
  <Feature>
    <!-- LookupCount=1 -->
    <LookupListIndex index="0" value="14"/>
  </Feature>
</FeatureRecord>
<FeatureRecord index="21">
  <FeatureTag value="ss12"/>
  <Feature>
    <!-- LookupCount=7 -->
    <LookupListIndex index="0" value="16"/>
    <LookupListIndex index="1" value="17"/>
    <LookupListIndex index="2" value="18"/>
    <LookupListIndex index="3" value="19"/>
    <LookupListIndex index="4" value="20"/>
    <LookupListIndex index="5" value="21"/>
    <LookupListIndex index="6" value="22"/>
  </Feature>
</FeatureRecord>
<FeatureRecord index="22">
  <FeatureTag value="ss12"/>
  <Feature>
    <!-- LookupCount=7 -->
    <LookupListIndex index="0" value="16"/>
    <LookupListIndex index="1" value="17"/>
    <LookupListIndex index="2" value="18"/>
    <LookupListIndex index="3" value="19"/>
    <LookupListIndex index="4" value="20"/>
    <LookupListIndex index="5" value="21"/>
    <LookupListIndex index="6" value="22"/>
  </Feature>
</FeatureRecord>
<FeatureRecord index="23">
  <FeatureTag value="ss12"/>
  <Feature>
```

```

    <!-- LookupCount=7 -->
    <LookupListIndex index="0" value="16"/>
    <LookupListIndex index="1" value="17"/>
    <LookupListIndex index="2" value="18"/>
    <LookupListIndex index="3" value="19"/>
    <LookupListIndex index="4" value="20"/>
    <LookupListIndex index="5" value="21"/>
    <LookupListIndex index="6" value="22"/>
  </Feature>
</FeatureRecord>
</FeatureList>
<LookupList>
  <!-- LookupCount=80 -->
  <Lookup index="0">
    <LookupType value="4"/>
    <LookupFlag value="0"/>
    <!-- SubTableCount=1 -->
    <LigatureSubst index="0" Format="1">
      <LigatureSet glyph="comma">
        <Ligature components="comma" glyph="quotedblbase"/>
      </LigatureSet>
      <LigatureSet glyph="hyphen">
        <Ligature components="hyphen,hyphen" glyph="dash"/>
        <Ligature components="hyphen" glyph="minus"/>
      </LigatureSet>
      <LigatureSet glyph="quoteleft">
        <Ligature components="quoteleft" glyph="quotedblleft"/>
      </LigatureSet>
    </LigatureSubst>
  </Lookup>
  <Lookup index="1">
    <LookupType value="6"/>
    <LookupFlag value="0"/>
    <!-- SubTableCount=14 -->
    <ChainContextSubst index="0" Format="3">
      <!-- BacktrackGlyphCount=0 -->
      <!-- InputGlyphCount=1 -->
      <InputCoverage index="0" Format="1">
        <Glyph value="B"/>
      </InputCoverage>
      <!-- LookAheadGlyphCount=1 -->
      <LookAheadCoverage index="0" Format="2">
        <Glyph value="a"/>
        <Glyph value="b"/>
        <Glyph value="c"/>
        <Glyph value="d"/>
        <Glyph value="e"/>
        <Glyph value="f"/>
        <Glyph value="g"/>
        <Glyph value="h"/>
        <Glyph value="i"/>
        <Glyph value="j"/>
        <Glyph value="k"/>
        <Glyph value="l"/>
        <Glyph value="m"/>
        <Glyph value="n"/>
        <Glyph value="o"/>
        <Glyph value="p"/>
        <Glyph value="q"/>
        <Glyph value="r"/>
        <Glyph value="s"/>
        <Glyph value="t"/>
        <Glyph value="u"/>
        <Glyph value="v"/>
        <Glyph value="w"/>
        <Glyph value="x"/>
        <Glyph value="y"/>
      </LookAheadCoverage>
    </ChainContextSubst>
  </Lookup>
</LookupList>

```

```
<Glyph value="z"/>
<Glyph value="acute"/>
<Glyph value="eacute"/>
<Glyph value="iacute"/>
<Glyph value="oacute"/>
<Glyph value="uacute"/>
<Glyph value="yacute"/>
<Glyph value="ccaron"/>
<Glyph value="dcaron"/>
<Glyph value="ecaron"/>
<Glyph value="ncaron"/>
<Glyph value="rcaron"/>
<Glyph value="scaron"/>
<Glyph value="tcaron"/>
<Glyph value="uring"/>
<Glyph value="zcaron"/>
</LookAheadCoverage>
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="23"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="1" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="D"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="2">
    <Glyph value="a"/>
    <Glyph value="b"/>
    <Glyph value="c"/>
    <Glyph value="d"/>
    <Glyph value="e"/>
    <Glyph value="f"/>
    <Glyph value="g"/>
    <Glyph value="h"/>
    <Glyph value="i"/>
    <Glyph value="j"/>
    <Glyph value="k"/>
    <Glyph value="l"/>
    <Glyph value="m"/>
    <Glyph value="n"/>
    <Glyph value="o"/>
    <Glyph value="p"/>
    <Glyph value="q"/>
    <Glyph value="r"/>
    <Glyph value="s"/>
    <Glyph value="t"/>
    <Glyph value="u"/>
    <Glyph value="v"/>
    <Glyph value="w"/>
    <Glyph value="x"/>
    <Glyph value="y"/>
    <Glyph value="z"/>
    <Glyph value="acute"/>
    <Glyph value="eacute"/>
    <Glyph value="iacute"/>
    <Glyph value="oacute"/>
    <Glyph value="uacute"/>
    <Glyph value="yacute"/>
    <Glyph value="ccaron"/>
    <Glyph value="dcaron"/>
    <Glyph value="ecaron"/>
    <Glyph value="ncaron"/>
```

```
<Glyph value="rcaron"/>
<Glyph value="scaron"/>
<Glyph value="tcaron"/>
<Glyph value="uring"/>
<Glyph value="zcaron"/>
</LookAheadCoverage>
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="23"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="2" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="Dcaron"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="2">
    <Glyph value="a"/>
    <Glyph value="b"/>
    <Glyph value="c"/>
    <Glyph value="d"/>
    <Glyph value="e"/>
    <Glyph value="f"/>
    <Glyph value="g"/>
    <Glyph value="h"/>
    <Glyph value="i"/>
    <Glyph value="j"/>
    <Glyph value="k"/>
    <Glyph value="l"/>
    <Glyph value="m"/>
    <Glyph value="n"/>
    <Glyph value="o"/>
    <Glyph value="p"/>
    <Glyph value="q"/>
    <Glyph value="r"/>
    <Glyph value="s"/>
    <Glyph value="t"/>
    <Glyph value="u"/>
    <Glyph value="v"/>
    <Glyph value="w"/>
    <Glyph value="x"/>
    <Glyph value="y"/>
    <Glyph value="z"/>
    <Glyph value="aacute"/>
    <Glyph value="eacute"/>
    <Glyph value="iacute"/>
    <Glyph value="oacute"/>
    <Glyph value="uacute"/>
    <Glyph value="yacute"/>
    <Glyph value="ccaron"/>
    <Glyph value="dcaron"/>
    <Glyph value="ecaron"/>
    <Glyph value="ncaron"/>
    <Glyph value="rcaron"/>
    <Glyph value="scaron"/>
    <Glyph value="tcaron"/>
    <Glyph value="uring"/>
    <Glyph value="zcaron"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="23"/>
  </SubstLookupRecord>

```

```

</ChainContextSubst>
<ChainContextSubst index="3" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="F"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="2">
    <Glyph value="a"/>
    <Glyph value="b"/>
    <Glyph value="c"/>
    <Glyph value="d"/>
    <Glyph value="e"/>
    <Glyph value="f"/>
    <Glyph value="g"/>
    <Glyph value="h"/>
    <Glyph value="i"/>
    <Glyph value="j"/>
    <Glyph value="k"/>
    <Glyph value="l"/>
    <Glyph value="m"/>
    <Glyph value="n"/>
    <Glyph value="o"/>
    <Glyph value="p"/>
    <Glyph value="q"/>
    <Glyph value="r"/>
    <Glyph value="s"/>
    <Glyph value="t"/>
    <Glyph value="u"/>
    <Glyph value="v"/>
    <Glyph value="w"/>
    <Glyph value="x"/>
    <Glyph value="y"/>
    <Glyph value="z"/>
    <Glyph value="aacute"/>
    <Glyph value="eacute"/>
    <Glyph value="iacute"/>
    <Glyph value="oacute"/>
    <Glyph value="uacute"/>
    <Glyph value="yacute"/>
    <Glyph value="ccaron"/>
    <Glyph value="dcaron"/>
    <Glyph value="ecaron"/>
    <Glyph value="ncaron"/>
    <Glyph value="rcaron"/>
    <Glyph value="scaron"/>
    <Glyph value="tcaron"/>
    <Glyph value="uring"/>
    <Glyph value="zcaron"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="23"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="4" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="I"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="2">
    <Glyph value="a"/>
    <Glyph value="b"/>

```



```
<Glyph value="c"/>
<Glyph value="d"/>
<Glyph value="e"/>
<Glyph value="f"/>
<Glyph value="g"/>
<Glyph value="h"/>
<Glyph value="i"/>
<Glyph value="j"/>
<Glyph value="k"/>
<Glyph value="l"/>
<Glyph value="m"/>
<Glyph value="n"/>
<Glyph value="o"/>
<Glyph value="p"/>
<Glyph value="q"/>
<Glyph value="r"/>
<Glyph value="s"/>
<Glyph value="t"/>
<Glyph value="u"/>
<Glyph value="v"/>
<Glyph value="w"/>
<Glyph value="x"/>
<Glyph value="y"/>
<Glyph value="z"/>
<Glyph value="acute"/>
<Glyph value="eacute"/>
<Glyph value="iacute"/>
<Glyph value="oacute"/>
<Glyph value="uacute"/>
<Glyph value="yacute"/>
<Glyph value="ccaron"/>
<Glyph value="dcaron"/>
<Glyph value="ecaron"/>
<Glyph value="ncaron"/>
<Glyph value="rcaron"/>
<Glyph value="scaron"/>
<Glyph value="tcaron"/>
<Glyph value="uring"/>
<Glyph value="zcaron"/>
</LookAheadCoverage>
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="23"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="5" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="Iacute"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="2">
    <Glyph value="a"/>
    <Glyph value="b"/>
    <Glyph value="c"/>
    <Glyph value="d"/>
    <Glyph value="e"/>
    <Glyph value="f"/>
    <Glyph value="g"/>
    <Glyph value="h"/>
    <Glyph value="i"/>
    <Glyph value="j"/>
    <Glyph value="k"/>
    <Glyph value="l"/>
    <Glyph value="m"/>
```

```
<Glyph value="n"/>
<Glyph value="o"/>
<Glyph value="p"/>
<Glyph value="q"/>
<Glyph value="r"/>
<Glyph value="s"/>
<Glyph value="t"/>
<Glyph value="u"/>
<Glyph value="v"/>
<Glyph value="w"/>
<Glyph value="x"/>
<Glyph value="y"/>
<Glyph value="z"/>
<Glyph value="acute"/>
<Glyph value="eacute"/>
<Glyph value="iacute"/>
<Glyph value="oacute"/>
<Glyph value="uacute"/>
<Glyph value="yacute"/>
<Glyph value="ccaron"/>
<Glyph value="dcaron"/>
<Glyph value="ecaron"/>
<Glyph value="ncaron"/>
<Glyph value="rcaron"/>
<Glyph value="scaron"/>
<Glyph value="tcaron"/>
<Glyph value="uring"/>
<Glyph value="zcaron"/>
</LookAheadCoverage>
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="23"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="6" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="0"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="2">
    <Glyph value="a"/>
    <Glyph value="b"/>
    <Glyph value="c"/>
    <Glyph value="d"/>
    <Glyph value="e"/>
    <Glyph value="f"/>
    <Glyph value="g"/>
    <Glyph value="h"/>
    <Glyph value="i"/>
    <Glyph value="j"/>
    <Glyph value="k"/>
    <Glyph value="l"/>
    <Glyph value="m"/>
    <Glyph value="n"/>
    <Glyph value="o"/>
    <Glyph value="p"/>
    <Glyph value="q"/>
    <Glyph value="r"/>
    <Glyph value="s"/>
    <Glyph value="t"/>
    <Glyph value="u"/>
    <Glyph value="v"/>
    <Glyph value="w"/>
    <Glyph value="x"/>
```

```
<Glyph value="y"/>
<Glyph value="z"/>
<Glyph value="acute"/>
<Glyph value="eacute"/>
<Glyph value="iacute"/>
<Glyph value="oacute"/>
<Glyph value="uacute"/>
<Glyph value="yacute"/>
<Glyph value="ccaron"/>
<Glyph value="dcaron"/>
<Glyph value="ecaron"/>
<Glyph value="ncaron"/>
<Glyph value="rcaron"/>
<Glyph value="scaron"/>
<Glyph value="tcaron"/>
<Glyph value="uring"/>
<Glyph value="zcaron"/>
</LookAheadCoverage>
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="23"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="7" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="Oacute"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="2">
    <Glyph value="a"/>
    <Glyph value="b"/>
    <Glyph value="c"/>
    <Glyph value="d"/>
    <Glyph value="e"/>
    <Glyph value="f"/>
    <Glyph value="g"/>
    <Glyph value="h"/>
    <Glyph value="i"/>
    <Glyph value="j"/>
    <Glyph value="k"/>
    <Glyph value="l"/>
    <Glyph value="m"/>
    <Glyph value="n"/>
    <Glyph value="o"/>
    <Glyph value="p"/>
    <Glyph value="q"/>
    <Glyph value="r"/>
    <Glyph value="s"/>
    <Glyph value="t"/>
    <Glyph value="u"/>
    <Glyph value="v"/>
    <Glyph value="w"/>
    <Glyph value="x"/>
    <Glyph value="y"/>
    <Glyph value="z"/>
    <Glyph value="acute"/>
    <Glyph value="eacute"/>
    <Glyph value="iacute"/>
    <Glyph value="oacute"/>
    <Glyph value="uacute"/>
    <Glyph value="yacute"/>
    <Glyph value="ccaron"/>
    <Glyph value="dcaron"/>
    <Glyph value="ecaron"/>
```

```
<Glyph value="ncaron"/>
<Glyph value="rcaron"/>
<Glyph value="scaron"/>
<Glyph value="tcaron"/>
<Glyph value="uring"/>
<Glyph value="zcaron"/>
</LookAheadCoverage>
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="23"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="8" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="S"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="2">
    <Glyph value="a"/>
    <Glyph value="b"/>
    <Glyph value="c"/>
    <Glyph value="d"/>
    <Glyph value="e"/>
    <Glyph value="f"/>
    <Glyph value="g"/>
    <Glyph value="h"/>
    <Glyph value="i"/>
    <Glyph value="j"/>
    <Glyph value="k"/>
    <Glyph value="l"/>
    <Glyph value="m"/>
    <Glyph value="n"/>
    <Glyph value="o"/>
    <Glyph value="p"/>
    <Glyph value="q"/>
    <Glyph value="r"/>
    <Glyph value="s"/>
    <Glyph value="t"/>
    <Glyph value="u"/>
    <Glyph value="v"/>
    <Glyph value="w"/>
    <Glyph value="x"/>
    <Glyph value="y"/>
    <Glyph value="z"/>
    <Glyph value="aacute"/>
    <Glyph value="eacute"/>
    <Glyph value="iacute"/>
    <Glyph value="oacute"/>
    <Glyph value="uacute"/>
    <Glyph value="yacute"/>
    <Glyph value="ccaron"/>
    <Glyph value="dcaron"/>
    <Glyph value="ecaron"/>
    <Glyph value="ncaron"/>
    <Glyph value="rcaron"/>
    <Glyph value="scaron"/>
    <Glyph value="tcaron"/>
    <Glyph value="uring"/>
    <Glyph value="zcaron"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="23"/>
  </SubstLookupRecord>
</ChainContextSubst>
```

```

</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="9" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="Scaron"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="2">
    <Glyph value="a"/>
    <Glyph value="b"/>
    <Glyph value="c"/>
    <Glyph value="d"/>
    <Glyph value="e"/>
    <Glyph value="f"/>
    <Glyph value="g"/>
    <Glyph value="h"/>
    <Glyph value="i"/>
    <Glyph value="j"/>
    <Glyph value="k"/>
    <Glyph value="l"/>
    <Glyph value="m"/>
    <Glyph value="n"/>
    <Glyph value="o"/>
    <Glyph value="p"/>
    <Glyph value="q"/>
    <Glyph value="r"/>
    <Glyph value="s"/>
    <Glyph value="t"/>
    <Glyph value="u"/>
    <Glyph value="v"/>
    <Glyph value="w"/>
    <Glyph value="x"/>
    <Glyph value="y"/>
    <Glyph value="z"/>
    <Glyph value="aacute"/>
    <Glyph value="eacute"/>
    <Glyph value="iacute"/>
    <Glyph value="oacute"/>
    <Glyph value="uacute"/>
    <Glyph value="yacute"/>
    <Glyph value="ccaron"/>
    <Glyph value="dcaron"/>
    <Glyph value="ecaron"/>
    <Glyph value="ncaron"/>
    <Glyph value="rcaron"/>
    <Glyph value="scaron"/>
    <Glyph value="tcaron"/>
    <Glyph value="uring"/>
    <Glyph value="zcaron"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="23"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="10" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="T"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="2">
    <Glyph value="a"/>

```

```
<Glyph value="b"/>
<Glyph value="c"/>
<Glyph value="d"/>
<Glyph value="e"/>
<Glyph value="f"/>
<Glyph value="g"/>
<Glyph value="h"/>
<Glyph value="i"/>
<Glyph value="j"/>
<Glyph value="k"/>
<Glyph value="l"/>
<Glyph value="m"/>
<Glyph value="n"/>
<Glyph value="o"/>
<Glyph value="p"/>
<Glyph value="q"/>
<Glyph value="r"/>
<Glyph value="s"/>
<Glyph value="t"/>
<Glyph value="u"/>
<Glyph value="v"/>
<Glyph value="w"/>
<Glyph value="x"/>
<Glyph value="y"/>
<Glyph value="z"/>
<Glyph value="acute"/>
<Glyph value="eacute"/>
<Glyph value="iacute"/>
<Glyph value="oacute"/>
<Glyph value="uacute"/>
<Glyph value="yacute"/>
<Glyph value="ccaron"/>
<Glyph value="dcaron"/>
<Glyph value="ecaron"/>
<Glyph value="ncaron"/>
<Glyph value="rcaron"/>
<Glyph value="scaron"/>
<Glyph value="tcaron"/>
<Glyph value="uring"/>
<Glyph value="zcaron"/>
</LookAheadCoverage>
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="23"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="11" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="Tcaron"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="2">
    <Glyph value="a"/>
    <Glyph value="b"/>
    <Glyph value="c"/>
    <Glyph value="d"/>
    <Glyph value="e"/>
    <Glyph value="f"/>
    <Glyph value="g"/>
    <Glyph value="h"/>
    <Glyph value="i"/>
    <Glyph value="j"/>
    <Glyph value="k"/>
    <Glyph value="l"/>
```

```
<Glyph value="m"/>
<Glyph value="n"/>
<Glyph value="o"/>
<Glyph value="p"/>
<Glyph value="q"/>
<Glyph value="r"/>
<Glyph value="s"/>
<Glyph value="t"/>
<Glyph value="u"/>
<Glyph value="v"/>
<Glyph value="w"/>
<Glyph value="x"/>
<Glyph value="y"/>
<Glyph value="z"/>
<Glyph value="acute"/>
<Glyph value="eacute"/>
<Glyph value="iacute"/>
<Glyph value="oacute"/>
<Glyph value="uacute"/>
<Glyph value="yacute"/>
<Glyph value="ccaron"/>
<Glyph value="dcaron"/>
<Glyph value="ecaron"/>
<Glyph value="ncaron"/>
<Glyph value="rcaron"/>
<Glyph value="scaron"/>
<Glyph value="tcaron"/>
<Glyph value="uring"/>
<Glyph value="zcaron"/>
</LookAheadCoverage>
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="23"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="12" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="V"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="2">
    <Glyph value="a"/>
    <Glyph value="b"/>
    <Glyph value="c"/>
    <Glyph value="d"/>
    <Glyph value="e"/>
    <Glyph value="f"/>
    <Glyph value="g"/>
    <Glyph value="h"/>
    <Glyph value="i"/>
    <Glyph value="j"/>
    <Glyph value="k"/>
    <Glyph value="l"/>
    <Glyph value="m"/>
    <Glyph value="n"/>
    <Glyph value="o"/>
    <Glyph value="p"/>
    <Glyph value="q"/>
    <Glyph value="r"/>
    <Glyph value="s"/>
    <Glyph value="t"/>
    <Glyph value="u"/>
    <Glyph value="v"/>
    <Glyph value="w"/>
```

```
<Glyph value="x"/>
<Glyph value="y"/>
<Glyph value="z"/>
<Glyph value="acute"/>
<Glyph value="eacute"/>
<Glyph value="iacute"/>
<Glyph value="oacute"/>
<Glyph value="uacute"/>
<Glyph value="yacute"/>
<Glyph value="ccaron"/>
<Glyph value="dcaron"/>
<Glyph value="ecaron"/>
<Glyph value="ncaron"/>
<Glyph value="rcaron"/>
<Glyph value="scaron"/>
<Glyph value="tcaron"/>
<Glyph value="uring"/>
<Glyph value="zcaron"/>
</LookAheadCoverage>
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="23"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="13" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="W"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="2">
    <Glyph value="a"/>
    <Glyph value="b"/>
    <Glyph value="c"/>
    <Glyph value="d"/>
    <Glyph value="e"/>
    <Glyph value="f"/>
    <Glyph value="g"/>
    <Glyph value="h"/>
    <Glyph value="i"/>
    <Glyph value="j"/>
    <Glyph value="k"/>
    <Glyph value="l"/>
    <Glyph value="m"/>
    <Glyph value="n"/>
    <Glyph value="o"/>
    <Glyph value="p"/>
    <Glyph value="q"/>
    <Glyph value="r"/>
    <Glyph value="s"/>
    <Glyph value="t"/>
    <Glyph value="u"/>
    <Glyph value="v"/>
    <Glyph value="w"/>
    <Glyph value="x"/>
    <Glyph value="y"/>
    <Glyph value="z"/>
    <Glyph value="acute"/>
    <Glyph value="eacute"/>
    <Glyph value="iacute"/>
    <Glyph value="oacute"/>
    <Glyph value="uacute"/>
    <Glyph value="yacute"/>
    <Glyph value="ccaron"/>
    <Glyph value="dcaron"/>
```



```

    <Glyph value="ecaron"/>
    <Glyph value="ncaron"/>
    <Glyph value="rcaron"/>
    <Glyph value="scaron"/>
    <Glyph value="tcaron"/>
    <Glyph value="uring"/>
    <Glyph value="zcaron"/>
</LookAheadCoverage>
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="23"/>
</SubstLookupRecord>
</ChainContextSubst>
</Lookup>
<Lookup index="2">
  <LookupType value="2"/>
  <LookupFlag value="0"/>
  <!-- SubTableCount=1 -->
  <MultipleSubst index="0" Format="1">
    <Coverage Format="2">
      <Glyph value="B.ini"/>
      <Glyph value="D.ini"/>
      <Glyph value="Dcaron.ini"/>
      <Glyph value="F.ini"/>
      <Glyph value="I.ini"/>
      <Glyph value="Iacute.ini"/>
      <Glyph value="O.ini"/>
      <Glyph value="Oacute.ini"/>
      <Glyph value="S.ini"/>
      <Glyph value="Scaron.ini"/>
      <Glyph value="T.ini"/>
      <Glyph value="Tcaron.ini"/>
      <Glyph value="V.ini"/>
      <Glyph value="W.ini"/>
    </Coverage>
    <!-- SequenceCount=14 -->
    <Sequence index="0">
      <!-- GlyphCount=2 -->
      <Substitute index="0" value="B"/>
      <Substitute index="1" value="joinc"/>
    </Sequence>
    <Sequence index="1">
      <!-- GlyphCount=2 -->
      <Substitute index="0" value="D"/>
      <Substitute index="1" value="joinc"/>
    </Sequence>
    <Sequence index="2">
      <!-- GlyphCount=2 -->
      <Substitute index="0" value="Dcaron"/>
      <Substitute index="1" value="joinc"/>
    </Sequence>
    <Sequence index="3">
      <!-- GlyphCount=2 -->
      <Substitute index="0" value="F"/>
      <Substitute index="1" value="joinc"/>
    </Sequence>
    <Sequence index="4">
      <!-- GlyphCount=2 -->
      <Substitute index="0" value="I"/>
      <Substitute index="1" value="joinc"/>
    </Sequence>
    <Sequence index="5">
      <!-- GlyphCount=2 -->
      <Substitute index="0" value="Iacute"/>
      <Substitute index="1" value="joinc"/>
    </Sequence>
  </MultipleSubst>
</Lookup>

```

```

<Sequence index="6">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="0"/>
  <Substitute index="1" value="joinc"/>
</Sequence>
<Sequence index="7">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="Oacute"/>
  <Substitute index="1" value="joinc"/>
</Sequence>
<Sequence index="8">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="S"/>
  <Substitute index="1" value="joinc"/>
</Sequence>
<Sequence index="9">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="Scaron"/>
  <Substitute index="1" value="joinc"/>
</Sequence>
<Sequence index="10">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="T"/>
  <Substitute index="1" value="joinc"/>
</Sequence>
<Sequence index="11">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="Tcaron"/>
  <Substitute index="1" value="joinc"/>
</Sequence>
<Sequence index="12">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="V"/>
  <Substitute index="1" value="joinc"/>
</Sequence>
<Sequence index="13">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="W"/>
  <Substitute index="1" value="joinc"/>
</Sequence>
</MultipleSubst>
</Lookup>
<Lookup index="3">
  <LookupType value="6"/>
  <LookupFlag value="0"/>
  <!-- SubTableCount=1 -->
  <ChainContextSubst index="0" Format="3">
    <!-- BacktrackGlyphCount=0 -->
    <!-- InputGlyphCount=1 -->
    <InputCoverage index="0" Format="1">
      <Glyph value="P"/>
    </InputCoverage>
    <!-- LookAheadGlyphCount=1 -->
    <LookAheadCoverage index="0" Format="2">
      <Glyph value="a"/>
      <Glyph value="b"/>
      <Glyph value="c"/>
      <Glyph value="d"/>
      <Glyph value="e"/>
      <Glyph value="f"/>
      <Glyph value="g"/>
      <Glyph value="h"/>
      <Glyph value="i"/>
      <Glyph value="j"/>
      <Glyph value="k"/>
      <Glyph value="l"/>
      <Glyph value="m"/>
    </LookAheadCoverage>
  </ChainContextSubst>
</Lookup>

```

```

    <Glyph value="n"/>
    <Glyph value="o"/>
    <Glyph value="p"/>
    <Glyph value="q"/>
    <Glyph value="r"/>
    <Glyph value="s"/>
    <Glyph value="t"/>
    <Glyph value="u"/>
    <Glyph value="v"/>
    <Glyph value="w"/>
    <Glyph value="x"/>
    <Glyph value="y"/>
    <Glyph value="z"/>
    <Glyph value="acute"/>
    <Glyph value="eacute"/>
    <Glyph value="iacute"/>
    <Glyph value="oacute"/>
    <Glyph value="uacute"/>
    <Glyph value="yacute"/>
    <Glyph value="ccaron"/>
    <Glyph value="dcaron"/>
    <Glyph value="ecaron"/>
    <Glyph value="ncaron"/>
    <Glyph value="rcaron"/>
    <Glyph value="scaron"/>
    <Glyph value="tcaron"/>
    <Glyph value="uring"/>
    <Glyph value="zcaron"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="23"/>
  </SubstLookupRecord>
</ChainContextSubst>
</Lookup>
<Lookup index="4">
  <LookupType value="2"/>
  <LookupFlag value="0"/>
  <!-- SubTableCount=1 -->
  <MultipleSubst index="0" Format="1">
    <Coverage Format="1">
      <Glyph value="P.ini"/>
    </Coverage>
    <!-- SequenceCount=1 -->
    <Sequence index="0">
      <!-- GlyphCount=2 -->
      <Substitute index="0" value="P"/>
      <Substitute index="1" value="join1"/>
    </Sequence>
  </MultipleSubst>
</Lookup>
<Lookup index="5">
  <LookupType value="6"/>
  <LookupFlag value="0"/>
  <!-- SubTableCount=6 -->
  <ChainContextSubst index="0" Format="3">
    <!-- BacktrackGlyphCount=0 -->
    <!-- InputGlyphCount=1 -->
    <InputCoverage index="0" Format="1">
      <Glyph value="scarondepth"/>
    </InputCoverage>
    <!-- LookAheadGlyphCount=1 -->
    <LookAheadCoverage index="0" Format="1">
      <Glyph value="a"/>
      <Glyph value="b"/>
      <Glyph value="c"/>
    </LookAheadCoverage>
  </ChainContextSubst>
</Lookup>

```

```
<Glyph value="d"/>
<Glyph value="e"/>
<Glyph value="f"/>
<Glyph value="g"/>
<Glyph value="h"/>
<Glyph value="i"/>
<Glyph value="j"/>
<Glyph value="k"/>
<Glyph value="l"/>
<Glyph value="o"/>
<Glyph value="p"/>
<Glyph value="q"/>
<Glyph value="r"/>
<Glyph value="s"/>
<Glyph value="u"/>
<Glyph value="x"/>
<Glyph value="acute"/>
<Glyph value="eacute"/>
<Glyph value="iacute"/>
<Glyph value="oacute"/>
<Glyph value="uacute"/>
<Glyph value="ccaron"/>
<Glyph value="dcaron"/>
<Glyph value="ecaron"/>
<Glyph value="rcaron"/>
<Glyph value="scaron"/>
<Glyph value="uring"/>
</LookAheadCoverage>
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="23"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="1" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="scaronleft"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="a"/>
    <Glyph value="b"/>
    <Glyph value="c"/>
    <Glyph value="d"/>
    <Glyph value="e"/>
    <Glyph value="f"/>
    <Glyph value="g"/>
    <Glyph value="h"/>
    <Glyph value="i"/>
    <Glyph value="j"/>
    <Glyph value="k"/>
    <Glyph value="l"/>
    <Glyph value="o"/>
    <Glyph value="p"/>
    <Glyph value="q"/>
    <Glyph value="r"/>
    <Glyph value="s"/>
    <Glyph value="u"/>
    <Glyph value="x"/>
    <Glyph value="acute"/>
    <Glyph value="eacute"/>
    <Glyph value="iacute"/>
    <Glyph value="oacute"/>
    <Glyph value="uacute"/>
    <Glyph value="ccaron"/>
  </LookAheadCoverage>
</ChainContextSubst>
```

```

    <Glyph value="dcaron"/>
    <Glyph value="ecaron"/>
    <Glyph value="rcaron"/>
    <Glyph value="scaron"/>
    <Glyph value="uring"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="23"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="2" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="scaron"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="a"/>
    <Glyph value="b"/>
    <Glyph value="c"/>
    <Glyph value="d"/>
    <Glyph value="e"/>
    <Glyph value="f"/>
    <Glyph value="g"/>
    <Glyph value="h"/>
    <Glyph value="i"/>
    <Glyph value="j"/>
    <Glyph value="k"/>
    <Glyph value="l"/>
    <Glyph value="o"/>
    <Glyph value="p"/>
    <Glyph value="q"/>
    <Glyph value="r"/>
    <Glyph value="s"/>
    <Glyph value="u"/>
    <Glyph value="x"/>
    <Glyph value="aacute"/>
    <Glyph value="eacute"/>
    <Glyph value="iacute"/>
    <Glyph value="oacute"/>
    <Glyph value="uacute"/>
    <Glyph value="ccaron"/>
    <Glyph value="dcaron"/>
    <Glyph value="ecaron"/>
    <Glyph value="rcaron"/>
    <Glyph value="scaron"/>
    <Glyph value="uring"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="23"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="3" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="s"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="a"/>
    <Glyph value="b"/>

```

```
<Glyph value="c"/>
<Glyph value="d"/>
<Glyph value="e"/>
<Glyph value="f"/>
<Glyph value="g"/>
<Glyph value="h"/>
<Glyph value="i"/>
<Glyph value="j"/>
<Glyph value="k"/>
<Glyph value="l"/>
<Glyph value="o"/>
<Glyph value="p"/>
<Glyph value="q"/>
<Glyph value="r"/>
<Glyph value="s"/>
<Glyph value="u"/>
<Glyph value="x"/>
<Glyph value="aacute"/>
<Glyph value="eacute"/>
<Glyph value="iacute"/>
<Glyph value="oacute"/>
<Glyph value="uacute"/>
<Glyph value="ccaron"/>
<Glyph value="dcaron"/>
<Glyph value="ecaron"/>
<Glyph value="rcaron"/>
<Glyph value="scaron"/>
<Glyph value="uring"/>
</LookAheadCoverage>
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="23"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="4" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="sleft"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="a"/>
    <Glyph value="b"/>
    <Glyph value="c"/>
    <Glyph value="d"/>
    <Glyph value="e"/>
    <Glyph value="f"/>
    <Glyph value="g"/>
    <Glyph value="h"/>
    <Glyph value="i"/>
    <Glyph value="j"/>
    <Glyph value="k"/>
    <Glyph value="l"/>
    <Glyph value="o"/>
    <Glyph value="p"/>
    <Glyph value="q"/>
    <Glyph value="r"/>
    <Glyph value="s"/>
    <Glyph value="u"/>
    <Glyph value="x"/>
    <Glyph value="aacute"/>
    <Glyph value="eacute"/>
    <Glyph value="iacute"/>
    <Glyph value="oacute"/>
    <Glyph value="uacute"/>
  </LookAheadCoverage>
</ChainContextSubst>

```

```

    <Glyph value="ccaron"/>
    <Glyph value="dcaron"/>
    <Glyph value="ecaron"/>
    <Glyph value="rcaron"/>
    <Glyph value="scaron"/>
    <Glyph value="uring"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="23"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="5" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="sdepth"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="a"/>
    <Glyph value="b"/>
    <Glyph value="c"/>
    <Glyph value="d"/>
    <Glyph value="e"/>
    <Glyph value="f"/>
    <Glyph value="g"/>
    <Glyph value="h"/>
    <Glyph value="i"/>
    <Glyph value="j"/>
    <Glyph value="k"/>
    <Glyph value="l"/>
    <Glyph value="o"/>
    <Glyph value="p"/>
    <Glyph value="q"/>
    <Glyph value="r"/>
    <Glyph value="s"/>
    <Glyph value="u"/>
    <Glyph value="x"/>
    <Glyph value="aacute"/>
    <Glyph value="eacute"/>
    <Glyph value="iacute"/>
    <Glyph value="oacute"/>
    <Glyph value="uacute"/>
    <Glyph value="ccaron"/>
    <Glyph value="dcaron"/>
    <Glyph value="ecaron"/>
    <Glyph value="rcaron"/>
    <Glyph value="scaron"/>
    <Glyph value="uring"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="23"/>
  </SubstLookupRecord>
</ChainContextSubst>
</Lookup>
<Lookup index="6">
  <LookupType value="2"/>
  <LookupFlag value="0"/>
  <!-- SubTableCount=1 -->
  <MultipleSubst index="0" Format="1">
    <Coverage Format="2">
      <Glyph value="scarondepth.c"/>
      <Glyph value="scaronleft.c"/>
    </Coverage>
  </MultipleSubst>
</Lookup>

```

```

    <Glyph value="scaron.c"/>
    <Glyph value="s.c"/>
    <Glyph value="sleft.c"/>
    <Glyph value="sdepth.c"/>
</Coverage>
<!-- SequenceCount=6 -->
<Sequence index="0">
    <!-- GlyphCount=2 -->
    <Substitute index="0" value="scarondepth"/>
    <Substitute index="1" value="joinc"/>
</Sequence>
<Sequence index="1">
    <!-- GlyphCount=2 -->
    <Substitute index="0" value="scaronleft"/>
    <Substitute index="1" value="joinc"/>
</Sequence>
<Sequence index="2">
    <!-- GlyphCount=2 -->
    <Substitute index="0" value="scaron"/>
    <Substitute index="1" value="joinc"/>
</Sequence>
<Sequence index="3">
    <!-- GlyphCount=2 -->
    <Substitute index="0" value="s"/>
    <Substitute index="1" value="joinc"/>
</Sequence>
<Sequence index="4">
    <!-- GlyphCount=2 -->
    <Substitute index="0" value="sleft"/>
    <Substitute index="1" value="joinc"/>
</Sequence>
<Sequence index="5">
    <!-- GlyphCount=2 -->
    <Substitute index="0" value="sdepth"/>
    <Substitute index="1" value="joinc"/>
</Sequence>
</MultipleSubst>
</Lookup>
<Lookup index="7">
    <LookupType value="6"/>
    <LookupFlag value="0"/>
    <!-- SubTableCount=6 -->
    <ChainContextSubst index="0" Format="3">
        <!-- BacktrackGlyphCount=0 -->
        <!-- InputGlyphCount=1 -->
        <InputCoverage index="0" Format="1">
            <Glyph value="scarondepth"/>
        </InputCoverage>
        <!-- LookAheadGlyphCount=1 -->
        <LookAheadCoverage index="0" Format="1">
            <Glyph value="m"/>
            <Glyph value="n"/>
            <Glyph value="t"/>
            <Glyph value="v"/>
            <Glyph value="w"/>
            <Glyph value="y"/>
            <Glyph value="z"/>
            <Glyph value="yacute"/>
            <Glyph value="ncaron"/>
            <Glyph value="tcaron"/>
            <Glyph value="zcaron"/>
        </LookAheadCoverage>
        <!-- SubstCount=1 -->
        <SubstLookupRecord index="0">
            <SequenceIndex value="0"/>
            <LookupListIndex value="24"/>
        </SubstLookupRecord>
    </ChainContextSubst>

```



```

</ChainContextSubst>
<ChainContextSubst index="1" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="scaronleft"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="m"/>
    <Glyph value="n"/>
    <Glyph value="t"/>
    <Glyph value="v"/>
    <Glyph value="w"/>
    <Glyph value="y"/>
    <Glyph value="z"/>
    <Glyph value="yacute"/>
    <Glyph value="ncaron"/>
    <Glyph value="tcaron"/>
    <Glyph value="zcaron"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="24"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="2" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="scaron"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="m"/>
    <Glyph value="n"/>
    <Glyph value="t"/>
    <Glyph value="v"/>
    <Glyph value="w"/>
    <Glyph value="y"/>
    <Glyph value="z"/>
    <Glyph value="yacute"/>
    <Glyph value="ncaron"/>
    <Glyph value="tcaron"/>
    <Glyph value="zcaron"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="24"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="3" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="s"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="m"/>
    <Glyph value="n"/>
    <Glyph value="t"/>
    <Glyph value="v"/>
    <Glyph value="w"/>
    <Glyph value="y"/>

```

```

    <Glyph value="z"/>
    <Glyph value="yacute"/>
    <Glyph value="ncaron"/>
    <Glyph value="tcaron"/>
    <Glyph value="zcaron"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="24"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="4" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="sleft"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="m"/>
    <Glyph value="n"/>
    <Glyph value="t"/>
    <Glyph value="v"/>
    <Glyph value="w"/>
    <Glyph value="y"/>
    <Glyph value="z"/>
    <Glyph value="yacute"/>
    <Glyph value="ncaron"/>
    <Glyph value="tcaron"/>
    <Glyph value="zcaron"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="24"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="5" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="sdepth"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="m"/>
    <Glyph value="n"/>
    <Glyph value="t"/>
    <Glyph value="v"/>
    <Glyph value="w"/>
    <Glyph value="y"/>
    <Glyph value="z"/>
    <Glyph value="yacute"/>
    <Glyph value="ncaron"/>
    <Glyph value="tcaron"/>
    <Glyph value="zcaron"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="24"/>
  </SubstLookupRecord>
</ChainContextSubst>
</Lookup>
<Lookup index="8">
  <LookupType value="2"/>

```

```

<LookupFlag value="0"/>
<!-- SubTableCount=1 -->
<MultipleSubst index="0" Format="1">
  <Coverage Format="2">
    <Glyph value="scarondepth.s"/>
    <Glyph value="scaronleft.s"/>
    <Glyph value="scaron.s"/>
    <Glyph value="s.s"/>
    <Glyph value="sleft.s"/>
    <Glyph value="sdepth.s"/>
  </Coverage>
  <!-- SequenceCount=6 -->
  <Sequence index="0">
    <!-- GlyphCount=2 -->
    <Substitute index="0" value="scarondepth"/>
    <Substitute index="1" value="joins"/>
  </Sequence>
  <Sequence index="1">
    <!-- GlyphCount=2 -->
    <Substitute index="0" value="scaronleft"/>
    <Substitute index="1" value="joins"/>
  </Sequence>
  <Sequence index="2">
    <!-- GlyphCount=2 -->
    <Substitute index="0" value="scaron"/>
    <Substitute index="1" value="joins"/>
  </Sequence>
  <Sequence index="3">
    <!-- GlyphCount=2 -->
    <Substitute index="0" value="s"/>
    <Substitute index="1" value="joins"/>
  </Sequence>
  <Sequence index="4">
    <!-- GlyphCount=2 -->
    <Substitute index="0" value="sleft"/>
    <Substitute index="1" value="joins"/>
  </Sequence>
  <Sequence index="5">
    <!-- GlyphCount=2 -->
    <Substitute index="0" value="sdepth"/>
    <Substitute index="1" value="joins"/>
  </Sequence>
</MultipleSubst>
</Lookup>
<Lookup index="9">
  <LookupType value="6"/>
  <LookupFlag value="0"/>
  <!-- SubTableCount=5 -->
  <ChainContextSubst index="0" Format="3">
    <!-- BacktrackGlyphCount=0 -->
    <!-- InputGlyphCount=1 -->
    <InputCoverage index="0" Format="1">
      <Glyph value="b"/>
    </InputCoverage>
    <!-- LookAheadGlyphCount=1 -->
    <LookAheadCoverage index="0" Format="1">
      <Glyph value="m"/>
      <Glyph value="n"/>
      <Glyph value="v"/>
      <Glyph value="w"/>
      <Glyph value="y"/>
      <Glyph value="yacute"/>
      <Glyph value="ncaron"/>
    </LookAheadCoverage>
    <!-- SubstCount=1 -->
    <SubstLookupRecord index="0">
      <SequenceIndex value="0"/>

```

```

    <LookupListIndex value="24"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="1" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="o"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="m"/>
    <Glyph value="n"/>
    <Glyph value="v"/>
    <Glyph value="w"/>
    <Glyph value="y"/>
    <Glyph value="yacute"/>
    <Glyph value="ncaron"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="24"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="2" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="oacute"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="m"/>
    <Glyph value="n"/>
    <Glyph value="v"/>
    <Glyph value="w"/>
    <Glyph value="y"/>
    <Glyph value="yacute"/>
    <Glyph value="ncaron"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="24"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="3" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="v"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="m"/>
    <Glyph value="n"/>
    <Glyph value="v"/>
    <Glyph value="w"/>
    <Glyph value="y"/>
    <Glyph value="yacute"/>
    <Glyph value="ncaron"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="24"/>
  </SubstLookupRecord>

```

```

</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="4" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="w"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="m"/>
    <Glyph value="n"/>
    <Glyph value="v"/>
    <Glyph value="w"/>
    <Glyph value="y"/>
    <Glyph value="yacute"/>
    <Glyph value="ncaron"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="24"/>
  </SubstLookupRecord>
</ChainContextSubst>
</Lookup>
<Lookup index="10">
  <LookupType value="6"/>
  <LookupFlag value="0"/>
  <!-- SubTableCount=2 -->
  <ChainContextSubst index="0" Format="3">
    <!-- BacktrackGlyphCount=1 -->
    <BacktrackCoverage index="0" Format="1">
      <Glyph value="G"/>
      <Glyph value="J"/>
      <Glyph value="Q"/>
      <Glyph value="Y"/>
      <Glyph value="g"/>
      <Glyph value="j"/>
      <Glyph value="q"/>
      <Glyph value="y"/>
      <Glyph value="Yacute"/>
      <Glyph value="yacute"/>
    </BacktrackCoverage>
    <!-- InputGlyphCount=1 -->
    <InputCoverage index="0" Format="1">
      <Glyph value="s"/>
    </InputCoverage>
    <!-- LookAheadGlyphCount=0 -->
    <!-- SubstCount=1 -->
    <SubstLookupRecord index="0">
      <SequenceIndex value="0"/>
      <LookupListIndex value="25"/>
    </SubstLookupRecord>
  </ChainContextSubst>
<ChainContextSubst index="1" Format="3">
  <!-- BacktrackGlyphCount=1 -->
  <BacktrackCoverage index="0" Format="1">
    <Glyph value="G"/>
    <Glyph value="J"/>
    <Glyph value="Q"/>
    <Glyph value="Y"/>
    <Glyph value="g"/>
    <Glyph value="j"/>
    <Glyph value="q"/>
    <Glyph value="y"/>
    <Glyph value="Yacute"/>
    <Glyph value="yacute"/>
  </BacktrackCoverage>

```

```
</BacktrackCoverage>
<!-- InputGlyphCount=1 -->
<InputCoverage index="0" Format="1">
  <Glyph value="scaron"/>
</InputCoverage>
<!-- LookAheadGlyphCount=0 -->
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="25"/>
</SubstLookupRecord>
</ChainContextSubst>
</Lookup>
<Lookup index="11">
  <LookupType value="6"/>
  <LookupFlag value="0"/>
  <!-- SubTableCount=2 -->
  <ChainContextSubst index="0" Format="3">
    <!-- BacktrackGlyphCount=0 -->
    <!-- InputGlyphCount=1 -->
    <InputCoverage index="0" Format="2">
      <Glyph value="A"/>
      <Glyph value="C"/>
      <Glyph value="E"/>
      <Glyph value="G"/>
      <Glyph value="H"/>
      <Glyph value="J"/>
      <Glyph value="K"/>
      <Glyph value="L"/>
      <Glyph value="M"/>
      <Glyph value="N"/>
      <Glyph value="Q"/>
      <Glyph value="R"/>
      <Glyph value="U"/>
      <Glyph value="X"/>
      <Glyph value="Z"/>
      <Glyph value="a"/>
      <Glyph value="b"/>
      <Glyph value="c"/>
      <Glyph value="d"/>
      <Glyph value="e"/>
      <Glyph value="f"/>
      <Glyph value="g"/>
      <Glyph value="h"/>
      <Glyph value="i"/>
      <Glyph value="j"/>
      <Glyph value="k"/>
      <Glyph value="l"/>
      <Glyph value="m"/>
      <Glyph value="n"/>
      <Glyph value="o"/>
      <Glyph value="p"/>
      <Glyph value="q"/>
      <Glyph value="r"/>
      <Glyph value="t"/>
      <Glyph value="u"/>
      <Glyph value="v"/>
      <Glyph value="w"/>
      <Glyph value="x"/>
      <Glyph value="y"/>
      <Glyph value="z"/>
      <Glyph value="Aacute"/>
      <Glyph value="Eacute"/>
      <Glyph value="Uacute"/>
      <Glyph value="aacute"/>
      <Glyph value="eacute"/>
      <Glyph value="iacute"/>
    </InputCoverage>
  </ChainContextSubst>
</Lookup>
```

```
<Glyph value="oacute"/>
<Glyph value="uacute"/>
<Glyph value="yacute"/>
<Glyph value="Ccaron"/>
<Glyph value="ccaron"/>
<Glyph value="dcaron"/>
<Glyph value="Ecaron"/>
<Glyph value="ecaron"/>
<Glyph value="Ncaron"/>
<Glyph value="ncaron"/>
<Glyph value="Rcaron"/>
<Glyph value="rcaron"/>
<Glyph value="tcaron"/>
<Glyph value="Uring"/>
<Glyph value="uring"/>
<Glyph value="Zcaron"/>
<Glyph value="zcaron"/>
<Glyph value="onarrow"/>
<Glyph value="oacutenarrow"/>
<Glyph value="vnarrow"/>
<Glyph value="wnarrow"/>
<Glyph value="bnarrow"/>
</InputCoverage>
<!-- LookAheadGlyphCount=1 -->
<LookAheadCoverage index="0" Format="2">
  <Glyph value="a"/>
  <Glyph value="b"/>
  <Glyph value="c"/>
  <Glyph value="d"/>
  <Glyph value="e"/>
  <Glyph value="f"/>
  <Glyph value="g"/>
  <Glyph value="h"/>
  <Glyph value="i"/>
  <Glyph value="j"/>
  <Glyph value="k"/>
  <Glyph value="l"/>
  <Glyph value="m"/>
  <Glyph value="n"/>
  <Glyph value="o"/>
  <Glyph value="p"/>
  <Glyph value="q"/>
  <Glyph value="r"/>
  <Glyph value="s"/>
  <Glyph value="t"/>
  <Glyph value="u"/>
  <Glyph value="v"/>
  <Glyph value="w"/>
  <Glyph value="x"/>
  <Glyph value="y"/>
  <Glyph value="z"/>
  <Glyph value="aacute"/>
  <Glyph value="eacute"/>
  <Glyph value="iacute"/>
  <Glyph value="oacute"/>
  <Glyph value="uacute"/>
  <Glyph value="yacute"/>
  <Glyph value="ccaron"/>
  <Glyph value="dcaron"/>
  <Glyph value="ecaron"/>
  <Glyph value="ncaron"/>
  <Glyph value="rcaron"/>
  <Glyph value="scaron"/>
  <Glyph value="tcaron"/>
  <Glyph value="uring"/>
  <Glyph value="zcaron"/>
  <Glyph value="sdepth"/>
```

```
<Glyph value="scarondepth"/>
<Glyph value="onarrow"/>
<Glyph value="oacutenarrow"/>
<Glyph value="vnarrow"/>
<Glyph value="wnarrow"/>
<Glyph value="bnarrow"/>
</LookAheadCoverage>
<!-- SubstCount=0 -->
</ChainContextSubst>
<ChainContextSubst index="1" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="2">
    <Glyph value="A"/>
    <Glyph value="C"/>
    <Glyph value="E"/>
    <Glyph value="G"/>
    <Glyph value="H"/>
    <Glyph value="J"/>
    <Glyph value="K"/>
    <Glyph value="L"/>
    <Glyph value="M"/>
    <Glyph value="N"/>
    <Glyph value="Q"/>
    <Glyph value="R"/>
    <Glyph value="U"/>
    <Glyph value="X"/>
    <Glyph value="Z"/>
    <Glyph value="a"/>
    <Glyph value="b"/>
    <Glyph value="c"/>
    <Glyph value="d"/>
    <Glyph value="e"/>
    <Glyph value="f"/>
    <Glyph value="g"/>
    <Glyph value="h"/>
    <Glyph value="i"/>
    <Glyph value="j"/>
    <Glyph value="k"/>
    <Glyph value="l"/>
    <Glyph value="m"/>
    <Glyph value="n"/>
    <Glyph value="o"/>
    <Glyph value="p"/>
    <Glyph value="q"/>
    <Glyph value="r"/>
    <Glyph value="t"/>
    <Glyph value="u"/>
    <Glyph value="v"/>
    <Glyph value="w"/>
    <Glyph value="x"/>
    <Glyph value="y"/>
    <Glyph value="z"/>
    <Glyph value="Aacute"/>
    <Glyph value="Eacute"/>
    <Glyph value="Uacute"/>
    <Glyph value="aacute"/>
    <Glyph value="eacute"/>
    <Glyph value="iacute"/>
    <Glyph value="oacute"/>
    <Glyph value="uacute"/>
    <Glyph value="yacute"/>
    <Glyph value="Ccaron"/>
    <Glyph value="ccaron"/>
    <Glyph value="dcaron"/>
    <Glyph value="Ecaron"/>
    <Glyph value="ecaron"/>
```



```

    <Glyph value="Ncaron"/>
    <Glyph value="ncaron"/>
    <Glyph value="Rcaron"/>
    <Glyph value="rcaron"/>
    <Glyph value="tcaron"/>
    <Glyph value="Uring"/>
    <Glyph value="uring"/>
    <Glyph value="Zcaron"/>
    <Glyph value="zcaron"/>
    <Glyph value="onarrow"/>
    <Glyph value="oacutenarrow"/>
    <Glyph value="vnarrow"/>
    <Glyph value="wnarrow"/>
    <Glyph value="bnarrow"/>
</InputCoverage>
<!-- LookAheadGlyphCount=0 -->
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="25"/>
</SubstLookupRecord>
</ChainContextSubst>
</Lookup>
<Lookup index="12">
  <LookupType value="2"/>
  <LookupFlag value="0"/>
  <!-- SubTableCount=1 -->
  <MultipleSubst index="0" Format="1">
    <Coverage Format="2">
      <Glyph value="a.fin"/>
      <Glyph value="aacute.fin"/>
      <Glyph value="A.fin"/>
      <Glyph value="Aacute.fin"/>
      <Glyph value="b.fin"/>
      <Glyph value="bnarrow.fin"/>
      <Glyph value="c.fin"/>
      <Glyph value="ccaron.fin"/>
      <Glyph value="C.fin"/>
      <Glyph value="Ccaron.fin"/>
      <Glyph value="d.fin"/>
      <Glyph value="dcaron.fin"/>
      <Glyph value="e.fin"/>
      <Glyph value="eacute.fin"/>
      <Glyph value="ecaron.fin"/>
      <Glyph value="E.fin"/>
      <Glyph value="Eacute.fin"/>
      <Glyph value="Ecaron.fin"/>
      <Glyph value="f.fin"/>
      <Glyph value="g.fin"/>
      <Glyph value="G.fin"/>
      <Glyph value="h.fin"/>
      <Glyph value="H.fin"/>
      <Glyph value="i.fin"/>
      <Glyph value="iacute.fin"/>
      <Glyph value="j.fin"/>
      <Glyph value="J.fin"/>
      <Glyph value="k.fin"/>
      <Glyph value="K.fin"/>
      <Glyph value="l.fin"/>
      <Glyph value="L.fin"/>
      <Glyph value="m.fin"/>
      <Glyph value="M.fin"/>
      <Glyph value="n.fin"/>
      <Glyph value="ncaron.fin"/>
      <Glyph value="N.fin"/>
      <Glyph value="Ncaron.fin"/>
      <Glyph value="o.fin"/>
    </Coverage>
  </MultipleSubst>
</Lookup>

```

```

<Glyph value="oacute.fin"/>
<Glyph value="onarrow.fin"/>
<Glyph value="oacutenarrow.fin"/>
<Glyph value="p.fin"/>
<Glyph value="q.fin"/>
<Glyph value="Q.fin"/>
<Glyph value="r.fin"/>
<Glyph value="rcaron.fin"/>
<Glyph value="R.fin"/>
<Glyph value="Rcaron.fin"/>
<Glyph value="t.fin"/>
<Glyph value="tcaron.fin"/>
<Glyph value="u.fin"/>
<Glyph value="uring.fin"/>
<Glyph value="uacute.fin"/>
<Glyph value="U.fin"/>
<Glyph value="Uacute.fin"/>
<Glyph value="Uring.fin"/>
<Glyph value="v.fin"/>
<Glyph value="vncaron.fin"/>
<Glyph value="w.fin"/>
<Glyph value="wnarrow.fin"/>
<Glyph value="x.fin"/>
<Glyph value="X.fin"/>
<Glyph value="y.fin"/>
<Glyph value="yacute.fin"/>
<Glyph value="z.fin"/>
<Glyph value="zcaron.fin"/>
<Glyph value="Zcaron.fin"/>
</Coverage>
<!-- SequenceCount=68 -->
<Sequence index="0">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="a"/>
  <Substitute index="1" value="rbound"/>
</Sequence>
<Sequence index="1">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="aacute"/>
  <Substitute index="1" value="rbound"/>
</Sequence>
<Sequence index="2">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="A"/>
  <Substitute index="1" value="rbound"/>
</Sequence>
<Sequence index="3">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="Aacute"/>
  <Substitute index="1" value="rbound"/>
</Sequence>
<Sequence index="4">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="b"/>
  <Substitute index="1" value="rbound"/>
</Sequence>
<Sequence index="5">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="bncaron"/>
  <Substitute index="1" value="rbound"/>
</Sequence>
<Sequence index="6">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="c"/>
  <Substitute index="1" value="rbound"/>
</Sequence>

```

```
<Sequence index="7">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="ccaron"/>
  <Substitute index="1" value="rbound"/>
</Sequence>
<Sequence index="8">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="C"/>
  <Substitute index="1" value="rbound"/>
</Sequence>
<Sequence index="9">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="Ccaron"/>
  <Substitute index="1" value="rbound"/>
</Sequence>
<Sequence index="10">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="d"/>
  <Substitute index="1" value="rbound"/>
</Sequence>
<Sequence index="11">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="dcaron"/>
  <Substitute index="1" value="rbound"/>
</Sequence>
<Sequence index="12">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="e"/>
  <Substitute index="1" value="rbound"/>
</Sequence>
<Sequence index="13">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="eacute"/>
  <Substitute index="1" value="rbound"/>
</Sequence>
<Sequence index="14">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="ecaron"/>
  <Substitute index="1" value="rbound"/>
</Sequence>
<Sequence index="15">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="E"/>
  <Substitute index="1" value="rbound"/>
</Sequence>
<Sequence index="16">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="Eacute"/>
  <Substitute index="1" value="rbound"/>
</Sequence>
<Sequence index="17">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="Ecaron"/>
  <Substitute index="1" value="rbound"/>
</Sequence>
<Sequence index="18">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="f"/>
  <Substitute index="1" value="rbound"/>
</Sequence>
<Sequence index="19">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="g"/>
  <Substitute index="1" value="rbound"/>
</Sequence>
<Sequence index="20">
  <!-- GlyphCount=2 -->
```

```
<Substitute index="0" value="G"/>
<Substitute index="1" value="rbound"/>
</Sequence>
<Sequence index="21">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="h"/>
  <Substitute index="1" value="rbound"/>
</Sequence>
<Sequence index="22">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="H"/>
  <Substitute index="1" value="rbound"/>
</Sequence>
<Sequence index="23">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="i"/>
  <Substitute index="1" value="rbound"/>
</Sequence>
<Sequence index="24">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="iacute"/>
  <Substitute index="1" value="rbound"/>
</Sequence>
<Sequence index="25">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="j"/>
  <Substitute index="1" value="rbound"/>
</Sequence>
<Sequence index="26">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="J"/>
  <Substitute index="1" value="rbound"/>
</Sequence>
<Sequence index="27">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="k"/>
  <Substitute index="1" value="rbound"/>
</Sequence>
<Sequence index="28">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="K"/>
  <Substitute index="1" value="rbound"/>
</Sequence>
<Sequence index="29">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="l"/>
  <Substitute index="1" value="rbound"/>
</Sequence>
<Sequence index="30">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="L"/>
  <Substitute index="1" value="rbound"/>
</Sequence>
<Sequence index="31">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="m"/>
  <Substitute index="1" value="rbound"/>
</Sequence>
<Sequence index="32">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="M"/>
  <Substitute index="1" value="rbound"/>
</Sequence>
<Sequence index="33">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="n"/>
  <Substitute index="1" value="rbound"/>
```

```
</Sequence>
<Sequence index="34">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="ncaron"/>
  <Substitute index="1" value="rbound"/>
</Sequence>
<Sequence index="35">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="N"/>
  <Substitute index="1" value="rbound"/>
</Sequence>
<Sequence index="36">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="Ncaron"/>
  <Substitute index="1" value="rbound"/>
</Sequence>
<Sequence index="37">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="o"/>
  <Substitute index="1" value="rbound"/>
</Sequence>
<Sequence index="38">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="oacute"/>
  <Substitute index="1" value="rbound"/>
</Sequence>
<Sequence index="39">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="onarrow"/>
  <Substitute index="1" value="rbound"/>
</Sequence>
<Sequence index="40">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="oacutenarrow"/>
  <Substitute index="1" value="rbound"/>
</Sequence>
<Sequence index="41">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="p"/>
  <Substitute index="1" value="rbound"/>
</Sequence>
<Sequence index="42">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="q"/>
  <Substitute index="1" value="rbound"/>
</Sequence>
<Sequence index="43">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="Q"/>
  <Substitute index="1" value="rbound"/>
</Sequence>
<Sequence index="44">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="r"/>
  <Substitute index="1" value="rbound"/>
</Sequence>
<Sequence index="45">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="rcaron"/>
  <Substitute index="1" value="rbound"/>
</Sequence>
<Sequence index="46">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="R"/>
  <Substitute index="1" value="rbound"/>
</Sequence>
<Sequence index="47">
```

```
<!-- GlyphCount=2 -->
<Substitute index="0" value="Rcaron"/>
<Substitute index="1" value="rbound"/>
</Sequence>
<Sequence index="48">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="t"/>
  <Substitute index="1" value="rbound"/>
</Sequence>
<Sequence index="49">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="tcaron"/>
  <Substitute index="1" value="rbound"/>
</Sequence>
<Sequence index="50">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="u"/>
  <Substitute index="1" value="rbound"/>
</Sequence>
<Sequence index="51">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="uring"/>
  <Substitute index="1" value="rbound"/>
</Sequence>
<Sequence index="52">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="uacute"/>
  <Substitute index="1" value="rbound"/>
</Sequence>
<Sequence index="53">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="U"/>
  <Substitute index="1" value="rbound"/>
</Sequence>
<Sequence index="54">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="Uacute"/>
  <Substitute index="1" value="rbound"/>
</Sequence>
<Sequence index="55">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="Uring"/>
  <Substitute index="1" value="rbound"/>
</Sequence>
<Sequence index="56">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="v"/>
  <Substitute index="1" value="rbound"/>
</Sequence>
<Sequence index="57">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="vnnarrow"/>
  <Substitute index="1" value="rbound"/>
</Sequence>
<Sequence index="58">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="w"/>
  <Substitute index="1" value="rbound"/>
</Sequence>
<Sequence index="59">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="wnnarrow"/>
  <Substitute index="1" value="rbound"/>
</Sequence>
<Sequence index="60">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="x"/>
```

```

    <Substitute index="1" value="rbound"/>
</Sequence>
<Sequence index="61">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="X"/>
  <Substitute index="1" value="rbound"/>
</Sequence>
<Sequence index="62">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="y"/>
  <Substitute index="1" value="rbound"/>
</Sequence>
<Sequence index="63">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="yacute"/>
  <Substitute index="1" value="rbound"/>
</Sequence>
<Sequence index="64">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="z"/>
  <Substitute index="1" value="rbound"/>
</Sequence>
<Sequence index="65">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="zcaron"/>
  <Substitute index="1" value="rbound"/>
</Sequence>
<Sequence index="66">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="Z"/>
  <Substitute index="1" value="rbound"/>
</Sequence>
<Sequence index="67">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="Zcaron"/>
  <Substitute index="1" value="rbound"/>
</Sequence>
</MultipleSubst>
</Lookup>
<Lookup index="13">
  <LookupType value="6"/>
  <LookupFlag value="0"/>
  <!-- SubTableCount=2 -->
  <ChainContextSubst index="0" Format="3">
    <!-- BacktrackGlyphCount=1 -->
    <BacktrackCoverage index="0" Format="2">
      <Glyph value="A"/>
      <Glyph value="B"/>
      <Glyph value="C"/>
      <Glyph value="D"/>
      <Glyph value="E"/>
      <Glyph value="F"/>
      <Glyph value="G"/>
      <Glyph value="H"/>
      <Glyph value="I"/>
      <Glyph value="J"/>
      <Glyph value="K"/>
      <Glyph value="L"/>
      <Glyph value="M"/>
      <Glyph value="N"/>
      <Glyph value="O"/>
      <Glyph value="P"/>
      <Glyph value="Q"/>
      <Glyph value="R"/>
      <Glyph value="S"/>
      <Glyph value="T"/>
      <Glyph value="U"/>
    </BacktrackCoverage>
  </ChainContextSubst>
</Lookup>

```

<Glyph value="V"/>
<Glyph value="W"/>
<Glyph value="X"/>
<Glyph value="Y"/>
<Glyph value="Z"/>
<Glyph value="a"/>
<Glyph value="b"/>
<Glyph value="c"/>
<Glyph value="d"/>
<Glyph value="e"/>
<Glyph value="f"/>
<Glyph value="g"/>
<Glyph value="h"/>
<Glyph value="i"/>
<Glyph value="j"/>
<Glyph value="k"/>
<Glyph value="l"/>
<Glyph value="m"/>
<Glyph value="n"/>
<Glyph value="o"/>
<Glyph value="p"/>
<Glyph value="q"/>
<Glyph value="r"/>
<Glyph value="s"/>
<Glyph value="t"/>
<Glyph value="u"/>
<Glyph value="v"/>
<Glyph value="w"/>
<Glyph value="x"/>
<Glyph value="y"/>
<Glyph value="z"/>
<Glyph value="Aacute"/>
<Glyph value="Eacute"/>
<Glyph value="Iacute"/>
<Glyph value="Oacute"/>
<Glyph value="Uacute"/>
<Glyph value="Yacute"/>
<Glyph value="aacute"/>
<Glyph value="eacute"/>
<Glyph value="iacute"/>
<Glyph value="oacute"/>
<Glyph value="uacute"/>
<Glyph value="yacute"/>
<Glyph value="Ccaron"/>
<Glyph value="ccaron"/>
<Glyph value="Dcaron"/>
<Glyph value="dcaron"/>
<Glyph value="Ecaron"/>
<Glyph value="ecaron"/>
<Glyph value="Ncaron"/>
<Glyph value="ncaron"/>
<Glyph value="Rcaron"/>
<Glyph value="rcaron"/>
<Glyph value="Scaron"/>
<Glyph value="scaron"/>
<Glyph value="Tcaron"/>
<Glyph value="tcaron"/>
<Glyph value="Uring"/>
<Glyph value="uring"/>
<Glyph value="Zcaron"/>
<Glyph value="zcaron"/>
<Glyph value="joinc"/>
<Glyph value="joinl"/>
<Glyph value="joins"/>
<Glyph value="sdepth"/>
<Glyph value="scarondepth"/>
<Glyph value="onarrow"/>


```
<Glyph value="oacutenarrow"/>
<Glyph value="vnarrow"/>
<Glyph value="wnarrow"/>
<Glyph value="bnarrow"/>
<Glyph value="b.ini"/>
<Glyph value="bnarrow.ini"/>
<Glyph value="e.ini"/>
<Glyph value="eacute.ini"/>
<Glyph value="ecaron.ini"/>
<Glyph value="f.ini"/>
<Glyph value="h.ini"/>
<Glyph value="i.ini"/>
<Glyph value="iacute.ini"/>
<Glyph value="j.ini"/>
<Glyph value="k.ini"/>
<Glyph value="l.ini"/>
<Glyph value="m.ini"/>
<Glyph value="n.ini"/>
<Glyph value="ncaron.ini"/>
<Glyph value="p.ini"/>
<Glyph value="r.ini"/>
<Glyph value="rcaron.ini"/>
<Glyph value="s.ini"/>
<Glyph value="scaron.ini"/>
<Glyph value="t.ini"/>
<Glyph value="tcaron.ini"/>
<Glyph value="u.ini"/>
<Glyph value="uring.ini"/>
<Glyph value="uacute.ini"/>
<Glyph value="v.ini"/>
<Glyph value="vnarrow.ini"/>
<Glyph value="w.ini"/>
<Glyph value="wnarrow.ini"/>
<Glyph value="x.ini"/>
<Glyph value="y.ini"/>
<Glyph value="yacute.ini"/>
<Glyph value="z.ini"/>
<Glyph value="zcaron.ini"/>
</BacktrackCoverage>
<!-- InputGlyphCount=1 -->
<InputCoverage index="0" Format="1">
  <Glyph value="b"/>
  <Glyph value="e"/>
  <Glyph value="f"/>
  <Glyph value="h"/>
  <Glyph value="i"/>
  <Glyph value="j"/>
  <Glyph value="k"/>
  <Glyph value="l"/>
  <Glyph value="m"/>
  <Glyph value="n"/>
  <Glyph value="p"/>
  <Glyph value="r"/>
  <Glyph value="s"/>
  <Glyph value="t"/>
  <Glyph value="u"/>
  <Glyph value="v"/>
  <Glyph value="w"/>
  <Glyph value="x"/>
  <Glyph value="y"/>
  <Glyph value="z"/>
  <Glyph value="eacute"/>
  <Glyph value="iacute"/>
  <Glyph value="uacute"/>
  <Glyph value="yacute"/>
  <Glyph value="ecaron"/>
  <Glyph value="ncaron"/>

```

```

    <Glyph value="rcaron"/>
    <Glyph value="scaron"/>
    <Glyph value="tcaron"/>
    <Glyph value="uring"/>
    <Glyph value="zcaron"/>
    <Glyph value="vnarrow"/>
    <Glyph value="wnarrow"/>
    <Glyph value="bnarrow"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=0 -->
  <!-- SubstCount=0 -->
</ChainContextSubst>
<ChainContextSubst index="1" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="b"/>
    <Glyph value="e"/>
    <Glyph value="f"/>
    <Glyph value="h"/>
    <Glyph value="i"/>
    <Glyph value="j"/>
    <Glyph value="k"/>
    <Glyph value="l"/>
    <Glyph value="m"/>
    <Glyph value="n"/>
    <Glyph value="p"/>
    <Glyph value="r"/>
    <Glyph value="s"/>
    <Glyph value="t"/>
    <Glyph value="u"/>
    <Glyph value="v"/>
    <Glyph value="w"/>
    <Glyph value="x"/>
    <Glyph value="y"/>
    <Glyph value="z"/>
    <Glyph value="eacute"/>
    <Glyph value="iacute"/>
    <Glyph value="uacute"/>
    <Glyph value="yacute"/>
    <Glyph value="ecaron"/>
    <Glyph value="ncaron"/>
    <Glyph value="rcaron"/>
    <Glyph value="scaron"/>
    <Glyph value="tcaron"/>
    <Glyph value="uring"/>
    <Glyph value="zcaron"/>
    <Glyph value="vnarrow"/>
    <Glyph value="wnarrow"/>
    <Glyph value="bnarrow"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=0 -->
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="26"/>
  </SubstLookupRecord>
</ChainContextSubst>
</Lookup>
<Lookup index="14">
  <LookupType value="2"/>
  <LookupFlag value="0"/>
  <!-- SubTableCount=1 -->
  <MultipleSubst index="0" Format="1">
    <Coverage Format="2">
      <Glyph value="b.ini"/>
      <Glyph value="bnarrow.ini"/>
    </Coverage>
  </MultipleSubst>
</Lookup>

```

```

<Glyph value="e.ini"/>
<Glyph value="eacute.ini"/>
<Glyph value="ecaron.ini"/>
<Glyph value="f.ini"/>
<Glyph value="h.ini"/>
<Glyph value="i.ini"/>
<Glyph value="iacute.ini"/>
<Glyph value="j.ini"/>
<Glyph value="k.ini"/>
<Glyph value="l.ini"/>
<Glyph value="m.ini"/>
<Glyph value="n.ini"/>
<Glyph value="ncaron.ini"/>
<Glyph value="p.ini"/>
<Glyph value="r.ini"/>
<Glyph value="rcaron.ini"/>
<Glyph value="s.ini"/>
<Glyph value="scaron.ini"/>
<Glyph value="t.ini"/>
<Glyph value="tcaron.ini"/>
<Glyph value="u.ini"/>
<Glyph value="uring.ini"/>
<Glyph value="uacute.ini"/>
<Glyph value="v.ini"/>
<Glyph value="vnnarrow.ini"/>
<Glyph value="w.ini"/>
<Glyph value="wnarrow.ini"/>
<Glyph value="x.ini"/>
<Glyph value="y.ini"/>
<Glyph value="yacute.ini"/>
<Glyph value="z.ini"/>
<Glyph value="zcaron.ini"/>
</Coverage>
<!-- SequenceCount=34 -->
<Sequence index="0">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="lbounda"/>
  <Substitute index="1" value="b"/>
</Sequence>
<Sequence index="1">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="lbounda"/>
  <Substitute index="1" value="bnarrow"/>
</Sequence>
<Sequence index="2">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="lbounda"/>
  <Substitute index="1" value="e"/>
</Sequence>
<Sequence index="3">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="lbounda"/>
  <Substitute index="1" value="eacute"/>
</Sequence>
<Sequence index="4">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="lbounda"/>
  <Substitute index="1" value="ecaron"/>
</Sequence>
<Sequence index="5">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="lbounda"/>
  <Substitute index="1" value="f"/>
</Sequence>
<Sequence index="6">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="lbounda"/>

```

```
<Substitute index="1" value="h"/>
</Sequence>
<Sequence index="7">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="lbounda"/>
  <Substitute index="1" value="i"/>
</Sequence>
<Sequence index="8">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="lbounda"/>
  <Substitute index="1" value="iacute"/>
</Sequence>
<Sequence index="9">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="lbounda"/>
  <Substitute index="1" value="j"/>
</Sequence>
<Sequence index="10">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="lbounda"/>
  <Substitute index="1" value="k"/>
</Sequence>
<Sequence index="11">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="lbounda"/>
  <Substitute index="1" value="l"/>
</Sequence>
<Sequence index="12">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="lbounda"/>
  <Substitute index="1" value="m"/>
</Sequence>
<Sequence index="13">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="lbounda"/>
  <Substitute index="1" value="n"/>
</Sequence>
<Sequence index="14">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="lbounda"/>
  <Substitute index="1" value="ncaron"/>
</Sequence>
<Sequence index="15">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="lbounda"/>
  <Substitute index="1" value="p"/>
</Sequence>
<Sequence index="16">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="lbounda"/>
  <Substitute index="1" value="r"/>
</Sequence>
<Sequence index="17">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="lbounda"/>
  <Substitute index="1" value="rcaron"/>
</Sequence>
<Sequence index="18">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="lbounda"/>
  <Substitute index="1" value="s"/>
</Sequence>
<Sequence index="19">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="lbounda"/>
  <Substitute index="1" value="scaron"/>
</Sequence>
```

```
<Sequence index="20">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="lbounda"/>
  <Substitute index="1" value="t"/>
</Sequence>
<Sequence index="21">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="lbounda"/>
  <Substitute index="1" value="tcaron"/>
</Sequence>
<Sequence index="22">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="lbounda"/>
  <Substitute index="1" value="u"/>
</Sequence>
<Sequence index="23">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="lbounda"/>
  <Substitute index="1" value="uring"/>
</Sequence>
<Sequence index="24">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="lbounda"/>
  <Substitute index="1" value="uacute"/>
</Sequence>
<Sequence index="25">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="lbounda"/>
  <Substitute index="1" value="v"/>
</Sequence>
<Sequence index="26">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="lbounda"/>
  <Substitute index="1" value="vnarrow"/>
</Sequence>
<Sequence index="27">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="lbounda"/>
  <Substitute index="1" value="w"/>
</Sequence>
<Sequence index="28">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="lbounda"/>
  <Substitute index="1" value="wnarrow"/>
</Sequence>
<Sequence index="29">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="lbounda"/>
  <Substitute index="1" value="x"/>
</Sequence>
<Sequence index="30">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="lbounda"/>
  <Substitute index="1" value="y"/>
</Sequence>
<Sequence index="31">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="lbounda"/>
  <Substitute index="1" value="yacute"/>
</Sequence>
<Sequence index="32">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="lbounda"/>
  <Substitute index="1" value="z"/>
</Sequence>
<Sequence index="33">
  <!-- GlyphCount=2 -->
```

```

        <Substitute index="0" value="lbounda"/>
        <Substitute index="1" value="zcaron"/>
    </Sequence>
</MultipleSubst>
</Lookup>
<Lookup index="15">
    <LookupType value="1"/>
    <LookupFlag value="0"/>
    <!-- SubTableCount=1 -->
    <SingleSubst index="0" Format="2">
        <Substitution in="uni10D3" out="GR_varD"/>
        <Substitution in="uni10DA" out="GR_varL"/>
        <Substitution in="uni10DD" out="GR_var0"/>
        <Substitution in="uni10E0" out="GR_varR"/>
    </SingleSubst>
</Lookup>
<Lookup index="16">
    <LookupType value="6"/>
    <LookupFlag value="0"/>
    <!-- SubTableCount=312 -->
    <ChainContextSubst index="0" Format="3">
        <!-- BacktrackGlyphCount=0 -->
        <!-- InputGlyphCount=1 -->
        <InputCoverage index="0" Format="1">
            <Glyph value="uni10EF"/>
        </InputCoverage>
        <!-- LookAheadGlyphCount=1 -->
        <LookAheadCoverage index="0" Format="1">
            <Glyph value="uni10D0"/>
        </LookAheadCoverage>
        <!-- SubstCount=1 -->
        <SubstLookupRecord index="0">
            <SequenceIndex value="0"/>
            <LookupListIndex value="26"/>
        </SubstLookupRecord>
    </ChainContextSubst>
    <ChainContextSubst index="1" Format="3">
        <!-- BacktrackGlyphCount=0 -->
        <!-- InputGlyphCount=1 -->
        <InputCoverage index="0" Format="1">
            <Glyph value="uni10ED"/>
        </InputCoverage>
        <!-- LookAheadGlyphCount=1 -->
        <LookAheadCoverage index="0" Format="1">
            <Glyph value="uni10D0"/>
        </LookAheadCoverage>
        <!-- SubstCount=1 -->
        <SubstLookupRecord index="0">
            <SequenceIndex value="0"/>
            <LookupListIndex value="26"/>
        </SubstLookupRecord>
    </ChainContextSubst>
    <ChainContextSubst index="2" Format="3">
        <!-- BacktrackGlyphCount=0 -->
        <!-- InputGlyphCount=1 -->
        <InputCoverage index="0" Format="1">
            <Glyph value="uni10EF"/>
        </InputCoverage>
        <!-- LookAheadGlyphCount=1 -->
        <LookAheadCoverage index="0" Format="1">
            <Glyph value="uni10D8"/>
        </LookAheadCoverage>
        <!-- SubstCount=1 -->
        <SubstLookupRecord index="0">
            <SequenceIndex value="0"/>
            <LookupListIndex value="27"/>
        </SubstLookupRecord>

```

```
</ChainContextSubst>
<ChainContextSubst index="3" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10ED"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D8"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="27"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="4" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D4"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E6"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="27"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="5" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E4"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E6"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="27"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="6" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10DF"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E6"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="27"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="7" Format="3">
  <!-- BacktrackGlyphCount=0 -->
```

```

<!-- InputGlyphCount=1 -->
<InputCoverage index="0" Format="1">
  <Glyph value="uni10D9"/>
</InputCoverage>
<!-- LookAheadGlyphCount=1 -->
<LookAheadCoverage index="0" Format="1">
  <Glyph value="uni10E6"/>
</LookAheadCoverage>
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="27"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="8" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E7"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E6"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="27"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="9" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E3"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E6"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="27"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="10" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D5"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E6"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="27"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="11" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D4"/>
  </InputCoverage>

```



```
</InputCoverage>
<!-- LookAheadGlyphCount=1 -->
<LookAheadCoverage index="0" Format="1">
  <Glyph value="GR_varD"/>
</LookAheadCoverage>
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="27"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="12" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E4"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="GR_varD"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="27"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="13" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10DF"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="GR_varD"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="27"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="14" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D9"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="GR_varD"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="27"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="15" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E7"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
```

```
<Glyph value="GR_varD"/>
</LookAheadCoverage>
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="27"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="16" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E3"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="GR_varD"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="27"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="17" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D5"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="GR_varD"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="27"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="18" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D4"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="GR_varL"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="27"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="19" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E4"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="GR_varL"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
```

```
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="27"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="20" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10DF"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="GR_varL"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="27"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="21" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D9"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="GR_varL"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="27"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="22" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E7"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="GR_varL"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="27"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="23" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E3"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="GR_varL"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="27"/>
  </SubstLookupRecord>
</ChainContextSubst>
```

```

    </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="24" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D5"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="GR_varL"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="27"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="25" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D2"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D0"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="27"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="26" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E9"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D0"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="27"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="27" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D8"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D0"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="27"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="28" Format="3">

```

```

<!-- BacktrackGlyphCount=0 -->
<!-- InputGlyphCount=1 -->
<InputCoverage index="0" Format="1">
  <Glyph value="uni10E6"/>
</InputCoverage>
<!-- LookAheadGlyphCount=1 -->
<LookAheadCoverage index="0" Format="1">
  <Glyph value="uni10D0"/>
</LookAheadCoverage>
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="27"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="29" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D7"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D0"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="27"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="30" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR_varL"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D0"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="27"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="31" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR_varR"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D0"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="27"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="32" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">

```

```

    <Glyph value="uni10E9"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D1"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="28"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="33" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D8"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D1"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="28"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="34" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E6"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D1"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="28"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="35" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D7"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D1"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="28"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="36" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR_varL"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->

```

```
<LookAheadCoverage index="0" Format="1">
  <Glyph value="uni10D1"/>
</LookAheadCoverage>
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="28"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="37" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR_varR"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D1"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="28"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="38" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E9"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D4"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="29"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="39" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D8"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D4"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="29"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="40" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E6"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D4"/>
  </LookAheadCoverage>
```

```

<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="29"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="41" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D7"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D4"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="29"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="42" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR_varL"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D4"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="29"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="43" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR_varR"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D4"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="29"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="44" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E9"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D2"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>

```



```

    <LookupListIndex value="29"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="45" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D8"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D2"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="29"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="46" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E6"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D2"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="29"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="47" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D7"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D2"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="29"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="48" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR_varL"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D2"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="29"/>
  </SubstLookupRecord>
</ChainContextSubst>

```

```
<ChainContextSubst index="49" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR_varR"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D2"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="29"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="50" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D2"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10F0"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="29"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="51" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E9"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10F0"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="29"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="52" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D8"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10F0"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="29"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="53" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
```

```

<InputCoverage index="0" Format="1">
  <Glyph value="uni10E6"/>
</InputCoverage>
<!-- LookAheadGlyphCount=1 -->
<LookAheadCoverage index="0" Format="1">
  <Glyph value="uni10F0"/>
</LookAheadCoverage>
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="29"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="54" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D7"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10F0"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="29"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="55" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR_varL"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10F0"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="29"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="56" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR_varR"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10F0"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="29"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="57" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E9"/>
  </InputCoverage>

```

```

<!-- LookAheadGlyphCount=1 -->
<LookAheadCoverage index="0" Format="1">
  <Glyph value="uni10EE"/>
</LookAheadCoverage>
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="30"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="58" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D8"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10EE"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="30"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="59" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E6"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10EE"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="30"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="60" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D7"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10EE"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="30"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="61" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR_varL"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10EE"/>
  </LookAheadCoverage>

```

```
</LookAheadCoverage>
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="30"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="62" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR_varR"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10EE"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="30"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="63" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E9"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E9"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="31"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="64" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D8"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E9"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="31"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="65" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E6"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E9"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
```

```

    <SequenceIndex value="0"/>
    <LookupListIndex value="31"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="66" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D7"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E9"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="31"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="67" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR_varL"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E9"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="31"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="68" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR_varR"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E9"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="31"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="69" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D2"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D8"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="31"/>
  </SubstLookupRecord>

```

```

</ChainContextSubst>
<ChainContextSubst index="70" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E9"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D8"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="32"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="71" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D8"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D8"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="32"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="72" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E6"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D8"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="32"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="73" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D7"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D8"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="32"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="74" Format="3">
  <!-- BacktrackGlyphCount=0 -->

```

```

<!-- InputGlyphCount=1 -->
<InputCoverage index="0" Format="1">
  <Glyph value="GR_varL"/>
</InputCoverage>
<!-- LookAheadGlyphCount=1 -->
<LookAheadCoverage index="0" Format="1">
  <Glyph value="uni10D8"/>
</LookAheadCoverage>
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="32"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="75" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR_varR"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D8"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="32"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="76" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D2"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10DF"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="32"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="77" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E9"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10DF"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="33"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="78" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E9"/>

```



```
</InputCoverage>
<!-- LookAheadGlyphCount=1 -->
<LookAheadCoverage index="0" Format="1">
  <Glyph value="GR_jan_" />
</LookAheadCoverage>
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0" />
  <LookupListIndex value="33" />
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="79" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D8" />
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10DF" />
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0" />
    <LookupListIndex value="33" />
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="80" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D8" />
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="GR_jan_" />
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0" />
    <LookupListIndex value="33" />
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="81" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E6" />
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10DF" />
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0" />
    <LookupListIndex value="33" />
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="82" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E6" />
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
```

```

    <Glyph value="GR_jan_"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="33"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="83" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D7"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10DF"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="33"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="84" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D7"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="GR_jan_"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="33"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="85" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR_varL"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10DF"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="33"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="86" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR_varL"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="GR_jan_"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->

```

```

    <SubstLookupRecord index="0">
      <SequenceIndex value="0"/>
      <LookupListIndex value="33"/>
    </SubstLookupRecord>
  </ChainContextSubst>
<ChainContextSubst index="87" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR_varR"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10DF"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="33"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="88" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR_varR"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="GR_jan_"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="33"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="89" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E9"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E7"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="34"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="90" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D8"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E7"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="34"/>
  </SubstLookupRecord>

```

```

    </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="91" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E6"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E7"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="34"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="92" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D7"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E7"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="34"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="93" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR_varL"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E7"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="34"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="94" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR_varR"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E7"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="34"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="95" Format="3">

```

```

<!-- BacktrackGlyphCount=0 -->
<!-- InputGlyphCount=1 -->
<InputCoverage index="0" Format="1">
  <Glyph value="uni10D1"/>
</InputCoverage>
<!-- LookAheadGlyphCount=1 -->
<LookAheadCoverage index="0" Format="1">
  <Glyph value="uni10DC"/>
</LookAheadCoverage>
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="34"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="96" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D2"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10DC"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="34"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="97" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E9"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10DC"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="35"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="98" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D8"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10DC"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="35"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="99" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">

```

```

    <Glyph value="uni10E6"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10DC"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="35"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="100" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D7"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10DC"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="35"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="101" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR_varL"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10DC"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="35"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="102" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR_varR"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10DC"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="35"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="103" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D2"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->

```

```
<LookAheadCoverage index="0" Format="1">
  <Glyph value="uni10DE"/>
</LookAheadCoverage>
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="35"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="104" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E9"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10DE"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="36"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="105" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D8"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10DE"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="36"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="106" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E6"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10DE"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="36"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="107" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D7"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10DE"/>
  </LookAheadCoverage>
```

```
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="36"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="108" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR_varL"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10DE"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="36"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="109" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR_varR"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10DE"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="36"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="110" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E9"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E1"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="37"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="111" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D8"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E1"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
```



```

    <LookupListIndex value="37"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="112" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E6"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E1"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="37"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="113" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D7"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E1"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="37"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="114" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR_varL"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E1"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="37"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="115" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR_varR"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E1"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="37"/>
  </SubstLookupRecord>
</ChainContextSubst>

```

```

<ChainContextSubst index="116" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D1"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E2"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="37"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="117" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E9"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E2"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="38"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="118" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D8"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E2"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="38"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="119" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E6"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E2"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="38"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="120" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->

```

```

<InputCoverage index="0" Format="1">
  <Glyph value="uni10D7"/>
</InputCoverage>
<!-- LookAheadGlyphCount=1 -->
<LookAheadCoverage index="0" Format="1">
  <Glyph value="uni10E2"/>
</LookAheadCoverage>
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="38"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="121" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR_varL"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E2"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="38"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="122" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR_varR"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E2"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="38"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="123" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D1"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10EA"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="38"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="124" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E9"/>
  </InputCoverage>

```

```

<!-- LookAheadGlyphCount=1 -->
<LookAheadCoverage index="0" Format="1">
  <Glyph value="uni10EA"/>
</LookAheadCoverage>
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="38"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="125" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D8"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10EA"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="38"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="126" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E6"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10EA"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="38"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="127" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D7"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10EA"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="38"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="128" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR_varL"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10EA"/>
  </LookAheadCoverage>

```

```
</LookAheadCoverage>
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="38"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="129" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR_varR"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10EA"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="38"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="130" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D1"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10EC"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="39"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="131" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D2"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10EC"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="39"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="132" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E9"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10EC"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
```

```

    <SequenceIndex value="0"/>
    <LookupListIndex value="39"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="133" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D8"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10EC"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="39"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="134" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E6"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10EC"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="39"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="135" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D7"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10EC"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="39"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="136" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR_varL"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10EC"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="39"/>
  </SubstLookupRecord>

```

```

</ChainContextSubst>
<ChainContextSubst index="137" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR_varR"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10EC"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="39"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="138" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D1"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="GR_var0"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="40"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="139" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E9"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="GR_var0"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="40"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="140" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D8"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="GR_var0"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="40"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="141" Format="3">
  <!-- BacktrackGlyphCount=0 -->

```

```

<!-- InputGlyphCount=1 -->
<InputCoverage index="0" Format="1">
  <Glyph value="uni10E6"/>
</InputCoverage>
<!-- LookAheadGlyphCount=1 -->
<LookAheadCoverage index="0" Format="1">
  <Glyph value="GR_var0"/>
</LookAheadCoverage>
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="40"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="142" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D7"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="GR_var0"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="40"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="143" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR_varL"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="GR_var0"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="40"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="144" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR_varR"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="GR_var0"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="40"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="145" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E9"/>

```



```

</InputCoverage>
<!-- LookAheadGlyphCount=1 -->
<LookAheadCoverage index="0" Format="1">
  <Glyph value="GR_varR"/>
</LookAheadCoverage>
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="41"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="146" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D8"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="GR_varR"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="41"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="147" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E6"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="GR_varR"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="41"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="148" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D7"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="GR_varR"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="41"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="149" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR_varL"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">

```

```
<Glyph value="GR_varR"/>
</LookAheadCoverage>
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="41"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="150" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR_varR"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="GR_varR"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="41"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="151" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E9"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D5"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="42"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="152" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D8"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D5"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="42"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="153" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E6"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D5"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
```

```
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="42"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="154" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D7"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D5"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="42"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="155" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR_varL"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D5"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="42"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="156" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR_varR"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D5"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="42"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="157" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D4"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D0"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="42"/>
  </SubstLookupRecord>
</ChainContextSubst>
```

```

    </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="158" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E4"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D0"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="42"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="159" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10DF"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D0"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="42"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="160" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D9"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D0"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="42"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="161" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E7"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D0"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="42"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="162" Format="3">

```

```

<!-- BacktrackGlyphCount=0 -->
<!-- InputGlyphCount=1 -->
<InputCoverage index="0" Format="1">
  <Glyph value="uni10E2"/>
</InputCoverage>
<!-- LookAheadGlyphCount=1 -->
<LookAheadCoverage index="0" Format="1">
  <Glyph value="uni10D0"/>
</LookAheadCoverage>
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="42"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="163" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E3"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D0"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="42"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="164" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D5"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D0"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="42"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="165" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D0"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D1"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="42"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="166" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">

```

```

    <Glyph value="uni10D4"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D1"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="43"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="167" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10DF"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D1"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="43"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="168" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D9"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D1"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="43"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="169" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E7"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D1"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="43"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="170" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E1"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->

```

```
<LookAheadCoverage index="0" Format="1">
  <Glyph value="uni10D1"/>
</LookAheadCoverage>
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="43"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="171" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10EA"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D1"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="43"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="172" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E3"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D1"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="43"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="173" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D5"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D1"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="43"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="174" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10EB"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D4"/>
  </LookAheadCoverage>
```

```

<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="43"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="175" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10DB"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D4"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="43"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="176" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E8"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D4"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="43"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="177" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E2"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D4"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="43"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="178" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10EB"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D2"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>

```



```

    <LookupListIndex value="43"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="179" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10DB"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D2"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="43"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="180" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E8"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D2"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="43"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="181" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E2"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D2"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="43"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="182" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D4"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10F0"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="44"/>
  </SubstLookupRecord>
</ChainContextSubst>

```

```
<ChainContextSubst index="183" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E4"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10F0"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="44"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="184" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10DF"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10F0"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="44"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="185" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D9"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10F0"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="44"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="186" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E7"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10F0"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="44"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="187" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
```

```

<InputCoverage index="0" Format="1">
  <Glyph value="uni10E3"/>
</InputCoverage>
<!-- LookAheadGlyphCount=1 -->
<LookAheadCoverage index="0" Format="1">
  <Glyph value="uni10F0"/>
</LookAheadCoverage>
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="44"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="188" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D5"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10F0"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="44"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="189" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D0"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10EE"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="44"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="190" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D4"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10EE"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="45"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="191" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E4"/>
  </InputCoverage>

```

```

<!-- LookAheadGlyphCount=1 -->
<LookAheadCoverage index="0" Format="1">
  <Glyph value="uni10EE"/>
</LookAheadCoverage>
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="45"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="192" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10DF"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10EE"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="45"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="193" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D9"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10EE"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="45"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="194" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E7"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10EE"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="45"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="195" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10EA"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10EE"/>
  </LookAheadCoverage>

```

```
</LookAheadCoverage>
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="45"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="196" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E3"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10EE"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="45"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="197" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D5"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10EE"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="45"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="198" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D0"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E9"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="45"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="199" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D4"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E9"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
```

```

    <SequenceIndex value="0"/>
    <LookupListIndex value="46"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="200" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E4"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E9"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="46"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="201" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10DF"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E9"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="46"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="202" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D9"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E9"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="46"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="203" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E7"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E9"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="46"/>
  </SubstLookupRecord>

```

```

</ChainContextSubst>
<ChainContextSubst index="204" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E3"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E9"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="46"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="205" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D5"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E9"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="46"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="206" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10EB"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D8"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="46"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="207" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D4"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D8"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="47"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="208" Format="3">
  <!-- BacktrackGlyphCount=0 -->

```

```

<!-- InputGlyphCount=1 -->
<InputCoverage index="0" Format="1">
  <Glyph value="uni10E4"/>
</InputCoverage>
<!-- LookAheadGlyphCount=1 -->
<LookAheadCoverage index="0" Format="1">
  <Glyph value="uni10D8"/>
</LookAheadCoverage>
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="47"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="209" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10DF"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D8"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="47"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="210" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D9"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D8"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="47"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="211" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E7"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D8"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="47"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="212" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10DB"/>
  </InputCoverage>

```



```
</InputCoverage>
<!-- LookAheadGlyphCount=1 -->
<LookAheadCoverage index="0" Format="1">
  <Glyph value="uni10D8"/>
</LookAheadCoverage>
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="47"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="213" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E8"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D8"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="47"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="214" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E2"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D8"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="47"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="215" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E3"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D8"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="47"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="216" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D5"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
```

```

    <Glyph value="uni10D8"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="47"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="217" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D4"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10DF"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="48"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="218" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E3"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10DF"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="48"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="219" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D5"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10DF"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="48"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="220" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D0"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E7"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->

```

```
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="48"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="221" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10EB"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E7"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="48"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="222" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10DB"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E7"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="48"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="223" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E1"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E7"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="48"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="224" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E8"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E7"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="48"/>
  </SubstLookupRecord>
</ChainContextSubst>
```

```

    </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="225" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E2"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E7"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="48"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="226" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D0"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10DC"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="49"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="227" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10EB"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10DC"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="49"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="228" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D4"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10DC"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="49"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="229" Format="3">

```

```

<!-- BacktrackGlyphCount=0 -->
<!-- InputGlyphCount=1 -->
<InputCoverage index="0" Format="1">
  <Glyph value="uni10E4"/>
</InputCoverage>
<!-- LookAheadGlyphCount=1 -->
<LookAheadCoverage index="0" Format="1">
  <Glyph value="uni10DC"/>
</LookAheadCoverage>
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="49"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="230" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10DF"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10DC"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="49"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="231" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D9"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10DC"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="49"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="232" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E7"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10DC"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="49"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="233" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">

```

```

    <Glyph value="uni10DB"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10DC"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="49"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="234" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E1"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10DC"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="49"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="235" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E8"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10DC"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="49"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="236" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E2"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10DC"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="49"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="237" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10EA"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->

```

```
<LookAheadCoverage index="0" Format="1">
  <Glyph value="uni10DC"/>
</LookAheadCoverage>
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="49"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="238" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E3"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10DC"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="49"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="239" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D5"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10DC"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="49"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="240" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D4"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10DE"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="49"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="241" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E4"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10DE"/>
  </LookAheadCoverage>
```

```
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="49"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="242" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10DF"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10DE"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="49"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="243" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D9"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10DE"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="49"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="244" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E7"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10DE"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="49"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="245" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E3"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10DE"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
```



```
<LookupListIndex value="49"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="246" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D5"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10DE"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="49"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="247" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D0"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E1"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="50"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="248" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D4"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E1"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="50"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="249" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E4"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E1"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="50"/>
  </SubstLookupRecord>
</ChainContextSubst>
```

```
<ChainContextSubst index="250" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10DF"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E1"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="50"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="251" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D9"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E1"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="50"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="252" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E7"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E1"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="50"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="253" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10EA"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E1"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="50"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="254" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
```

```

<InputCoverage index="0" Format="1">
  <Glyph value="uni10E3"/>
</InputCoverage>
<!-- LookAheadGlyphCount=1 -->
<LookAheadCoverage index="0" Format="1">
  <Glyph value="uni10E1"/>
</LookAheadCoverage>
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="50"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="255" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D5"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E1"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="50"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="256" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D0"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E2"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="51"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="257" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10EB"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E2"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="51"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="258" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10DB"/>
  </InputCoverage>

```

```

<!-- LookAheadGlyphCount=1 -->
<LookAheadCoverage index="0" Format="1">
  <Glyph value="uni10E2"/>
</LookAheadCoverage>
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="51"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="259" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E1"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E2"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="51"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="260" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E8"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E2"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="51"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="261" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D0"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10EA"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="51"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="262" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10EB"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10EA"/>
  </LookAheadCoverage>

```

```
</LookAheadCoverage>
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="51"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="263" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10DB"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10EA"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="51"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="264" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E1"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10EA"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="51"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="265" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E8"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10EA"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="51"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="266" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D0"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10EC"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
```

```
<SequenceIndex value="0"/>
<LookupListIndex value="52"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="267" Format="3">
<!-- BacktrackGlyphCount=0 -->
<!-- InputGlyphCount=1 -->
<InputCoverage index="0" Format="1">
  <Glyph value="uni10EB"/>
</InputCoverage>
<!-- LookAheadGlyphCount=1 -->
<LookAheadCoverage index="0" Format="1">
  <Glyph value="uni10EC"/>
</LookAheadCoverage>
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="52"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="268" Format="3">
<!-- BacktrackGlyphCount=0 -->
<!-- InputGlyphCount=1 -->
<InputCoverage index="0" Format="1">
  <Glyph value="uni10D4"/>
</InputCoverage>
<!-- LookAheadGlyphCount=1 -->
<LookAheadCoverage index="0" Format="1">
  <Glyph value="uni10EC"/>
</LookAheadCoverage>
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="52"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="269" Format="3">
<!-- BacktrackGlyphCount=0 -->
<!-- InputGlyphCount=1 -->
<InputCoverage index="0" Format="1">
  <Glyph value="uni10E4"/>
</InputCoverage>
<!-- LookAheadGlyphCount=1 -->
<LookAheadCoverage index="0" Format="1">
  <Glyph value="uni10EC"/>
</LookAheadCoverage>
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="52"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="270" Format="3">
<!-- BacktrackGlyphCount=0 -->
<!-- InputGlyphCount=1 -->
<InputCoverage index="0" Format="1">
  <Glyph value="uni10DF"/>
</InputCoverage>
<!-- LookAheadGlyphCount=1 -->
<LookAheadCoverage index="0" Format="1">
  <Glyph value="uni10EC"/>
</LookAheadCoverage>
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="52"/>
</SubstLookupRecord>
```

```

</ChainContextSubst>
<ChainContextSubst index="271" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D9"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10EC"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="52"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="272" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E7"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10EC"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="52"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="273" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10DB"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10EC"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="52"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="274" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E1"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10EC"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="52"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="275" Format="3">
  <!-- BacktrackGlyphCount=0 -->

```

```

<!-- InputGlyphCount=1 -->
<InputCoverage index="0" Format="1">
  <Glyph value="uni10E8"/>
</InputCoverage>
<!-- LookAheadGlyphCount=1 -->
<LookAheadCoverage index="0" Format="1">
  <Glyph value="uni10EC"/>
</LookAheadCoverage>
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="52"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="276" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E3"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10EC"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="52"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="277" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D5"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10EC"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="52"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="278" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D0"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E3"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="53"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="279" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10EB"/>

```



```
</InputCoverage>
<!-- LookAheadGlyphCount=1 -->
<LookAheadCoverage index="0" Format="1">
  <Glyph value="uni10E3"/>
</LookAheadCoverage>
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="53"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="280" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10DB"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E3"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="53"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="281" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E1"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E3"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="53"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="282" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E8"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E3"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="53"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="283" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E2"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
```

```

    <Glyph value="uni10E3"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="53"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="284" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10EA"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E3"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="53"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="285" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D0"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="GR_un_"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="53"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="286" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10EB"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="GR_un_"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="53"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="287" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10DB"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="GR_un_"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->

```

```
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="53"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="288" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E1"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="GR_un_"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="53"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="289" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E8"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="GR_un_"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="53"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="290" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E2"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="GR_un_"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="53"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="291" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10EA"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="GR_un_"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="53"/>
  </SubstLookupRecord>
</ChainContextSubst>
```

```

    </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="292" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D0"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="GR_var0"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="53"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="293" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10EB"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="GR_var0"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="53"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="294" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10DB"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="GR_var0"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="53"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="295" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E1"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="GR_var0"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="53"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="296" Format="3">

```

```

<!-- BacktrackGlyphCount=0 -->
<!-- InputGlyphCount=1 -->
<InputCoverage index="0" Format="1">
  <Glyph value="uni10E8"/>
</InputCoverage>
<!-- LookAheadGlyphCount=1 -->
<LookAheadCoverage index="0" Format="1">
  <Glyph value="GR_var0"/>
</LookAheadCoverage>
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="53"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="297" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E2"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="GR_var0"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="53"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="298" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10EA"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="GR_var0"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="53"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="299" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D0"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="GR_varR"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="54"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="300" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">

```

```

    <Glyph value="uni10D4"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="GR_varR"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="54"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="301" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E4"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="GR_varR"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="54"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="302" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10DF"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="GR_varR"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="54"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="303" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D9"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="GR_varR"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="54"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="304" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E7"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->

```

```

<LookAheadCoverage index="0" Format="1">
  <Glyph value="GR_varR"/>
</LookAheadCoverage>
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="54"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="305" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10EA"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="GR_varR"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="54"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="306" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E3"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="GR_varR"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="54"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="307" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D5"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="GR_varR"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="54"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="308" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10EB"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D5"/>
  </LookAheadCoverage>

```

```

<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="54"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="309" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10DB"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D5"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="54"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="310" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E8"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D5"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="54"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="311" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E2"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D5"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="54"/>
  </SubstLookupRecord>
</ChainContextSubst>
</Lookup>
<Lookup index="17">
  <LookupType value="2"/>
  <LookupFlag value="0"/>
  <!-- SubTableCount=1 -->
  <MultipleSubst index="0" Format="1">
    <Coverage Format="2">
      <Glyph value="GR_varL_in__an"/>
      <Glyph value="GR_varL_in__ban"/>
      <Glyph value="GR_varL_in__chin"/>
      <Glyph value="GR_varL_in__in"/>
      <Glyph value="GR_varL_in__jan"/>
      <Glyph value="GR_varL_in__nar"/>
    </Coverage>
  </MultipleSubst>
</Lookup>

```


<Glyph value="GR_varL_in__qar"/>
<Glyph value="GR_varL_in__san"/>
<Glyph value="GR_varL_in__tar"/>
<Glyph value="GR_varL_in__un"/>
<Glyph value="GR_varR_in__an"/>
<Glyph value="GR_varR_in__ban"/>
<Glyph value="GR_varR_in__chin"/>
<Glyph value="GR_varR_in__in"/>
<Glyph value="GR_varR_in__jan"/>
<Glyph value="GR_varR_in__nar"/>
<Glyph value="GR_varR_in__qar"/>
<Glyph value="GR_varR_in__san"/>
<Glyph value="GR_varR_in__tar"/>
<Glyph value="GR_varR_in__un"/>
<Glyph value="uni10D1_man__nar"/>
<Glyph value="uni10D1_man__tar"/>
<Glyph value="uni10D1_man__un"/>
<Glyph value="uni10D2_gan__an"/>
<Glyph value="uni10D2_gan__in"/>
<Glyph value="uni10D2_gan__jan"/>
<Glyph value="uni10D2_gan__nar"/>
<Glyph value="uni10D7_in__an"/>
<Glyph value="uni10D7_in__ban"/>
<Glyph value="uni10D7_in__chin"/>
<Glyph value="uni10D7_in__in"/>
<Glyph value="uni10D7_in__jan"/>
<Glyph value="uni10D7_in__nar"/>
<Glyph value="uni10D7_in__qar"/>
<Glyph value="uni10D7_in__san"/>
<Glyph value="uni10D7_in__tar"/>
<Glyph value="uni10D7_in__un"/>
<Glyph value="uni10D8_in__an"/>
<Glyph value="uni10D8_in__ban"/>
<Glyph value="uni10D8_in__chin"/>
<Glyph value="uni10D8_in__in"/>
<Glyph value="uni10D8_in__jan"/>
<Glyph value="uni10D8_in__nar"/>
<Glyph value="uni10D8_in__qar"/>
<Glyph value="uni10D8_in__san"/>
<Glyph value="uni10D8_in__tar"/>
<Glyph value="uni10D8_in__un"/>
<Glyph value="uni10E6_in__an"/>
<Glyph value="uni10E6_in__ban"/>
<Glyph value="uni10E6_in__chin"/>
<Glyph value="uni10E6_in__in"/>
<Glyph value="uni10E6_in__jan"/>
<Glyph value="uni10E6_in__nar"/>
<Glyph value="uni10E6_in__qar"/>
<Glyph value="uni10E6_in__san"/>
<Glyph value="uni10E6_in__tar"/>
<Glyph value="uni10E6_in__un"/>
<Glyph value="uni10E9_in__an"/>
<Glyph value="uni10E9_in__ban"/>
<Glyph value="uni10E9_in__chin"/>
<Glyph value="uni10E9_in__in"/>
<Glyph value="uni10E9_in__jan"/>
<Glyph value="uni10E9_in__nar"/>
<Glyph value="uni10E9_in__qar"/>
<Glyph value="uni10E9_in__san"/>
<Glyph value="uni10E9_in__tar"/>
<Glyph value="uni10E9_in__un"/>
<Glyph value="GR_an_an__ban"/>
<Glyph value="GR_an_an__chin"/>
<Glyph value="GR_an_an__nar"/>
<Glyph value="GR_an_an__qar"/>
<Glyph value="GR_an_an__san"/>
<Glyph value="GR_an_an__tar"/>

<Glyph value="GR_an_an__un"/>
<Glyph value="GR_dzil_man__gan"/>
<Glyph value="GR_dzil_man__in"/>
<Glyph value="GR_dzil_man__nar"/>
<Glyph value="GR_dzil_man__qar"/>
<Glyph value="GR_dzil_man__tar"/>
<Glyph value="GR_dzil_man__un"/>
<Glyph value="GR_en_en__an"/>
<Glyph value="GR_en_en__ban"/>
<Glyph value="GR_en_en__chin"/>
<Glyph value="GR_en_en__in"/>
<Glyph value="GR_en_en__san"/>
<Glyph value="GR_far_en__an"/>
<Glyph value="GR_far_en__chin"/>
<Glyph value="GR_far_en__in"/>
<Glyph value="GR_far_en__san"/>
<Glyph value="GR_jan_en__an"/>
<Glyph value="GR_jan_en__ban"/>
<Glyph value="GR_jan_en__chin"/>
<Glyph value="GR_jan_en__in"/>
<Glyph value="GR_jan_en__san"/>
<Glyph value="GR_kan_en__an"/>
<Glyph value="GR_kan_en__ban"/>
<Glyph value="GR_kan_en__chin"/>
<Glyph value="GR_kan_en__in"/>
<Glyph value="GR_kan_en__san"/>
<Glyph value="GR_kar_en__an"/>
<Glyph value="GR_kar_en__ban"/>
<Glyph value="GR_kar_en__chin"/>
<Glyph value="GR_kar_en__in"/>
<Glyph value="GR_kar_en__san"/>
<Glyph value="GR_man_man__gan"/>
<Glyph value="GR_man_man__in"/>
<Glyph value="GR_man_man__nar"/>
<Glyph value="GR_man_man__qar"/>
<Glyph value="GR_man_man__tar"/>
<Glyph value="GR_man_man__un"/>
<Glyph value="GR_san_san__ban"/>
<Glyph value="GR_san_san__nar"/>
<Glyph value="GR_san_san__qar"/>
<Glyph value="GR_san_san__tar"/>
<Glyph value="GR_san_san__un"/>
<Glyph value="GR_shin_man__gan"/>
<Glyph value="GR_shin_man__in"/>
<Glyph value="GR_shin_man__nar"/>
<Glyph value="GR_shin_man__qar"/>
<Glyph value="GR_shin_man__tar"/>
<Glyph value="GR_shin_man__un"/>
<Glyph value="GR_tar_tar__an"/>
<Glyph value="GR_tar_tar__in"/>
<Glyph value="GR_tar_tar__nar"/>
<Glyph value="GR_tar_tar__qar"/>
<Glyph value="GR_tar_tar__un"/>
<Glyph value="GR_tsan_tsan__ban"/>
<Glyph value="GR_tsan_tsan__nar"/>
<Glyph value="GR_tsan_tsan__san"/>
<Glyph value="GR_tsan_tsan__un"/>
<Glyph value="GR_un_en__an"/>
<Glyph value="GR_un_en__ban"/>
<Glyph value="GR_un_en__chin"/>
<Glyph value="GR_un_en__in"/>
<Glyph value="GR_un_en__san"/>
<Glyph value="GR_vin_en__an"/>
<Glyph value="GR_vin_en__ban"/>
<Glyph value="GR_vin_en__chin"/>
<Glyph value="GR_vin_en__in"/>
<Glyph value="GR_vin_en__san"/>

```
</Coverage>
<!-- SequenceCount=140 -->
<Sequence index="0">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR_varL"/>
  <Substitute index="1" value="gr_in__an"/>
</Sequence>
<Sequence index="1">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR_varL"/>
  <Substitute index="1" value="gr_in__ban"/>
</Sequence>
<Sequence index="2">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR_varL"/>
  <Substitute index="1" value="gr_in__chin"/>
</Sequence>
<Sequence index="3">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR_varL"/>
  <Substitute index="1" value="gr_in__in"/>
</Sequence>
<Sequence index="4">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR_varL"/>
  <Substitute index="1" value="gr_in__jan"/>
</Sequence>
<Sequence index="5">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR_varL"/>
  <Substitute index="1" value="gr_in__nar"/>
</Sequence>
<Sequence index="6">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR_varL"/>
  <Substitute index="1" value="gr_in__qar"/>
</Sequence>
<Sequence index="7">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR_varL"/>
  <Substitute index="1" value="gr_in__san"/>
</Sequence>
<Sequence index="8">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR_varL"/>
  <Substitute index="1" value="gr_in__tar"/>
</Sequence>
<Sequence index="9">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR_varL"/>
  <Substitute index="1" value="gr_in__un"/>
</Sequence>
<Sequence index="10">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR_varR"/>
  <Substitute index="1" value="gr_in__an"/>
</Sequence>
<Sequence index="11">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR_varR"/>
  <Substitute index="1" value="gr_in__ban"/>
</Sequence>
<Sequence index="12">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR_varR"/>
  <Substitute index="1" value="gr_in__chin"/>
</Sequence>
```

```
<Sequence index="13">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR_varR"/>
  <Substitute index="1" value="gr_in__in"/>
</Sequence>
<Sequence index="14">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR_varR"/>
  <Substitute index="1" value="gr_in__jan"/>
</Sequence>
<Sequence index="15">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR_varR"/>
  <Substitute index="1" value="gr_in__nar"/>
</Sequence>
<Sequence index="16">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR_varR"/>
  <Substitute index="1" value="gr_in__qar"/>
</Sequence>
<Sequence index="17">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR_varR"/>
  <Substitute index="1" value="gr_in__san"/>
</Sequence>
<Sequence index="18">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR_varR"/>
  <Substitute index="1" value="gr_in__tar"/>
</Sequence>
<Sequence index="19">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR_varR"/>
  <Substitute index="1" value="gr_in__un"/>
</Sequence>
<Sequence index="20">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="uni10D1"/>
  <Substitute index="1" value="gr_man__nar"/>
</Sequence>
<Sequence index="21">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="uni10D1"/>
  <Substitute index="1" value="gr_man__tar"/>
</Sequence>
<Sequence index="22">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="uni10D1"/>
  <Substitute index="1" value="gr_man__un"/>
</Sequence>
<Sequence index="23">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="uni10D2"/>
  <Substitute index="1" value="gr_gan__an"/>
</Sequence>
<Sequence index="24">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="uni10D2"/>
  <Substitute index="1" value="gr_gan__in"/>
</Sequence>
<Sequence index="25">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="uni10D2"/>
  <Substitute index="1" value="gr_gan__jan"/>
</Sequence>
<Sequence index="26">
  <!-- GlyphCount=2 -->
```

```
<Substitute index="0" value="uni10D2"/>
<Substitute index="1" value="gr_gan__nar"/>
</Sequence>
<Sequence index="27">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="uni10D7"/>
  <Substitute index="1" value="gr_in__an"/>
</Sequence>
<Sequence index="28">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="uni10D7"/>
  <Substitute index="1" value="gr_in__ban"/>
</Sequence>
<Sequence index="29">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="uni10D7"/>
  <Substitute index="1" value="gr_in__chin"/>
</Sequence>
<Sequence index="30">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="uni10D7"/>
  <Substitute index="1" value="gr_in__in"/>
</Sequence>
<Sequence index="31">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="uni10D7"/>
  <Substitute index="1" value="gr_in__jan"/>
</Sequence>
<Sequence index="32">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="uni10D7"/>
  <Substitute index="1" value="gr_in__nar"/>
</Sequence>
<Sequence index="33">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="uni10D7"/>
  <Substitute index="1" value="gr_in__qar"/>
</Sequence>
<Sequence index="34">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="uni10D7"/>
  <Substitute index="1" value="gr_in__san"/>
</Sequence>
<Sequence index="35">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="uni10D7"/>
  <Substitute index="1" value="gr_in__tar"/>
</Sequence>
<Sequence index="36">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="uni10D7"/>
  <Substitute index="1" value="gr_in__un"/>
</Sequence>
<Sequence index="37">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="uni10D8"/>
  <Substitute index="1" value="gr_in__an"/>
</Sequence>
<Sequence index="38">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="uni10D8"/>
  <Substitute index="1" value="gr_in__ban"/>
</Sequence>
<Sequence index="39">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="uni10D8"/>
  <Substitute index="1" value="gr_in__chin"/>
</Sequence>
```

```
</Sequence>
<Sequence index="40">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="uni10D8"/>
  <Substitute index="1" value="gr_in__in"/>
</Sequence>
<Sequence index="41">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="uni10D8"/>
  <Substitute index="1" value="gr_in__jan"/>
</Sequence>
<Sequence index="42">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="uni10D8"/>
  <Substitute index="1" value="gr_in__nar"/>
</Sequence>
<Sequence index="43">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="uni10D8"/>
  <Substitute index="1" value="gr_in__qar"/>
</Sequence>
<Sequence index="44">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="uni10D8"/>
  <Substitute index="1" value="gr_in__san"/>
</Sequence>
<Sequence index="45">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="uni10D8"/>
  <Substitute index="1" value="gr_in__tar"/>
</Sequence>
<Sequence index="46">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="uni10D8"/>
  <Substitute index="1" value="gr_in__un"/>
</Sequence>
<Sequence index="47">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="uni10E6"/>
  <Substitute index="1" value="gr_in__an"/>
</Sequence>
<Sequence index="48">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="uni10E6"/>
  <Substitute index="1" value="gr_in__ban"/>
</Sequence>
<Sequence index="49">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="uni10E6"/>
  <Substitute index="1" value="gr_in__chin"/>
</Sequence>
<Sequence index="50">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="uni10E6"/>
  <Substitute index="1" value="gr_in__in"/>
</Sequence>
<Sequence index="51">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="uni10E6"/>
  <Substitute index="1" value="gr_in__jan"/>
</Sequence>
<Sequence index="52">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="uni10E6"/>
  <Substitute index="1" value="gr_in__nar"/>
</Sequence>
<Sequence index="53">
```

```
<!-- GlyphCount=2 -->
<Substitute index="0" value="uni10E6"/>
<Substitute index="1" value="gr_in__qar"/>
</Sequence>
<Sequence index="54">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="uni10E6"/>
  <Substitute index="1" value="gr_in__san"/>
</Sequence>
<Sequence index="55">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="uni10E6"/>
  <Substitute index="1" value="gr_in__tar"/>
</Sequence>
<Sequence index="56">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="uni10E6"/>
  <Substitute index="1" value="gr_in__un"/>
</Sequence>
<Sequence index="57">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="uni10E9"/>
  <Substitute index="1" value="gr_in__an"/>
</Sequence>
<Sequence index="58">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="uni10E9"/>
  <Substitute index="1" value="gr_in__ban"/>
</Sequence>
<Sequence index="59">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="uni10E9"/>
  <Substitute index="1" value="gr_in__chin"/>
</Sequence>
<Sequence index="60">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="uni10E9"/>
  <Substitute index="1" value="gr_in__in"/>
</Sequence>
<Sequence index="61">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="uni10E9"/>
  <Substitute index="1" value="gr_in__jan"/>
</Sequence>
<Sequence index="62">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="uni10E9"/>
  <Substitute index="1" value="gr_in__nar"/>
</Sequence>
<Sequence index="63">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="uni10E9"/>
  <Substitute index="1" value="gr_in__qar"/>
</Sequence>
<Sequence index="64">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="uni10E9"/>
  <Substitute index="1" value="gr_in__san"/>
</Sequence>
<Sequence index="65">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="uni10E9"/>
  <Substitute index="1" value="gr_in__tar"/>
</Sequence>
<Sequence index="66">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="uni10E9"/>
```

```
<Substitute index="1" value="gr_in__un"/>
</Sequence>
<Sequence index="67">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR_an_"/>
  <Substitute index="1" value="gr_an__ban"/>
</Sequence>
<Sequence index="68">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR_an_"/>
  <Substitute index="1" value="gr_an__chin"/>
</Sequence>
<Sequence index="69">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR_an_"/>
  <Substitute index="1" value="gr_an__nar"/>
</Sequence>
<Sequence index="70">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR_an_"/>
  <Substitute index="1" value="gr_an__qar"/>
</Sequence>
<Sequence index="71">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR_an_"/>
  <Substitute index="1" value="gr_an__san"/>
</Sequence>
<Sequence index="72">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR_an_"/>
  <Substitute index="1" value="gr_an__tar"/>
</Sequence>
<Sequence index="73">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR_an_"/>
  <Substitute index="1" value="gr_an__un"/>
</Sequence>
<Sequence index="74">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR_dzil_"/>
  <Substitute index="1" value="gr_man__gan"/>
</Sequence>
<Sequence index="75">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR_dzil_"/>
  <Substitute index="1" value="gr_man__in"/>
</Sequence>
<Sequence index="76">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR_dzil_"/>
  <Substitute index="1" value="gr_man__nar"/>
</Sequence>
<Sequence index="77">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR_dzil_"/>
  <Substitute index="1" value="gr_man__qar"/>
</Sequence>
<Sequence index="78">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR_dzil_"/>
  <Substitute index="1" value="gr_man__tar"/>
</Sequence>
<Sequence index="79">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR_dzil_"/>
  <Substitute index="1" value="gr_man__un"/>
</Sequence>
```



```
<Sequence index="80">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR_en_"/>
  <Substitute index="1" value="gr_en__an"/>
</Sequence>
<Sequence index="81">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR_en_"/>
  <Substitute index="1" value="gr_en__ban"/>
</Sequence>
<Sequence index="82">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR_en_"/>
  <Substitute index="1" value="gr_en__chin"/>
</Sequence>
<Sequence index="83">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR_en_"/>
  <Substitute index="1" value="gr_en__in"/>
</Sequence>
<Sequence index="84">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR_en_"/>
  <Substitute index="1" value="gr_en__san"/>
</Sequence>
<Sequence index="85">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR_far_"/>
  <Substitute index="1" value="gr_en__an"/>
</Sequence>
<Sequence index="86">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR_far_"/>
  <Substitute index="1" value="gr_en__chin"/>
</Sequence>
<Sequence index="87">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR_far_"/>
  <Substitute index="1" value="gr_en__in"/>
</Sequence>
<Sequence index="88">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR_far_"/>
  <Substitute index="1" value="gr_en__san"/>
</Sequence>
<Sequence index="89">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR_jan_"/>
  <Substitute index="1" value="gr_en__an"/>
</Sequence>
<Sequence index="90">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR_jan_"/>
  <Substitute index="1" value="gr_en__ban"/>
</Sequence>
<Sequence index="91">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR_jan_"/>
  <Substitute index="1" value="gr_en__chin"/>
</Sequence>
<Sequence index="92">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR_jan_"/>
  <Substitute index="1" value="gr_en__in"/>
</Sequence>
<Sequence index="93">
  <!-- GlyphCount=2 -->
```

```

    <Substitute index="0" value="GR_jan_"/>
    <Substitute index="1" value="gr_en__san"/>
</Sequence>
<Sequence index="94">
    <!-- GlyphCount=2 -->
    <Substitute index="0" value="GR_kan_"/>
    <Substitute index="1" value="gr_en__an"/>
</Sequence>
<Sequence index="95">
    <!-- GlyphCount=2 -->
    <Substitute index="0" value="GR_kan_"/>
    <Substitute index="1" value="gr_en__ban"/>
</Sequence>
<Sequence index="96">
    <!-- GlyphCount=2 -->
    <Substitute index="0" value="GR_kan_"/>
    <Substitute index="1" value="gr_en__chin"/>
</Sequence>
<Sequence index="97">
    <!-- GlyphCount=2 -->
    <Substitute index="0" value="GR_kan_"/>
    <Substitute index="1" value="gr_en__in"/>
</Sequence>
<Sequence index="98">
    <!-- GlyphCount=2 -->
    <Substitute index="0" value="GR_kan_"/>
    <Substitute index="1" value="gr_en__san"/>
</Sequence>
<Sequence index="99">
    <!-- GlyphCount=2 -->
    <Substitute index="0" value="GR_kar_"/>
    <Substitute index="1" value="gr_en__an"/>
</Sequence>
<Sequence index="100">
    <!-- GlyphCount=2 -->
    <Substitute index="0" value="GR_kar_"/>
    <Substitute index="1" value="gr_en__ban"/>
</Sequence>
<Sequence index="101">
    <!-- GlyphCount=2 -->
    <Substitute index="0" value="GR_kar_"/>
    <Substitute index="1" value="gr_en__chin"/>
</Sequence>
<Sequence index="102">
    <!-- GlyphCount=2 -->
    <Substitute index="0" value="GR_kar_"/>
    <Substitute index="1" value="gr_en__in"/>
</Sequence>
<Sequence index="103">
    <!-- GlyphCount=2 -->
    <Substitute index="0" value="GR_kar_"/>
    <Substitute index="1" value="gr_en__san"/>
</Sequence>
<Sequence index="104">
    <!-- GlyphCount=2 -->
    <Substitute index="0" value="GR_man_"/>
    <Substitute index="1" value="gr_man__gan"/>
</Sequence>
<Sequence index="105">
    <!-- GlyphCount=2 -->
    <Substitute index="0" value="GR_man_"/>
    <Substitute index="1" value="gr_man__in"/>
</Sequence>
<Sequence index="106">
    <!-- GlyphCount=2 -->
    <Substitute index="0" value="GR_man_"/>
    <Substitute index="1" value="gr_man__nar"/>

```

```
</Sequence>
<Sequence index="107">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR_man_"/>
  <Substitute index="1" value="gr_man__qar"/>
</Sequence>
<Sequence index="108">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR_man_"/>
  <Substitute index="1" value="gr_man__tar"/>
</Sequence>
<Sequence index="109">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR_man_"/>
  <Substitute index="1" value="gr_man__un"/>
</Sequence>
<Sequence index="110">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR_san_"/>
  <Substitute index="1" value="gr_san__ban"/>
</Sequence>
<Sequence index="111">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR_san_"/>
  <Substitute index="1" value="gr_san__nar"/>
</Sequence>
<Sequence index="112">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR_san_"/>
  <Substitute index="1" value="gr_san__qar"/>
</Sequence>
<Sequence index="113">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR_san_"/>
  <Substitute index="1" value="gr_san__tar"/>
</Sequence>
<Sequence index="114">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR_san_"/>
  <Substitute index="1" value="gr_san__un"/>
</Sequence>
<Sequence index="115">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR_shin_"/>
  <Substitute index="1" value="gr_man__gan"/>
</Sequence>
<Sequence index="116">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR_shin_"/>
  <Substitute index="1" value="gr_man__in"/>
</Sequence>
<Sequence index="117">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR_shin_"/>
  <Substitute index="1" value="gr_man__nar"/>
</Sequence>
<Sequence index="118">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR_shin_"/>
  <Substitute index="1" value="gr_man__qar"/>
</Sequence>
<Sequence index="119">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR_shin_"/>
  <Substitute index="1" value="gr_man__tar"/>
</Sequence>
<Sequence index="120">
```

```

    <!-- GlyphCount=2 -->
    <Substitute index="0" value="GR_shin_"/>
    <Substitute index="1" value="gr_man__un"/>
</Sequence>
<Sequence index="121">
    <!-- GlyphCount=2 -->
    <Substitute index="0" value="GR_tar_"/>
    <Substitute index="1" value="gr_tar__an"/>
</Sequence>
<Sequence index="122">
    <!-- GlyphCount=2 -->
    <Substitute index="0" value="GR_tar_"/>
    <Substitute index="1" value="gr_tar__in"/>
</Sequence>
<Sequence index="123">
    <!-- GlyphCount=2 -->
    <Substitute index="0" value="GR_tar_"/>
    <Substitute index="1" value="gr_tar__nar"/>
</Sequence>
<Sequence index="124">
    <!-- GlyphCount=2 -->
    <Substitute index="0" value="GR_tar_"/>
    <Substitute index="1" value="gr_tar__qar"/>
</Sequence>
<Sequence index="125">
    <!-- GlyphCount=2 -->
    <Substitute index="0" value="GR_tar_"/>
    <Substitute index="1" value="gr_tar__un"/>
</Sequence>
<Sequence index="126">
    <!-- GlyphCount=2 -->
    <Substitute index="0" value="GR_tsan_"/>
    <Substitute index="1" value="gr_tsan__ban"/>
</Sequence>
<Sequence index="127">
    <!-- GlyphCount=2 -->
    <Substitute index="0" value="GR_tsan_"/>
    <Substitute index="1" value="gr_tsan__nar"/>
</Sequence>
<Sequence index="128">
    <!-- GlyphCount=2 -->
    <Substitute index="0" value="GR_tsan_"/>
    <Substitute index="1" value="gr_tsan__san"/>
</Sequence>
<Sequence index="129">
    <!-- GlyphCount=2 -->
    <Substitute index="0" value="GR_tsan_"/>
    <Substitute index="1" value="gr_tsan__un"/>
</Sequence>
<Sequence index="130">
    <!-- GlyphCount=2 -->
    <Substitute index="0" value="GR_un_"/>
    <Substitute index="1" value="gr_en__an"/>
</Sequence>
<Sequence index="131">
    <!-- GlyphCount=2 -->
    <Substitute index="0" value="GR_un_"/>
    <Substitute index="1" value="gr_en__ban"/>
</Sequence>
<Sequence index="132">
    <!-- GlyphCount=2 -->
    <Substitute index="0" value="GR_un_"/>
    <Substitute index="1" value="gr_en__chin"/>
</Sequence>
<Sequence index="133">
    <!-- GlyphCount=2 -->
    <Substitute index="0" value="GR_un_"/>

```

```

    <Substitute index="1" value="gr_en__in"/>
</Sequence>
<Sequence index="134">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR_un_"/>
  <Substitute index="1" value="gr_en__san"/>
</Sequence>
<Sequence index="135">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR_vin_"/>
  <Substitute index="1" value="gr_en__an"/>
</Sequence>
<Sequence index="136">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR_vin_"/>
  <Substitute index="1" value="gr_en__ban"/>
</Sequence>
<Sequence index="137">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR_vin_"/>
  <Substitute index="1" value="gr_en__chin"/>
</Sequence>
<Sequence index="138">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR_vin_"/>
  <Substitute index="1" value="gr_en__in"/>
</Sequence>
<Sequence index="139">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR_vin_"/>
  <Substitute index="1" value="gr_en__san"/>
</Sequence>
</MultipleSubst>
</Lookup>
<Lookup index="18">
  <LookupType value="6"/>
  <LookupFlag value="0"/>
  <!-- SubTableCount=61 -->
  <ChainContextSubst index="0" Format="3">
    <!-- BacktrackGlyphCount=1 -->
    <BacktrackCoverage index="0" Format="1">
      <Glyph value="gr_an__ban"/>
    </BacktrackCoverage>
    <!-- InputGlyphCount=1 -->
    <InputCoverage index="0" Format="1">
      <Glyph value="uni10D1"/>
    </InputCoverage>
    <!-- LookAheadGlyphCount=0 -->
    <!-- SubstCount=1 -->
    <SubstLookupRecord index="0">
      <SequenceIndex value="0"/>
      <LookupListIndex value="54"/>
    </SubstLookupRecord>
  </ChainContextSubst>
  <ChainContextSubst index="1" Format="3">
    <!-- BacktrackGlyphCount=1 -->
    <BacktrackCoverage index="0" Format="1">
      <Glyph value="gr_an__chin"/>
    </BacktrackCoverage>
    <!-- InputGlyphCount=1 -->
    <InputCoverage index="0" Format="1">
      <Glyph value="uni10E9"/>
    </InputCoverage>
    <!-- LookAheadGlyphCount=0 -->
    <!-- SubstCount=1 -->
    <SubstLookupRecord index="0">
      <SequenceIndex value="0"/>

```

```

    <LookupListIndex value="54"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="2" Format="3">
  <!-- BacktrackGlyphCount=1 -->
  <BacktrackCoverage index="0" Format="1">
    <Glyph value="gr_an__nar"/>
  </BacktrackCoverage>
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10DC"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=0 -->
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="54"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="3" Format="3">
  <!-- BacktrackGlyphCount=1 -->
  <BacktrackCoverage index="0" Format="1">
    <Glyph value="gr_an__nar"/>
  </BacktrackCoverage>
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10EC"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=0 -->
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="54"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="4" Format="3">
  <!-- BacktrackGlyphCount=1 -->
  <BacktrackCoverage index="0" Format="1">
    <Glyph value="gr_an__san"/>
  </BacktrackCoverage>
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10EE"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=0 -->
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="54"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="5" Format="3">
  <!-- BacktrackGlyphCount=1 -->
  <BacktrackCoverage index="0" Format="1">
    <Glyph value="gr_an__san"/>
  </BacktrackCoverage>
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E1"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=0 -->
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="54"/>
  </SubstLookupRecord>
</ChainContextSubst>

```

```

<ChainContextSubst index="6" Format="3">
  <!-- BacktrackGlyphCount=1 -->
  <BacktrackCoverage index="0" Format="1">
    <Glyph value="gr_an__san"/>
  </BacktrackCoverage>
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR_varR"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=0 -->
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="54"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="7" Format="3">
  <!-- BacktrackGlyphCount=1 -->
  <BacktrackCoverage index="0" Format="1">
    <Glyph value="gr_an__san"/>
  </BacktrackCoverage>
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR_san_"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=0 -->
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="54"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="8" Format="3">
  <!-- BacktrackGlyphCount=1 -->
  <BacktrackCoverage index="0" Format="1">
    <Glyph value="gr_en__an"/>
  </BacktrackCoverage>
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10DF"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=0 -->
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="55"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="9" Format="3">
  <!-- BacktrackGlyphCount=1 -->
  <BacktrackCoverage index="0" Format="1">
    <Glyph value="gr_en__an"/>
  </BacktrackCoverage>
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR_jan_"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=0 -->
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="55"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="10" Format="3">
  <!-- BacktrackGlyphCount=1 -->
  <BacktrackCoverage index="0" Format="1">

```

```

    <Glyph value="gr_en__ban"/>
  </BacktrackCoverage>
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D1"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=0 -->
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="55"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="11" Format="3">
  <!-- BacktrackGlyphCount=1 -->
  <BacktrackCoverage index="0" Format="1">
    <Glyph value="gr_en__chin"/>
  </BacktrackCoverage>
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E9"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=0 -->
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="55"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="12" Format="3">
  <!-- BacktrackGlyphCount=1 -->
  <BacktrackCoverage index="0" Format="1">
    <Glyph value="gr_en__san"/>
  </BacktrackCoverage>
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10EE"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=0 -->
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="55"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="13" Format="3">
  <!-- BacktrackGlyphCount=1 -->
  <BacktrackCoverage index="0" Format="1">
    <Glyph value="gr_en__san"/>
  </BacktrackCoverage>
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E1"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=0 -->
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="55"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="14" Format="3">
  <!-- BacktrackGlyphCount=1 -->
  <BacktrackCoverage index="0" Format="1">
    <Glyph value="gr_en__san"/>
  </BacktrackCoverage>
  <!-- InputGlyphCount=1 -->

```



```

<InputCoverage index="0" Format="1">
  <Glyph value="GR_varR"/>
</InputCoverage>
<!-- LookAheadGlyphCount=0 -->
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="55"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="15" Format="3">
  <!-- BacktrackGlyphCount=1 -->
  <BacktrackCoverage index="0" Format="1">
    <Glyph value="gr_en__san"/>
  </BacktrackCoverage>
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR_san_"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=0 -->
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="55"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="16" Format="3">
  <!-- BacktrackGlyphCount=1 -->
  <BacktrackCoverage index="0" Format="1">
    <Glyph value="GR_en_"/>
  </BacktrackCoverage>
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E6"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=0 -->
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="55"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="17" Format="3">
  <!-- BacktrackGlyphCount=1 -->
  <BacktrackCoverage index="0" Format="1">
    <Glyph value="GR_en_"/>
  </BacktrackCoverage>
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR_varD"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=0 -->
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="55"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="18" Format="3">
  <!-- BacktrackGlyphCount=1 -->
  <BacktrackCoverage index="0" Format="1">
    <Glyph value="GR_en_"/>
  </BacktrackCoverage>
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR_varL"/>
  </InputCoverage>

```

```

<!-- LookAheadGlyphCount=0 -->
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="55"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="19" Format="3">
  <!-- BacktrackGlyphCount=1 -->
  <BacktrackCoverage index="0" Format="1">
    <Glyph value="GR_far_"/>
  </BacktrackCoverage>
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E6"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=0 -->
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="55"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="20" Format="3">
  <!-- BacktrackGlyphCount=1 -->
  <BacktrackCoverage index="0" Format="1">
    <Glyph value="GR_far_"/>
  </BacktrackCoverage>
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR_varD"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=0 -->
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="55"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="21" Format="3">
  <!-- BacktrackGlyphCount=1 -->
  <BacktrackCoverage index="0" Format="1">
    <Glyph value="GR_far_"/>
  </BacktrackCoverage>
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR_varL"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=0 -->
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="55"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="22" Format="3">
  <!-- BacktrackGlyphCount=1 -->
  <BacktrackCoverage index="0" Format="1">
    <Glyph value="gr_gan__jan"/>
  </BacktrackCoverage>
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10DF"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=0 -->
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">

```

```

    <SequenceIndex value="0"/>
    <LookupListIndex value="55"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="23" Format="3">
  <!-- BacktrackGlyphCount=1 -->
  <BacktrackCoverage index="0" Format="1">
    <Glyph value="gr_gan__jan"/>
  </BacktrackCoverage>
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR_jan_"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=0 -->
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="55"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="24" Format="3">
  <!-- BacktrackGlyphCount=1 -->
  <BacktrackCoverage index="0" Format="1">
    <Glyph value="gr_in__ban"/>
  </BacktrackCoverage>
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D1"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=0 -->
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="55"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="25" Format="3">
  <!-- BacktrackGlyphCount=1 -->
  <BacktrackCoverage index="0" Format="1">
    <Glyph value="gr_in__chin"/>
  </BacktrackCoverage>
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E9"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=0 -->
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="55"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="26" Format="3">
  <!-- BacktrackGlyphCount=1 -->
  <BacktrackCoverage index="0" Format="1">
    <Glyph value="gr_in__jan"/>
  </BacktrackCoverage>
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10DF"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=0 -->
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="55"/>
  </SubstLookupRecord>

```

```

</ChainContextSubst>
<ChainContextSubst index="27" Format="3">
  <!-- BacktrackGlyphCount=1 -->
  <BacktrackCoverage index="0" Format="1">
    <Glyph value="gr_in__jan"/>
  </BacktrackCoverage>
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR_jan_"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=0 -->
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="55"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="28" Format="3">
  <!-- BacktrackGlyphCount=1 -->
  <BacktrackCoverage index="0" Format="1">
    <Glyph value="gr_in__san"/>
  </BacktrackCoverage>
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10EE"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=0 -->
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="55"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="29" Format="3">
  <!-- BacktrackGlyphCount=1 -->
  <BacktrackCoverage index="0" Format="1">
    <Glyph value="gr_in__san"/>
  </BacktrackCoverage>
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E1"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=0 -->
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="55"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="30" Format="3">
  <!-- BacktrackGlyphCount=1 -->
  <BacktrackCoverage index="0" Format="1">
    <Glyph value="gr_in__san"/>
  </BacktrackCoverage>
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR_varR"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=0 -->
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="55"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="31" Format="3">
  <!-- BacktrackGlyphCount=1 -->

```

```

<BacktrackCoverage index="0" Format="1">
  <Glyph value="gr_in__san"/>
</BacktrackCoverage>
<!-- InputGlyphCount=1 -->
<InputCoverage index="0" Format="1">
  <Glyph value="GR_san_"/>
</InputCoverage>
<!-- LookAheadGlyphCount=0 -->
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="55"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="32" Format="3">
  <!-- BacktrackGlyphCount=1 -->
  <BacktrackCoverage index="0" Format="1">
    <Glyph value="GR_jan_"/>
  </BacktrackCoverage>
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E6"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=0 -->
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="55"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="33" Format="3">
  <!-- BacktrackGlyphCount=1 -->
  <BacktrackCoverage index="0" Format="1">
    <Glyph value="GR_jan_"/>
  </BacktrackCoverage>
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR_varD"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=0 -->
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="55"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="34" Format="3">
  <!-- BacktrackGlyphCount=1 -->
  <BacktrackCoverage index="0" Format="1">
    <Glyph value="GR_jan_"/>
  </BacktrackCoverage>
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR_varL"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=0 -->
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="55"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="35" Format="3">
  <!-- BacktrackGlyphCount=1 -->
  <BacktrackCoverage index="0" Format="1">
    <Glyph value="GR__jan_"/>
  </BacktrackCoverage>

```

```

<!-- InputGlyphCount=1 -->
<InputCoverage index="0" Format="1">
  <Glyph value="uni10E6"/>
</InputCoverage>
<!-- LookAheadGlyphCount=0 -->
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="55"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="36" Format="3">
  <!-- BacktrackGlyphCount=1 -->
  <BacktrackCoverage index="0" Format="1">
    <Glyph value="GR__jan_"/>
  </BacktrackCoverage>
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR_varD"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=0 -->
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="55"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="37" Format="3">
  <!-- BacktrackGlyphCount=1 -->
  <BacktrackCoverage index="0" Format="1">
    <Glyph value="GR__jan_"/>
  </BacktrackCoverage>
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR_varL"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=0 -->
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="55"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="38" Format="3">
  <!-- BacktrackGlyphCount=1 -->
  <BacktrackCoverage index="0" Format="1">
    <Glyph value="GR_kan_"/>
  </BacktrackCoverage>
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E6"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=0 -->
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="55"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="39" Format="3">
  <!-- BacktrackGlyphCount=1 -->
  <BacktrackCoverage index="0" Format="1">
    <Glyph value="GR_kan_"/>
  </BacktrackCoverage>
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR_varD"/>
  </InputCoverage>

```

```

</InputCoverage>
<!-- LookAheadGlyphCount=0 -->
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="55"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="40" Format="3">
  <!-- BacktrackGlyphCount=1 -->
  <BacktrackCoverage index="0" Format="1">
    <Glyph value="GR_kan_"/>
  </BacktrackCoverage>
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR_varL"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=0 -->
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="55"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="41" Format="3">
  <!-- BacktrackGlyphCount=1 -->
  <BacktrackCoverage index="0" Format="1">
    <Glyph value="GR_kar_"/>
  </BacktrackCoverage>
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E6"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=0 -->
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="55"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="42" Format="3">
  <!-- BacktrackGlyphCount=1 -->
  <BacktrackCoverage index="0" Format="1">
    <Glyph value="GR_kar_"/>
  </BacktrackCoverage>
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR_varD"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=0 -->
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="55"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="43" Format="3">
  <!-- BacktrackGlyphCount=1 -->
  <BacktrackCoverage index="0" Format="1">
    <Glyph value="GR_kar_"/>
  </BacktrackCoverage>
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR_varL"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=0 -->
  <!-- SubstCount=1 -->

```

```
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="55"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="44" Format="3">
  <!-- BacktrackGlyphCount=1 -->
  <BacktrackCoverage index="0" Format="1">
    <Glyph value="gr_man__nar"/>
  </BacktrackCoverage>
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10DC"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=0 -->
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="55"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="45" Format="3">
  <!-- BacktrackGlyphCount=1 -->
  <BacktrackCoverage index="0" Format="1">
    <Glyph value="gr_man__nar"/>
  </BacktrackCoverage>
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10EC"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=0 -->
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="55"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="46" Format="3">
  <!-- BacktrackGlyphCount=1 -->
  <BacktrackCoverage index="0" Format="1">
    <Glyph value="gr_san__ban"/>
  </BacktrackCoverage>
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D1"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=0 -->
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="55"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="47" Format="3">
  <!-- BacktrackGlyphCount=1 -->
  <BacktrackCoverage index="0" Format="1">
    <Glyph value="gr_san__nar"/>
  </BacktrackCoverage>
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10DC"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=0 -->
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="55"/>
  </SubstLookupRecord>
</ChainContextSubst>
```



```

</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="48" Format="3">
  <!-- BacktrackGlyphCount=1 -->
  <BacktrackCoverage index="0" Format="1">
    <Glyph value="gr_san__nar"/>
  </BacktrackCoverage>
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10EC"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=0 -->
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="55"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="49" Format="3">
  <!-- BacktrackGlyphCount=1 -->
  <BacktrackCoverage index="0" Format="1">
    <Glyph value="gr_tsan__ban"/>
  </BacktrackCoverage>
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10D1"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=0 -->
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="55"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="50" Format="3">
  <!-- BacktrackGlyphCount=1 -->
  <BacktrackCoverage index="0" Format="1">
    <Glyph value="gr_tsan__nar"/>
  </BacktrackCoverage>
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10DC"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=0 -->
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="55"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="51" Format="3">
  <!-- BacktrackGlyphCount=1 -->
  <BacktrackCoverage index="0" Format="1">
    <Glyph value="gr_tsan__san"/>
  </BacktrackCoverage>
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10EE"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=0 -->
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="55"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="52" Format="3">

```

```

<!-- BacktrackGlyphCount=1 -->
<BacktrackCoverage index="0" Format="1">
  <Glyph value="gr_tsan__san"/>
</BacktrackCoverage>
<!-- InputGlyphCount=1 -->
<InputCoverage index="0" Format="1">
  <Glyph value="uni10E1"/>
</InputCoverage>
<!-- LookAheadGlyphCount=0 -->
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="55"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="53" Format="3">
  <!-- BacktrackGlyphCount=1 -->
<BacktrackCoverage index="0" Format="1">
  <Glyph value="gr_tsan__san"/>
</BacktrackCoverage>
<!-- InputGlyphCount=1 -->
<InputCoverage index="0" Format="1">
  <Glyph value="GR_varR"/>
</InputCoverage>
<!-- LookAheadGlyphCount=0 -->
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="55"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="54" Format="3">
  <!-- BacktrackGlyphCount=1 -->
<BacktrackCoverage index="0" Format="1">
  <Glyph value="gr_tsan__san"/>
</BacktrackCoverage>
<!-- InputGlyphCount=1 -->
<InputCoverage index="0" Format="1">
  <Glyph value="GR_san_"/>
</InputCoverage>
<!-- LookAheadGlyphCount=0 -->
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="55"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="55" Format="3">
  <!-- BacktrackGlyphCount=1 -->
<BacktrackCoverage index="0" Format="1">
  <Glyph value="GR_un_"/>
</BacktrackCoverage>
<!-- InputGlyphCount=1 -->
<InputCoverage index="0" Format="1">
  <Glyph value="uni10E6"/>
</InputCoverage>
<!-- LookAheadGlyphCount=0 -->
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="55"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="56" Format="3">
  <!-- BacktrackGlyphCount=1 -->
<BacktrackCoverage index="0" Format="1">
  <Glyph value="GR_un_"/>

```

```

</BacktrackCoverage>
<!-- InputGlyphCount=1 -->
<InputCoverage index="0" Format="1">
  <Glyph value="GR_varD"/>
</InputCoverage>
<!-- LookAheadGlyphCount=0 -->
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="55"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="57" Format="3">
  <!-- BacktrackGlyphCount=1 -->
  <BacktrackCoverage index="0" Format="1">
    <Glyph value="GR_un_"/>
  </BacktrackCoverage>
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR_varL"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=0 -->
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="55"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="58" Format="3">
  <!-- BacktrackGlyphCount=1 -->
  <BacktrackCoverage index="0" Format="1">
    <Glyph value="GR_vin_"/>
  </BacktrackCoverage>
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="uni10E6"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=0 -->
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="55"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="59" Format="3">
  <!-- BacktrackGlyphCount=1 -->
  <BacktrackCoverage index="0" Format="1">
    <Glyph value="GR_vin_"/>
  </BacktrackCoverage>
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR_varD"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=0 -->
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="55"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="60" Format="3">
  <!-- BacktrackGlyphCount=1 -->
  <BacktrackCoverage index="0" Format="1">
    <Glyph value="GR_vin_"/>
  </BacktrackCoverage>
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">

```

```

    <Glyph value="GR_varL"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=0 -->
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="55"/>
  </SubstLookupRecord>
</ChainContextSubst>
</Lookup>
<Lookup index="19">
  <LookupType value="6"/>
  <LookupFlag value="0"/>
  <!-- SubTableCount=89 -->
  <ChainContextSubst index="0" Format="3">
    <!-- BacktrackGlyphCount=0 -->
    <!-- InputGlyphCount=1 -->
    <InputCoverage index="0" Format="1">
      <Glyph value="GR__jan"/>
    </InputCoverage>
    <!-- LookAheadGlyphCount=1 -->
    <LookAheadCoverage index="0" Format="1">
      <Glyph value="uni10E6"/>
    </LookAheadCoverage>
    <!-- SubstCount=1 -->
    <SubstLookupRecord index="0">
      <SequenceIndex value="0"/>
      <LookupListIndex value="55"/>
    </SubstLookupRecord>
  </ChainContextSubst>
  <ChainContextSubst index="1" Format="3">
    <!-- BacktrackGlyphCount=0 -->
    <!-- InputGlyphCount=1 -->
    <InputCoverage index="0" Format="1">
      <Glyph value="GR__jan"/>
    </InputCoverage>
    <!-- LookAheadGlyphCount=1 -->
    <LookAheadCoverage index="0" Format="1">
      <Glyph value="GR_varD"/>
    </LookAheadCoverage>
    <!-- SubstCount=1 -->
    <SubstLookupRecord index="0">
      <SequenceIndex value="0"/>
      <LookupListIndex value="55"/>
    </SubstLookupRecord>
  </ChainContextSubst>
  <ChainContextSubst index="2" Format="3">
    <!-- BacktrackGlyphCount=0 -->
    <!-- InputGlyphCount=1 -->
    <InputCoverage index="0" Format="1">
      <Glyph value="GR__jan"/>
    </InputCoverage>
    <!-- LookAheadGlyphCount=1 -->
    <LookAheadCoverage index="0" Format="1">
      <Glyph value="GR_varL"/>
    </LookAheadCoverage>
    <!-- SubstCount=1 -->
    <SubstLookupRecord index="0">
      <SequenceIndex value="0"/>
      <LookupListIndex value="55"/>
    </SubstLookupRecord>
  </ChainContextSubst>
  <ChainContextSubst index="3" Format="3">
    <!-- BacktrackGlyphCount=0 -->
    <!-- InputGlyphCount=1 -->
    <InputCoverage index="0" Format="1">
      <Glyph value="GR__ghan"/>

```

```
</InputCoverage>
<!-- LookAheadGlyphCount=1 -->
<LookAheadCoverage index="0" Format="1">
  <Glyph value="uni10D0"/>
</LookAheadCoverage>
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="55"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="4" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__chin"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D0"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="55"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="5" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__las"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D0"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="55"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="6" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__rae"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D0"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="55"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="7" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__ghan"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
```

```

    <Glyph value="uni10D1"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="56"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="8" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__chin"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D1"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="56"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="9" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__las"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D1"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="56"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="10" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__rae"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D1"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="56"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="11" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__ghan"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D4"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->

```

```

    <SubstLookupRecord index="0">
      <SequenceIndex value="0"/>
      <LookupListIndex value="57"/>
    </SubstLookupRecord>
  </ChainContextSubst>
<ChainContextSubst index="12" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__chin"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D4"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="57"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="13" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__las"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D4"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="57"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="14" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__rae"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D4"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="57"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="15" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__ghan"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D2"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="57"/>
  </SubstLookupRecord>

```

```

</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="16" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__chin"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D2"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="57"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="17" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__las"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D2"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="57"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="18" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__rae"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D2"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="57"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="19" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__ghan"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10F0"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="57"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="20" Format="3">

```



```

<!-- BacktrackGlyphCount=0 -->
<!-- InputGlyphCount=1 -->
<InputCoverage index="0" Format="1">
  <Glyph value="GR__chin"/>
</InputCoverage>
<!-- LookAheadGlyphCount=1 -->
<LookAheadCoverage index="0" Format="1">
  <Glyph value="uni10F0"/>
</LookAheadCoverage>
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="57"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="21" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__las"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10F0"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="57"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="22" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__rae"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10F0"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="57"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="23" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__ghan"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10EE"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="58"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="24" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">

```

```

    <Glyph value="GR__chin"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10EE"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="58"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="25" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__las"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10EE"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="58"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="26" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__rae"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10EE"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="58"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="27" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__ghan"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E9"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="59"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="28" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__chin"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->

```

```
<LookAheadCoverage index="0" Format="1">
  <Glyph value="uni10E9"/>
</LookAheadCoverage>
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="59"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="29" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__las"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E9"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="59"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="30" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__rae"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E9"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="59"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="31" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__ghan"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D8"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="60"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="32" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__chin"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D8"/>
  </LookAheadCoverage>
```

```

<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="60"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="33" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__las"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D8"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="60"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="34" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__rae"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D8"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="60"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="35" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__ghan"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10DF"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="61"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="36" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__chin"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10DF"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>

```

```

    <LookupListIndex value="61"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="37" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__las"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10DF"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="61"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="38" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__rae"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10DF"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="61"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="39" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__ghan"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E7"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="62"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="40" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__chin"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E7"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="62"/>
  </SubstLookupRecord>
</ChainContextSubst>

```

```

<ChainContextSubst index="41" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__las"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E7"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="62"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="42" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__rae"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E7"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="62"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="43" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__ban"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10DC"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="62"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="44" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__ghan"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10DC"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="63"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="45" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->

```

```

<InputCoverage index="0" Format="1">
  <Glyph value="GR__chin"/>
</InputCoverage>
<!-- LookAheadGlyphCount=1 -->
<LookAheadCoverage index="0" Format="1">
  <Glyph value="uni10DC"/>
</LookAheadCoverage>
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="63"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="46" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__las"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10DC"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="63"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="47" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__rae"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10DC"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="63"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="48" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__ghan"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10DE"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="64"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="49" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__chin"/>
  </InputCoverage>

```

```

<!-- LookAheadGlyphCount=1 -->
<LookAheadCoverage index="0" Format="1">
  <Glyph value="uni10DE"/>
</LookAheadCoverage>
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="64"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="50" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__las"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10DE"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="64"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="51" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__rae"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10DE"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="64"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="52" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__ghan"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E1"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="65"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="53" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__chin"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E1"/>
  </LookAheadCoverage>

```



```

</LookAheadCoverage>
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="65"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="54" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__las"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E1"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="65"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="55" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__rae"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E1"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="65"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="56" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__ban"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E2"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="65"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="57" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__ghan"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E2"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">

```

```

    <SequenceIndex value="0"/>
    <LookupListIndex value="66"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="58" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__chin"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E2"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="66"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="59" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__las"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E2"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="66"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="60" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__rae"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E2"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="66"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="61" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__ban"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10EA"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="66"/>
  </SubstLookupRecord>

```

```

</ChainContextSubst>
<ChainContextSubst index="62" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__ghan"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10EA"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="66"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="63" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__chin"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10EA"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="66"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="64" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__las"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10EA"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="66"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="65" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__rae"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10EA"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="66"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="66" Format="3">
  <!-- BacktrackGlyphCount=0 -->

```

```

<!-- InputGlyphCount=1 -->
<InputCoverage index="0" Format="1">
  <Glyph value="GR__ban"/>
</InputCoverage>
<!-- LookAheadGlyphCount=1 -->
<LookAheadCoverage index="0" Format="1">
  <Glyph value="uni10EC"/>
</LookAheadCoverage>
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="67"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="67" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__ghan"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10EC"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="67"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="68" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__chin"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10EC"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="67"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="69" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__las"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10EC"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="67"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="70" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__rae"/>

```

```
</InputCoverage>
<!-- LookAheadGlyphCount=1 -->
<LookAheadCoverage index="0" Format="1">
  <Glyph value="uni10EC"/>
</LookAheadCoverage>
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="67"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="71" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__ban"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E3"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="68"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="72" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__ghan"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E3"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="68"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="73" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__chin"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E3"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="68"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="74" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__las"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
```

```

    <Glyph value="uni10E3"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="68"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="75" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__rae"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E3"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="68"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="76" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__ban"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="GR_var0"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="68"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="77" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__ghan"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="GR_var0"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="68"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="78" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__chin"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="GR_var0"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->

```

```

    <SubstLookupRecord index="0">
      <SequenceIndex value="0"/>
      <LookupListIndex value="68"/>
    </SubstLookupRecord>
  </ChainContextSubst>
<ChainContextSubst index="79" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__las"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="GR_var0"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="68"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="80" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__rae"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="GR_var0"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="68"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="81" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__ghan"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="GR_varR"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="69"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="82" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__chin"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="GR_varR"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="69"/>
  </SubstLookupRecord>

```

```

</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="83" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__las"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="GR_varR"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="69"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="84" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__rae"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="GR_varR"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="69"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="85" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__ghan"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D5"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="70"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="86" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__chin"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D5"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="70"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="87" Format="3">

```



```

<!-- BacktrackGlyphCount=0 -->
<!-- InputGlyphCount=1 -->
<InputCoverage index="0" Format="1">
  <Glyph value="GR__las"/>
</InputCoverage>
<!-- LookAheadGlyphCount=1 -->
<LookAheadCoverage index="0" Format="1">
  <Glyph value="uni10D5"/>
</LookAheadCoverage>
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="70"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="88" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__rae"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D5"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="70"/>
  </SubstLookupRecord>
</ChainContextSubst>
</Lookup>
<Lookup index="20">
  <LookupType value="2"/>
  <LookupFlag value="0"/>
  <!-- SubTableCount=1 -->
  <MultipleSubst index="0" Format="1">
    <Coverage Format="2">
      <Glyph value="GR__ban_man__nar"/>
      <Glyph value="GR__ban_man__tar"/>
      <Glyph value="GR__ban_man__un"/>
      <Glyph value="GR__chin_in__an"/>
      <Glyph value="GR__chin_in__ban"/>
      <Glyph value="GR__chin_in__chin"/>
      <Glyph value="GR__chin_in__in"/>
      <Glyph value="GR__chin_in__jan"/>
      <Glyph value="GR__chin_in__nar"/>
      <Glyph value="GR__chin_in__qar"/>
      <Glyph value="GR__chin_in__san"/>
      <Glyph value="GR__chin_in__tar"/>
      <Glyph value="GR__chin_in__un"/>
      <Glyph value="GR__ghan_in__an"/>
      <Glyph value="GR__ghan_in__ban"/>
      <Glyph value="GR__ghan_in__chin"/>
      <Glyph value="GR__ghan_in__in"/>
      <Glyph value="GR__ghan_in__jan"/>
      <Glyph value="GR__ghan_in__nar"/>
      <Glyph value="GR__ghan_in__qar"/>
      <Glyph value="GR__ghan_in__san"/>
      <Glyph value="GR__ghan_in__tar"/>
      <Glyph value="GR__ghan_in__un"/>
      <Glyph value="GR__las_in__an"/>
      <Glyph value="GR__las_in__ban"/>
      <Glyph value="GR__las_in__chin"/>
      <Glyph value="GR__las_in__in"/>
      <Glyph value="GR__las_in__jan"/>
      <Glyph value="GR__las_in__nar"/>
    </Coverage>
  </MultipleSubst>
</Lookup>

```

```

<Glyph value="GR__las_in__qar"/>
<Glyph value="GR__las_in__san"/>
<Glyph value="GR__las_in__tar"/>
<Glyph value="GR__las_in__un"/>
<Glyph value="GR__rae_in__an"/>
<Glyph value="GR__rae_in__ban"/>
<Glyph value="GR__rae_in__chin"/>
<Glyph value="GR__rae_in__in"/>
<Glyph value="GR__rae_in__jan"/>
<Glyph value="GR__rae_in__nar"/>
<Glyph value="GR__rae_in__qar"/>
<Glyph value="GR__rae_in__san"/>
<Glyph value="GR__rae_in__tar"/>
<Glyph value="GR__rae_in__un"/>
</Coverage>
<!-- SequenceCount=43 -->
<Sequence index="0">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR__ban"/>
  <Substitute index="1" value="gr_man__nar"/>
</Sequence>
<Sequence index="1">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR__ban"/>
  <Substitute index="1" value="gr_man__tar"/>
</Sequence>
<Sequence index="2">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR__ban"/>
  <Substitute index="1" value="gr_man__un"/>
</Sequence>
<Sequence index="3">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR__chin"/>
  <Substitute index="1" value="gr_in__an"/>
</Sequence>
<Sequence index="4">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR__chin"/>
  <Substitute index="1" value="gr_in__ban"/>
</Sequence>
<Sequence index="5">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR__chin"/>
  <Substitute index="1" value="gr_in__chin"/>
</Sequence>
<Sequence index="6">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR__chin"/>
  <Substitute index="1" value="gr_in__in"/>
</Sequence>
<Sequence index="7">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR__chin"/>
  <Substitute index="1" value="gr_in__jan"/>
</Sequence>
<Sequence index="8">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR__chin"/>
  <Substitute index="1" value="gr_in__nar"/>
</Sequence>
<Sequence index="9">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR__chin"/>
  <Substitute index="1" value="gr_in__qar"/>
</Sequence>
<Sequence index="10">

```

```
<!-- GlyphCount=2 -->
<Substitute index="0" value="GR__chin"/>
<Substitute index="1" value="gr_in__san"/>
</Sequence>
<Sequence index="11">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR__chin"/>
  <Substitute index="1" value="gr_in__tar"/>
</Sequence>
<Sequence index="12">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR__chin"/>
  <Substitute index="1" value="gr_in__un"/>
</Sequence>
<Sequence index="13">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR__ghan"/>
  <Substitute index="1" value="gr_in__an"/>
</Sequence>
<Sequence index="14">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR__ghan"/>
  <Substitute index="1" value="gr_in__ban"/>
</Sequence>
<Sequence index="15">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR__ghan"/>
  <Substitute index="1" value="gr_in__chin"/>
</Sequence>
<Sequence index="16">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR__ghan"/>
  <Substitute index="1" value="gr_in__in"/>
</Sequence>
<Sequence index="17">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR__ghan"/>
  <Substitute index="1" value="gr_in__jan"/>
</Sequence>
<Sequence index="18">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR__ghan"/>
  <Substitute index="1" value="gr_in__nar"/>
</Sequence>
<Sequence index="19">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR__ghan"/>
  <Substitute index="1" value="gr_in__qar"/>
</Sequence>
<Sequence index="20">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR__ghan"/>
  <Substitute index="1" value="gr_in__san"/>
</Sequence>
<Sequence index="21">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR__ghan"/>
  <Substitute index="1" value="gr_in__tar"/>
</Sequence>
<Sequence index="22">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR__ghan"/>
  <Substitute index="1" value="gr_in__un"/>
</Sequence>
<Sequence index="23">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR__las"/>
```

```
<Substitute index="1" value="gr_in__an"/>
</Sequence>
<Sequence index="24">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR__las"/>
  <Substitute index="1" value="gr_in__ban"/>
</Sequence>
<Sequence index="25">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR__las"/>
  <Substitute index="1" value="gr_in__chin"/>
</Sequence>
<Sequence index="26">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR__las"/>
  <Substitute index="1" value="gr_in__in"/>
</Sequence>
<Sequence index="27">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR__las"/>
  <Substitute index="1" value="gr_in__jan"/>
</Sequence>
<Sequence index="28">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR__las"/>
  <Substitute index="1" value="gr_in__nar"/>
</Sequence>
<Sequence index="29">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR__las"/>
  <Substitute index="1" value="gr_in__qar"/>
</Sequence>
<Sequence index="30">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR__las"/>
  <Substitute index="1" value="gr_in__san"/>
</Sequence>
<Sequence index="31">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR__las"/>
  <Substitute index="1" value="gr_in__tar"/>
</Sequence>
<Sequence index="32">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR__las"/>
  <Substitute index="1" value="gr_in__un"/>
</Sequence>
<Sequence index="33">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR__rae"/>
  <Substitute index="1" value="gr_in__an"/>
</Sequence>
<Sequence index="34">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR__rae"/>
  <Substitute index="1" value="gr_in__ban"/>
</Sequence>
<Sequence index="35">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR__rae"/>
  <Substitute index="1" value="gr_in__chin"/>
</Sequence>
<Sequence index="36">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR__rae"/>
  <Substitute index="1" value="gr_in__in"/>
</Sequence>
```

```

<Sequence index="37">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR__rae"/>
  <Substitute index="1" value="gr_in__jan"/>
</Sequence>
<Sequence index="38">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR__rae"/>
  <Substitute index="1" value="gr_in__nar"/>
</Sequence>
<Sequence index="39">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR__rae"/>
  <Substitute index="1" value="gr_in__qar"/>
</Sequence>
<Sequence index="40">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR__rae"/>
  <Substitute index="1" value="gr_in__san"/>
</Sequence>
<Sequence index="41">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR__rae"/>
  <Substitute index="1" value="gr_in__tar"/>
</Sequence>
<Sequence index="42">
  <!-- GlyphCount=2 -->
  <Substitute index="0" value="GR__rae"/>
  <Substitute index="1" value="gr_in__un"/>
</Sequence>
</MultipleSubst>
</Lookup>
<Lookup index="21">
  <LookupType value="6"/>
  <LookupFlag value="0"/>
  <!-- SubTableCount=19 -->
  <ChainContextSubst index="0" Format="3">
    <!-- BacktrackGlyphCount=0 -->
    <!-- InputGlyphCount=1 -->
    <InputCoverage index="0" Format="1">
      <Glyph value="GR__jan"/>
    </InputCoverage>
    <!-- LookAheadGlyphCount=1 -->
    <LookAheadCoverage index="0" Format="1">
      <Glyph value="uni10D0"/>
    </LookAheadCoverage>
    <!-- SubstCount=1 -->
    <SubstLookupRecord index="0">
      <SequenceIndex value="0"/>
      <LookupListIndex value="70"/>
    </SubstLookupRecord>
  </ChainContextSubst>
  <ChainContextSubst index="1" Format="3">
    <!-- BacktrackGlyphCount=0 -->
    <!-- InputGlyphCount=1 -->
    <InputCoverage index="0" Format="1">
      <Glyph value="GR__jan"/>
    </InputCoverage>
    <!-- LookAheadGlyphCount=1 -->
    <LookAheadCoverage index="0" Format="1">
      <Glyph value="uni10D1"/>
    </LookAheadCoverage>
    <!-- SubstCount=1 -->
    <SubstLookupRecord index="0">
      <SequenceIndex value="0"/>
      <LookupListIndex value="71"/>
    </SubstLookupRecord>

```

```

</ChainContextSubst>
<ChainContextSubst index="2" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__san"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10D1"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="71"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="3" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__jan"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10F0"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="72"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="4" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__jan"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10EE"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="73"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="5" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__jan"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E9"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="74"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="6" Format="3">
  <!-- BacktrackGlyphCount=0 -->

```

```

<!-- InputGlyphCount=1 -->
<InputCoverage index="0" Format="1">
  <Glyph value="GR__jan"/>
</InputCoverage>
<!-- LookAheadGlyphCount=1 -->
<LookAheadCoverage index="0" Format="1">
  <Glyph value="uni10D8"/>
</LookAheadCoverage>
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="75"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="7" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__san"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E7"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="75"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="8" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__jan"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10DC"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="76"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="9" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__san"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10DC"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="76"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="10" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__jan"/>

```

```

</InputCoverage>
<!-- LookAheadGlyphCount=1 -->
<LookAheadCoverage index="0" Format="1">
  <Glyph value="uni10DE"/>
</LookAheadCoverage>
<!-- SubstCount=1 -->
<SubstLookupRecord index="0">
  <SequenceIndex value="0"/>
  <LookupListIndex value="76"/>
</SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="11" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__jan"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E1"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="77"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="12" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__san"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E2"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="77"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="13" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__san"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10EA"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="77"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="14" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__jan"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">

```



```

    <Glyph value="uni10EC"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="78"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="15" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__san"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10EC"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="78"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="16" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__san"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="uni10E3"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="79"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="17" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__san"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="GR_var0"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->
  <SubstLookupRecord index="0">
    <SequenceIndex value="0"/>
    <LookupListIndex value="79"/>
  </SubstLookupRecord>
</ChainContextSubst>
<ChainContextSubst index="18" Format="3">
  <!-- BacktrackGlyphCount=0 -->
  <!-- InputGlyphCount=1 -->
  <InputCoverage index="0" Format="1">
    <Glyph value="GR__jan"/>
  </InputCoverage>
  <!-- LookAheadGlyphCount=1 -->
  <LookAheadCoverage index="0" Format="1">
    <Glyph value="GR_varR"/>
  </LookAheadCoverage>
  <!-- SubstCount=1 -->

```

```

    <SubstLookupRecord index="0">
      <SequenceIndex value="0"/>
      <LookupListIndex value="79"/>
    </SubstLookupRecord>
  </ChainContextSubst>
</Lookup>
<Lookup index="22">
  <LookupType value="2"/>
  <LookupFlag value="0"/>
  <!-- SubTableCount=1 -->
  <MultipleSubst index="0" Format="1">
    <Coverage Format="2">
      <Glyph value="GR__jan_en__an"/>
      <Glyph value="GR__jan_en__ban"/>
      <Glyph value="GR__jan_en__chin"/>
      <Glyph value="GR__jan_en__in"/>
      <Glyph value="GR__jan_en__san"/>
      <Glyph value="GR__san_san__ban"/>
      <Glyph value="GR__san_san__nar"/>
      <Glyph value="GR__san_san__qar"/>
      <Glyph value="GR__san_san__tar"/>
      <Glyph value="GR__san_san__un"/>
    </Coverage>
    <!-- SequenceCount=10 -->
    <Sequence index="0">
      <!-- GlyphCount=2 -->
      <Substitute index="0" value="GR__jan_"/>
      <Substitute index="1" value="gr_en__an"/>
    </Sequence>
    <Sequence index="1">
      <!-- GlyphCount=2 -->
      <Substitute index="0" value="GR__jan_"/>
      <Substitute index="1" value="gr_en__ban"/>
    </Sequence>
    <Sequence index="2">
      <!-- GlyphCount=2 -->
      <Substitute index="0" value="GR__jan_"/>
      <Substitute index="1" value="gr_en__chin"/>
    </Sequence>
    <Sequence index="3">
      <!-- GlyphCount=2 -->
      <Substitute index="0" value="GR__jan_"/>
      <Substitute index="1" value="gr_en__in"/>
    </Sequence>
    <Sequence index="4">
      <!-- GlyphCount=2 -->
      <Substitute index="0" value="GR__jan_"/>
      <Substitute index="1" value="gr_en__san"/>
    </Sequence>
    <Sequence index="5">
      <!-- GlyphCount=2 -->
      <Substitute index="0" value="GR__san_"/>
      <Substitute index="1" value="gr_san__ban"/>
    </Sequence>
    <Sequence index="6">
      <!-- GlyphCount=2 -->
      <Substitute index="0" value="GR__san_"/>
      <Substitute index="1" value="gr_san__nar"/>
    </Sequence>
    <Sequence index="7">
      <!-- GlyphCount=2 -->
      <Substitute index="0" value="GR__san_"/>
      <Substitute index="1" value="gr_san__qar"/>
    </Sequence>
    <Sequence index="8">
      <!-- GlyphCount=2 -->
      <Substitute index="0" value="GR__san_"/>

```

```

    <Substitute index="1" value="gr_san__tar"/>
  </Sequence>
  <Sequence index="9">
    <!-- GlyphCount=2 -->
    <Substitute index="0" value="GR__san_"/>
    <Substitute index="1" value="gr_san__un"/>
  </Sequence>
</MultipleSubst>
</Lookup>
<Lookup index="23">
  <LookupType value="1"/>
  <LookupFlag value="0"/>
  <!-- SubTableCount=1 -->
  <SingleSubst index="0" Format="2">
    <Substitution in="B" out="B.ini"/>
    <Substitution in="D" out="D.ini"/>
    <Substitution in="Dcaron" out="Dcaron.ini"/>
    <Substitution in="F" out="F.ini"/>
    <Substitution in="I" out="I.ini"/>
    <Substitution in="Iacute" out="Iacute.ini"/>
    <Substitution in="O" out="O.ini"/>
    <Substitution in="Oacute" out="Oacute.ini"/>
    <Substitution in="P" out="P.ini"/>
    <Substitution in="S" out="S.ini"/>
    <Substitution in="Scaron" out="Scaron.ini"/>
    <Substitution in="T" out="T.ini"/>
    <Substitution in="Tcaron" out="Tcaron.ini"/>
    <Substitution in="V" out="V.ini"/>
    <Substitution in="W" out="W.ini"/>
    <Substitution in="s" out="s.c"/>
    <Substitution in="scaron" out="scaron.c"/>
    <Substitution in="scarondepth" out="scarondepth.c"/>
    <Substitution in="scaronleft" out="scaronleft.c"/>
    <Substitution in="sdepth" out="sdepth.c"/>
    <Substitution in="sleft" out="sleft.c"/>
  </SingleSubst>
</Lookup>
<Lookup index="24">
  <LookupType value="1"/>
  <LookupFlag value="0"/>
  <!-- SubTableCount=1 -->
  <SingleSubst index="0" Format="2">
    <Substitution in="b" out="bnnarrow"/>
    <Substitution in="o" out="onarrow"/>
    <Substitution in="oacute" out="oacutenarrow"/>
    <Substitution in="s" out="s.s"/>
    <Substitution in="scaron" out="scaron.s"/>
    <Substitution in="scarondepth" out="scarondepth.s"/>
    <Substitution in="scaronleft" out="scaronleft.s"/>
    <Substitution in="sdepth" out="sdepth.s"/>
    <Substitution in="sleft" out="sleft.s"/>
    <Substitution in="v" out="vnarrow"/>
    <Substitution in="w" out="wnarrow"/>
  </SingleSubst>
</Lookup>
<Lookup index="25">
  <LookupType value="1"/>
  <LookupFlag value="0"/>
  <!-- SubTableCount=1 -->
  <SingleSubst index="0" Format="2">
    <Substitution in="A" out="A.fin"/>
    <Substitution in="Aacute" out="Aacute.fin"/>
    <Substitution in="C" out="C.fin"/>
    <Substitution in="Ccaron" out="Ccaron.fin"/>
    <Substitution in="E" out="E.fin"/>
    <Substitution in="Eacute" out="Eacute.fin"/>
    <Substitution in="Ecaron" out="Ecaron.fin"/>

```

```
<Substitution in="G" out="G.fin"/>
<Substitution in="H" out="H.fin"/>
<Substitution in="J" out="J.fin"/>
<Substitution in="K" out="K.fin"/>
<Substitution in="L" out="L.fin"/>
<Substitution in="M" out="M.fin"/>
<Substitution in="N" out="N.fin"/>
<Substitution in="Ncaron" out="Ncaron.fin"/>
<Substitution in="Q" out="Q.fin"/>
<Substitution in="R" out="R.fin"/>
<Substitution in="Rcaron" out="Rcaron.fin"/>
<Substitution in="U" out="U.fin"/>
<Substitution in="Uacute" out="Uacute.fin"/>
<Substitution in="Uring" out="Uring.fin"/>
<Substitution in="X" out="X.fin"/>
<Substitution in="Z" out="Z.fin"/>
<Substitution in="Zcaron" out="Zcaron.fin"/>
<Substitution in="a" out="a.fin"/>
<Substitution in="aacute" out="aacute.fin"/>
<Substitution in="b" out="b.fin"/>
<Substitution in="bncaron" out="bncaron.fin"/>
<Substitution in="c" out="c.fin"/>
<Substitution in="ccaron" out="ccaron.fin"/>
<Substitution in="d" out="d.fin"/>
<Substitution in="dcaron" out="dcaron.fin"/>
<Substitution in="e" out="e.fin"/>
<Substitution in="eacute" out="eacute.fin"/>
<Substitution in="ecaron" out="ecaron.fin"/>
<Substitution in="f" out="f.fin"/>
<Substitution in="g" out="g.fin"/>
<Substitution in="h" out="h.fin"/>
<Substitution in="i" out="i.fin"/>
<Substitution in="iacute" out="iacute.fin"/>
<Substitution in="j" out="j.fin"/>
<Substitution in="k" out="k.fin"/>
<Substitution in="l" out="l.fin"/>
<Substitution in="m" out="m.fin"/>
<Substitution in="n" out="n.fin"/>
<Substitution in="ncaron" out="ncaron.fin"/>
<Substitution in="o" out="o.fin"/>
<Substitution in="oacute" out="oacute.fin"/>
<Substitution in="oacutenarrow" out="oacutenarrow.fin"/>
<Substitution in="onarrow" out="onarrow.fin"/>
<Substitution in="p" out="p.fin"/>
<Substitution in="q" out="q.fin"/>
<Substitution in="r" out="r.fin"/>
<Substitution in="rcaron" out="rcaron.fin"/>
<Substitution in="s" out="sdepth"/>
<Substitution in="scaron" out="scarondepth"/>
<Substitution in="t" out="t.fin"/>
<Substitution in="tcaron" out="tcaron.fin"/>
<Substitution in="u" out="u.fin"/>
<Substitution in="uacute" out="uacute.fin"/>
<Substitution in="uring" out="uring.fin"/>
<Substitution in="v" out="v.fin"/>
<Substitution in="vnarrow" out="vnarrow.fin"/>
<Substitution in="w" out="w.fin"/>
<Substitution in="wnarrow" out="wnarrow.fin"/>
<Substitution in="x" out="x.fin"/>
<Substitution in="y" out="y.fin"/>
<Substitution in="yacute" out="yacute.fin"/>
<Substitution in="z" out="z.fin"/>
<Substitution in="zcaron" out="zcaron.fin"/>
</SingleSubst>
</Lookup>
<Lookup index="26">
  <LookupType value="1"/>
```

```

<LookupFlag value="0"/>
<!-- SubTableCount=1 -->
<SingleSubst index="0" Format="2">
  <Substitution in="b" out="b.ini"/>
  <Substitution in="bbar" out="bbar.ini"/>
  <Substitution in="e" out="e.ini"/>
  <Substitution in="eacute" out="eacute.ini"/>
  <Substitution in="ecaron" out="ecaron.ini"/>
  <Substitution in="f" out="f.ini"/>
  <Substitution in="h" out="h.ini"/>
  <Substitution in="i" out="i.ini"/>
  <Substitution in="iacute" out="iacute.ini"/>
  <Substitution in="j" out="j.ini"/>
  <Substitution in="k" out="k.ini"/>
  <Substitution in="l" out="l.ini"/>
  <Substitution in="m" out="m.ini"/>
  <Substitution in="n" out="n.ini"/>
  <Substitution in="ncaron" out="ncaron.ini"/>
  <Substitution in="p" out="p.ini"/>
  <Substitution in="r" out="r.ini"/>
  <Substitution in="rcaron" out="rcaron.ini"/>
  <Substitution in="s" out="s.ini"/>
  <Substitution in="scaron" out="scaron.ini"/>
  <Substitution in="t" out="t.ini"/>
  <Substitution in="tcaron" out="tcaron.ini"/>
  <Substitution in="u" out="u.ini"/>
  <Substitution in="uacute" out="uacute.ini"/>
  <Substitution in="uni10ED" out="GR_chara_"/>
  <Substitution in="uni10EF" out="GR_djana_"/>
  <Substitution in="uring" out="uring.ini"/>
  <Substitution in="v" out="v.ini"/>
  <Substitution in="vbar" out="vbar.ini"/>
  <Substitution in="w" out="w.ini"/>
  <Substitution in="wbar" out="wbar.ini"/>
  <Substitution in="x" out="x.ini"/>
  <Substitution in="y" out="y.ini"/>
  <Substitution in="yacute" out="yacute.ini"/>
  <Substitution in="z" out="z.ini"/>
  <Substitution in="zcaron" out="zcaron.ini"/>
</SingleSubst>
</Lookup>
<Lookup index="27">
  <LookupType value="1"/>
  <LookupFlag value="0"/>
  <!-- SubTableCount=1 -->
  <SingleSubst index="0" Format="2">
    <Substitution in="GR_varL" out="GR_varL_in__an"/>
    <Substitution in="GR_varR" out="GR_varR_in__an"/>
    <Substitution in="uni10D2" out="uni10D2_gan__an"/>
    <Substitution in="uni10D4" out="GR_en_"/>
    <Substitution in="uni10D5" out="GR_vin_"/>
    <Substitution in="uni10D7" out="uni10D7_in__an"/>
    <Substitution in="uni10D8" out="uni10D8_in__an"/>
    <Substitution in="uni10D9" out="GR_kan_"/>
    <Substitution in="uni10DF" out="GR_jan_"/>
    <Substitution in="uni10E3" out="GR_un_"/>
    <Substitution in="uni10E4" out="GR_far_"/>
    <Substitution in="uni10E6" out="uni10E6_in__an"/>
    <Substitution in="uni10E7" out="GR_kar_"/>
    <Substitution in="uni10E9" out="uni10E9_in__an"/>
    <Substitution in="uni10ED" out="GR_chari_"/>
    <Substitution in="uni10EF" out="GR_djani_"/>
  </SingleSubst>
</Lookup>
<Lookup index="28">
  <LookupType value="1"/>
  <LookupFlag value="0"/>

```

```

<!-- SubTableCount=1 -->
<SingleSubst index="0" Format="2">
  <Substitution in="GR_varL" out="GR_varL_in__ban"/>
  <Substitution in="GR_varR" out="GR_varR_in__ban"/>
  <Substitution in="uni10D7" out="uni10D7_in__ban"/>
  <Substitution in="uni10D8" out="uni10D8_in__ban"/>
  <Substitution in="uni10E6" out="uni10E6_in__ban"/>
  <Substitution in="uni10E9" out="uni10E9_in__ban"/>
</SingleSubst>
</Lookup>
<Lookup index="29">
  <LookupType value="1"/>
  <LookupFlag value="0"/>
  <!-- SubTableCount=1 -->
  <SingleSubst index="0" Format="2">
    <Substitution in="GR_varL" out="GR_varL_in__an"/>
    <Substitution in="GR_varR" out="GR_varR_in__an"/>
    <Substitution in="uni10D2" out="uni10D2_gan__an"/>
    <Substitution in="uni10D7" out="uni10D7_in__an"/>
    <Substitution in="uni10D8" out="uni10D8_in__an"/>
    <Substitution in="uni10E6" out="uni10E6_in__an"/>
    <Substitution in="uni10E9" out="uni10E9_in__an"/>
  </SingleSubst>
</Lookup>
<Lookup index="30">
  <LookupType value="1"/>
  <LookupFlag value="0"/>
  <!-- SubTableCount=1 -->
  <SingleSubst index="0" Format="2">
    <Substitution in="GR_varL" out="GR_varL_in__san"/>
    <Substitution in="GR_varR" out="GR_varR_in__san"/>
    <Substitution in="uni10D7" out="uni10D7_in__san"/>
    <Substitution in="uni10D8" out="uni10D8_in__san"/>
    <Substitution in="uni10E6" out="uni10E6_in__san"/>
    <Substitution in="uni10E9" out="uni10E9_in__san"/>
  </SingleSubst>
</Lookup>
<Lookup index="31">
  <LookupType value="1"/>
  <LookupFlag value="0"/>
  <!-- SubTableCount=1 -->
  <SingleSubst index="0" Format="2">
    <Substitution in="GR_varL" out="GR_varL_in__chin"/>
    <Substitution in="GR_varR" out="GR_varR_in__chin"/>
    <Substitution in="uni10D2" out="uni10D2_gan__in"/>
    <Substitution in="uni10D7" out="uni10D7_in__chin"/>
    <Substitution in="uni10D8" out="uni10D8_in__chin"/>
    <Substitution in="uni10E6" out="uni10E6_in__chin"/>
    <Substitution in="uni10E9" out="uni10E9_in__chin"/>
  </SingleSubst>
</Lookup>
<Lookup index="32">
  <LookupType value="1"/>
  <LookupFlag value="0"/>
  <!-- SubTableCount=1 -->
  <SingleSubst index="0" Format="2">
    <Substitution in="GR_varL" out="GR_varL_in__in"/>
    <Substitution in="GR_varR" out="GR_varR_in__in"/>
    <Substitution in="uni10D2" out="uni10D2_gan__jan"/>
    <Substitution in="uni10D7" out="uni10D7_in__in"/>
    <Substitution in="uni10D8" out="uni10D8_in__in"/>
    <Substitution in="uni10E6" out="uni10E6_in__in"/>
    <Substitution in="uni10E9" out="uni10E9_in__in"/>
  </SingleSubst>
</Lookup>
<Lookup index="33">
  <LookupType value="1"/>

```

```

<LookupFlag value="0"/>
<!-- SubTableCount=1 -->
<SingleSubst index="0" Format="2">
  <Substitution in="GR_varL" out="GR_varL_in__jan"/>
  <Substitution in="GR_varR" out="GR_varR_in__jan"/>
  <Substitution in="uni10D7" out="uni10D7_in__jan"/>
  <Substitution in="uni10D8" out="uni10D8_in__jan"/>
  <Substitution in="uni10E6" out="uni10E6_in__jan"/>
  <Substitution in="uni10E9" out="uni10E9_in__jan"/>
</SingleSubst>
</Lookup>
<Lookup index="34">
  <LookupType value="1"/>
  <LookupFlag value="0"/>
  <!-- SubTableCount=1 -->
  <SingleSubst index="0" Format="2">
    <Substitution in="GR_varL" out="GR_varL_in__qar"/>
    <Substitution in="GR_varR" out="GR_varR_in__qar"/>
    <Substitution in="uni10D1" out="uni10D1_man__nar"/>
    <Substitution in="uni10D2" out="uni10D2_gan__nar"/>
    <Substitution in="uni10D7" out="uni10D7_in__qar"/>
    <Substitution in="uni10D8" out="uni10D8_in__qar"/>
    <Substitution in="uni10E6" out="uni10E6_in__qar"/>
    <Substitution in="uni10E9" out="uni10E9_in__qar"/>
  </SingleSubst>
</Lookup>
<Lookup index="35">
  <LookupType value="1"/>
  <LookupFlag value="0"/>
  <!-- SubTableCount=1 -->
  <SingleSubst index="0" Format="2">
    <Substitution in="GR_varL" out="GR_varL_in__nar"/>
    <Substitution in="GR_varR" out="GR_varR_in__nar"/>
    <Substitution in="uni10D2" out="uni10D2_gan__an"/>
    <Substitution in="uni10D7" out="uni10D7_in__nar"/>
    <Substitution in="uni10D8" out="uni10D8_in__nar"/>
    <Substitution in="uni10E6" out="uni10E6_in__nar"/>
    <Substitution in="uni10E9" out="uni10E9_in__nar"/>
  </SingleSubst>
</Lookup>
<Lookup index="36">
  <LookupType value="1"/>
  <LookupFlag value="0"/>
  <!-- SubTableCount=1 -->
  <SingleSubst index="0" Format="2">
    <Substitution in="GR_varL" out="GR_varL_in__an"/>
    <Substitution in="GR_varR" out="GR_varR_in__an"/>
    <Substitution in="uni10D7" out="uni10D7_in__an"/>
    <Substitution in="uni10D8" out="uni10D8_in__an"/>
    <Substitution in="uni10E6" out="uni10E6_in__an"/>
    <Substitution in="uni10E9" out="uni10E9_in__an"/>
  </SingleSubst>
</Lookup>
<Lookup index="37">
  <LookupType value="1"/>
  <LookupFlag value="0"/>
  <!-- SubTableCount=1 -->
  <SingleSubst index="0" Format="2">
    <Substitution in="GR_varL" out="GR_varL_in__san"/>
    <Substitution in="GR_varR" out="GR_varR_in__san"/>
    <Substitution in="uni10D1" out="uni10D1_man__tar"/>
    <Substitution in="uni10D7" out="uni10D7_in__san"/>
    <Substitution in="uni10D8" out="uni10D8_in__san"/>
    <Substitution in="uni10E6" out="uni10E6_in__san"/>
    <Substitution in="uni10E9" out="uni10E9_in__san"/>
  </SingleSubst>
</Lookup>

```

```

<Lookup index="38">
  <LookupType value="1"/>
  <LookupFlag value="0"/>
  <!-- SubTableCount=1 -->
  <SingleSubst index="0" Format="2">
    <Substitution in="GR_varL" out="GR_varL_in__tar"/>
    <Substitution in="GR_varR" out="GR_varR_in__tar"/>
    <Substitution in="uni10D1" out="uni10D1_man__tar"/>
    <Substitution in="uni10D7" out="uni10D7_in__tar"/>
    <Substitution in="uni10D8" out="uni10D8_in__tar"/>
    <Substitution in="uni10E6" out="uni10E6_in__tar"/>
    <Substitution in="uni10E9" out="uni10E9_in__tar"/>
  </SingleSubst>
</Lookup>
<Lookup index="39">
  <LookupType value="1"/>
  <LookupFlag value="0"/>
  <!-- SubTableCount=1 -->
  <SingleSubst index="0" Format="2">
    <Substitution in="GR_varL" out="GR_varL_in__nar"/>
    <Substitution in="GR_varR" out="GR_varR_in__nar"/>
    <Substitution in="uni10D1" out="uni10D1_man__nar"/>
    <Substitution in="uni10D2" out="uni10D2_gan__nar"/>
    <Substitution in="uni10D7" out="uni10D7_in__nar"/>
    <Substitution in="uni10D8" out="uni10D8_in__nar"/>
    <Substitution in="uni10E6" out="uni10E6_in__nar"/>
    <Substitution in="uni10E9" out="uni10E9_in__nar"/>
  </SingleSubst>
</Lookup>
<Lookup index="40">
  <LookupType value="1"/>
  <LookupFlag value="0"/>
  <!-- SubTableCount=1 -->
  <SingleSubst index="0" Format="2">
    <Substitution in="GR_varL" out="GR_varL_in__un"/>
    <Substitution in="GR_varR" out="GR_varR_in__un"/>
    <Substitution in="uni10D1" out="uni10D1_man__un"/>
    <Substitution in="uni10D7" out="uni10D7_in__un"/>
    <Substitution in="uni10D8" out="uni10D8_in__un"/>
    <Substitution in="uni10E6" out="uni10E6_in__un"/>
    <Substitution in="uni10E9" out="uni10E9_in__un"/>
  </SingleSubst>
</Lookup>
<Lookup index="41">
  <LookupType value="1"/>
  <LookupFlag value="0"/>
  <!-- SubTableCount=1 -->
  <SingleSubst index="0" Format="2">
    <Substitution in="GR_varL" out="GR_varL_in__san"/>
    <Substitution in="GR_varR" out="GR_varR_in__san"/>
    <Substitution in="uni10D7" out="uni10D7_in__san"/>
    <Substitution in="uni10D8" out="uni10D8_in__san"/>
    <Substitution in="uni10E6" out="uni10E6_in__san"/>
    <Substitution in="uni10E9" out="uni10E9_in__san"/>
  </SingleSubst>
</Lookup>
<Lookup index="42">
  <LookupType value="1"/>
  <LookupFlag value="0"/>
  <!-- SubTableCount=1 -->
  <SingleSubst index="0" Format="2">
    <Substitution in="GR_varL" out="GR_varL_in__an"/>
    <Substitution in="GR_varR" out="GR_varR_in__an"/>
    <Substitution in="uni10D0" out="GR_an_an__ban"/>
    <Substitution in="uni10D4" out="GR_en_en__an"/>
    <Substitution in="uni10D5" out="GR_vin_en__an"/>
    <Substitution in="uni10D7" out="uni10D7_in__an"/>
  </SingleSubst>
</Lookup>

```



```

    <Substitution in="uni10D8" out="uni10D8_in__an"/>
    <Substitution in="uni10D9" out="GR_kan_en__an"/>
    <Substitution in="uni10DF" out="GR_jan_en__an"/>
    <Substitution in="uni10E2" out="GR_tar_tar__an"/>
    <Substitution in="uni10E3" out="GR_un_en__an"/>
    <Substitution in="uni10E4" out="GR_far_en__an"/>
    <Substitution in="uni10E6" out="uni10E6_in__an"/>
    <Substitution in="uni10E7" out="GR_kar_en__an"/>
    <Substitution in="uni10E9" out="uni10E9_in__an"/>
  </SingleSubst>
</Lookup>
<Lookup index="43">
  <LookupType value="1"/>
  <LookupFlag value="0"/>
  <!-- SubTableCount=1 -->
  <SingleSubst index="0" Format="2">
    <Substitution in="uni10D4" out="GR_en_en__ban"/>
    <Substitution in="uni10D5" out="GR_vin_en__ban"/>
    <Substitution in="uni10D9" out="GR_kan_en__ban"/>
    <Substitution in="uni10DB" out="GR_man_man__gan"/>
    <Substitution in="uni10DF" out="GR_jan_en__ban"/>
    <Substitution in="uni10E1" out="GR_san_san__ban"/>
    <Substitution in="uni10E2" out="GR_tar_tar__an"/>
    <Substitution in="uni10E3" out="GR_un_en__ban"/>
    <Substitution in="uni10E7" out="GR_kar_en__ban"/>
    <Substitution in="uni10E8" out="GR_shin_man__gan"/>
    <Substitution in="uni10EA" out="GR_tsan_tsan__ban"/>
    <Substitution in="uni10EB" out="GR_dzil_man__gan"/>
  </SingleSubst>
</Lookup>
<Lookup index="44">
  <LookupType value="1"/>
  <LookupFlag value="0"/>
  <!-- SubTableCount=1 -->
  <SingleSubst index="0" Format="2">
    <Substitution in="uni10D0" out="GR_an_an__san"/>
    <Substitution in="uni10D4" out="GR_en_en__an"/>
    <Substitution in="uni10D5" out="GR_vin_en__an"/>
    <Substitution in="uni10D9" out="GR_kan_en__an"/>
    <Substitution in="uni10DF" out="GR_jan_en__an"/>
    <Substitution in="uni10E3" out="GR_un_en__an"/>
    <Substitution in="uni10E4" out="GR_far_en__an"/>
    <Substitution in="uni10E7" out="GR_kar_en__an"/>
  </SingleSubst>
</Lookup>
<Lookup index="45">
  <LookupType value="1"/>
  <LookupFlag value="0"/>
  <!-- SubTableCount=1 -->
  <SingleSubst index="0" Format="2">
    <Substitution in="uni10D0" out="GR_an_an__chin"/>
    <Substitution in="uni10D4" out="GR_en_en__san"/>
    <Substitution in="uni10D5" out="GR_vin_en__san"/>
    <Substitution in="uni10D9" out="GR_kan_en__san"/>
    <Substitution in="uni10DF" out="GR_jan_en__san"/>
    <Substitution in="uni10E3" out="GR_un_en__san"/>
    <Substitution in="uni10E4" out="GR_far_en__san"/>
    <Substitution in="uni10E7" out="GR_kar_en__san"/>
    <Substitution in="uni10EA" out="GR_tsan_tsan__san"/>
  </SingleSubst>
</Lookup>
<Lookup index="46">
  <LookupType value="1"/>
  <LookupFlag value="0"/>
  <!-- SubTableCount=1 -->
  <SingleSubst index="0" Format="2">
    <Substitution in="uni10D4" out="GR_en_en__chin"/>

```

```
<Substitution in="uni10D5" out="GR_vin_en__chin"/>
<Substitution in="uni10D9" out="GR_kan_en__chin"/>
<Substitution in="uni10DF" out="GR_jan_en__chin"/>
<Substitution in="uni10E3" out="GR_un_en__chin"/>
<Substitution in="uni10E4" out="GR_far_en__chin"/>
<Substitution in="uni10E7" out="GR_kar_en__chin"/>
<Substitution in="uni10EB" out="GR_dzil_man__in"/>
</SingleSubst>
</Lookup>
<Lookup index="47">
  <LookupType value="1"/>
  <LookupFlag value="0"/>
  <!-- SubTableCount=1 -->
  <SingleSubst index="0" Format="2">
    <Substitution in="uni10D4" out="GR_en_en__in"/>
    <Substitution in="uni10D5" out="GR_vin_en__in"/>
    <Substitution in="uni10D9" out="GR_kan_en__in"/>
    <Substitution in="uni10DB" out="GR_man_man__in"/>
    <Substitution in="uni10DF" out="GR_jan_en__in"/>
    <Substitution in="uni10E2" out="GR_tar_tar__in"/>
    <Substitution in="uni10E3" out="GR_un_en__in"/>
    <Substitution in="uni10E4" out="GR_far_en__in"/>
    <Substitution in="uni10E7" out="GR_kar_en__in"/>
    <Substitution in="uni10E8" out="GR_shin_man__in"/>
  </SingleSubst>
</Lookup>
<Lookup index="48">
  <LookupType value="1"/>
  <LookupFlag value="0"/>
  <!-- SubTableCount=1 -->
  <SingleSubst index="0" Format="2">
    <Substitution in="uni10D0" out="GR_an_an__qar"/>
    <Substitution in="uni10D4" out="GR_en_en__an"/>
    <Substitution in="uni10D5" out="GR_vin_en__an"/>
    <Substitution in="uni10DB" out="GR_man_man__qar"/>
    <Substitution in="uni10E1" out="GR_san_san__qar"/>
    <Substitution in="uni10E2" out="GR_tar_tar__qar"/>
    <Substitution in="uni10E3" out="GR_un_en__an"/>
    <Substitution in="uni10E8" out="GR_shin_man__qar"/>
    <Substitution in="uni10EB" out="GR_dzil_man__qar"/>
  </SingleSubst>
</Lookup>
<Lookup index="49">
  <LookupType value="1"/>
  <LookupFlag value="0"/>
  <!-- SubTableCount=1 -->
  <SingleSubst index="0" Format="2">
    <Substitution in="uni10D0" out="GR_an_an__nar"/>
    <Substitution in="uni10D4" out="GR_en_en__an"/>
    <Substitution in="uni10D5" out="GR_vin_en__an"/>
    <Substitution in="uni10D9" out="GR_kan_en__an"/>
    <Substitution in="uni10DB" out="GR_man_man__nar"/>
    <Substitution in="uni10DF" out="GR_jan_en__an"/>
    <Substitution in="uni10E1" out="GR_san_san__nar"/>
    <Substitution in="uni10E2" out="GR_tar_tar__nar"/>
    <Substitution in="uni10E3" out="GR_un_en__an"/>
    <Substitution in="uni10E4" out="GR_far_en__an"/>
    <Substitution in="uni10E7" out="GR_kar_en__an"/>
    <Substitution in="uni10E8" out="GR_shin_man__nar"/>
    <Substitution in="uni10EA" out="GR_tsan_tsan__nar"/>
    <Substitution in="uni10EB" out="GR_dzil_man__nar"/>
  </SingleSubst>
</Lookup>
<Lookup index="50">
  <LookupType value="1"/>
  <LookupFlag value="0"/>
  <!-- SubTableCount=1 -->
```

```

<SingleSubst index="0" Format="2">
  <Substitution in="uni10D0" out="GR_an_an__san"/>
  <Substitution in="uni10D4" out="GR_en_en__san"/>
  <Substitution in="uni10D5" out="GR_vin_en__san"/>
  <Substitution in="uni10D9" out="GR_kan_en__san"/>
  <Substitution in="uni10DF" out="GR_jan_en__san"/>
  <Substitution in="uni10E3" out="GR_un_en__san"/>
  <Substitution in="uni10E4" out="GR_far_en__san"/>
  <Substitution in="uni10E7" out="GR_kar_en__san"/>
  <Substitution in="uni10EA" out="GR_tsan_tsan__san"/>
</SingleSubst>
</Lookup>
<Lookup index="51">
  <LookupType value="1"/>
  <LookupFlag value="0"/>
  <!-- SubTableCount=1 -->
  <SingleSubst index="0" Format="2">
    <Substitution in="uni10D0" out="GR_an_an__tar"/>
    <Substitution in="uni10DB" out="GR_man_man__tar"/>
    <Substitution in="uni10E1" out="GR_san_san__tar"/>
    <Substitution in="uni10E8" out="GR_shin_man__tar"/>
    <Substitution in="uni10EB" out="GR_dzil_man__tar"/>
  </SingleSubst>
</Lookup>
<Lookup index="52">
  <LookupType value="1"/>
  <LookupFlag value="0"/>
  <!-- SubTableCount=1 -->
  <SingleSubst index="0" Format="2">
    <Substitution in="uni10D0" out="GR_an_an__nar"/>
    <Substitution in="uni10D4" out="GR_en_en__an"/>
    <Substitution in="uni10D5" out="GR_vin_en__an"/>
    <Substitution in="uni10D9" out="GR_kan_en__an"/>
    <Substitution in="uni10DB" out="GR_man_man__nar"/>
    <Substitution in="uni10DF" out="GR_jan_en__an"/>
    <Substitution in="uni10E1" out="GR_san_san__nar"/>
    <Substitution in="uni10E3" out="GR_un_en__an"/>
    <Substitution in="uni10E4" out="GR_far_en__an"/>
    <Substitution in="uni10E7" out="GR_kar_en__an"/>
    <Substitution in="uni10E8" out="GR_shin_man__nar"/>
    <Substitution in="uni10EB" out="GR_dzil_man__nar"/>
  </SingleSubst>
</Lookup>
<Lookup index="53">
  <LookupType value="1"/>
  <LookupFlag value="0"/>
  <!-- SubTableCount=1 -->
  <SingleSubst index="0" Format="2">
    <Substitution in="uni10D0" out="GR_an_an__un"/>
    <Substitution in="uni10DB" out="GR_man_man__un"/>
    <Substitution in="uni10E1" out="GR_san_san__un"/>
    <Substitution in="uni10E2" out="GR_tar_tar__un"/>
    <Substitution in="uni10E8" out="GR_shin_man__un"/>
    <Substitution in="uni10EA" out="GR_tsan_tsan__un"/>
    <Substitution in="uni10EB" out="GR_dzil_man__un"/>
  </SingleSubst>
</Lookup>
<Lookup index="54">
  <LookupType value="1"/>
  <LookupFlag value="0"/>
  <!-- SubTableCount=1 -->
  <SingleSubst index="0" Format="2">
    <Substitution in="GR_san_" out="GR__san_"/>
    <Substitution in="GR_varR" out="GR__rae"/>
    <Substitution in="uni10D0" out="GR_an_an__san"/>
    <Substitution in="uni10D1" out="GR__ban"/>
    <Substitution in="uni10D4" out="GR_en_en__san"/>

```

```

<Substitution in="uni10D5" out="GR_vin_en__san"/>
<Substitution in="uni10D9" out="GR_kan_en__san"/>
<Substitution in="uni10DB" out="GR_man_man__gan"/>
<Substitution in="uni10DC" out="GR__nar"/>
<Substitution in="uni10DF" out="GR_jan_en__san"/>
<Substitution in="uni10E1" out="GR__san"/>
<Substitution in="uni10E2" out="GR_tar_tar__an"/>
<Substitution in="uni10E3" out="GR_un_en__san"/>
<Substitution in="uni10E4" out="GR_far_en__san"/>
<Substitution in="uni10E7" out="GR_kar_en__san"/>
<Substitution in="uni10E8" out="GR_shin_man__gan"/>
<Substitution in="uni10E9" out="GR__chin"/>
<Substitution in="uni10EA" out="GR_tsan_tsan__san"/>
<Substitution in="uni10EB" out="GR_dzil_man__gan"/>
<Substitution in="uni10EC" out="GR__tsil"/>
<Substitution in="uni10EE" out="GR__xan"/>
</SingleSubst>
</Lookup>
<Lookup index="55">
  <LookupType value="1"/>
  <LookupFlag value="0"/>
  <!-- SubTableCount=1 -->
  <SingleSubst index="0" Format="2">
    <Substitution in="GR__chin" out="GR__chin_in__an"/>
    <Substitution in="GR__ghan" out="GR__ghan_in__an"/>
    <Substitution in="GR__jan" out="GR__jan_"/>
    <Substitution in="GR__las" out="GR__las_in__an"/>
    <Substitution in="GR__rae" out="GR__rae_in__an"/>
    <Substitution in="GR_jan_" out="GR__jan_"/>
    <Substitution in="GR_san_" out="GR__san_"/>
    <Substitution in="GR_varD" out="GR__don"/>
    <Substitution in="GR_varL" out="GR__las"/>
    <Substitution in="GR_varR" out="GR__rae"/>
    <Substitution in="uni10D1" out="GR__ban"/>
    <Substitution in="uni10DC" out="GR__nar"/>
    <Substitution in="uni10DF" out="GR__jan"/>
    <Substitution in="uni10E1" out="GR__san"/>
    <Substitution in="uni10E6" out="GR__ghan"/>
    <Substitution in="uni10E9" out="GR__chin"/>
    <Substitution in="uni10EC" out="GR__tsil"/>
    <Substitution in="uni10EE" out="GR__xan"/>
  </SingleSubst>
</Lookup>
<Lookup index="56">
  <LookupType value="1"/>
  <LookupFlag value="0"/>
  <!-- SubTableCount=1 -->
  <SingleSubst index="0" Format="2">
    <Substitution in="GR__chin" out="GR__chin_in__ban"/>
    <Substitution in="GR__ghan" out="GR__ghan_in__ban"/>
    <Substitution in="GR__las" out="GR__las_in__ban"/>
    <Substitution in="GR__rae" out="GR__rae_in__ban"/>
  </SingleSubst>
</Lookup>
<Lookup index="57">
  <LookupType value="1"/>
  <LookupFlag value="0"/>
  <!-- SubTableCount=1 -->
  <SingleSubst index="0" Format="2">
    <Substitution in="GR__chin" out="GR__chin_in__an"/>
    <Substitution in="GR__ghan" out="GR__ghan_in__an"/>
    <Substitution in="GR__las" out="GR__las_in__an"/>
    <Substitution in="GR__rae" out="GR__rae_in__an"/>
  </SingleSubst>
</Lookup>
<Lookup index="58">
  <LookupType value="1"/>

```

```

<LookupFlag value="0"/>
<!-- SubTableCount=1 -->
<SingleSubst index="0" Format="2">
  <Substitution in="GR__chin" out="GR__chin_in__san"/>
  <Substitution in="GR__ghan" out="GR__ghan_in__san"/>
  <Substitution in="GR__las" out="GR__las_in__san"/>
  <Substitution in="GR__rae" out="GR__rae_in__san"/>
</SingleSubst>
</Lookup>
<Lookup index="59">
  <LookupType value="1"/>
  <LookupFlag value="0"/>
  <!-- SubTableCount=1 -->
  <SingleSubst index="0" Format="2">
    <Substitution in="GR__chin" out="GR__chin_in__chin"/>
    <Substitution in="GR__ghan" out="GR__ghan_in__chin"/>
    <Substitution in="GR__las" out="GR__las_in__chin"/>
    <Substitution in="GR__rae" out="GR__rae_in__chin"/>
  </SingleSubst>
</Lookup>
<Lookup index="60">
  <LookupType value="1"/>
  <LookupFlag value="0"/>
  <!-- SubTableCount=1 -->
  <SingleSubst index="0" Format="2">
    <Substitution in="GR__chin" out="GR__chin_in__in"/>
    <Substitution in="GR__ghan" out="GR__ghan_in__in"/>
    <Substitution in="GR__las" out="GR__las_in__in"/>
    <Substitution in="GR__rae" out="GR__rae_in__in"/>
  </SingleSubst>
</Lookup>
<Lookup index="61">
  <LookupType value="1"/>
  <LookupFlag value="0"/>
  <!-- SubTableCount=1 -->
  <SingleSubst index="0" Format="2">
    <Substitution in="GR__chin" out="GR__chin_in__jan"/>
    <Substitution in="GR__ghan" out="GR__ghan_in__jan"/>
    <Substitution in="GR__las" out="GR__las_in__jan"/>
    <Substitution in="GR__rae" out="GR__rae_in__jan"/>
  </SingleSubst>
</Lookup>
<Lookup index="62">
  <LookupType value="1"/>
  <LookupFlag value="0"/>
  <!-- SubTableCount=1 -->
  <SingleSubst index="0" Format="2">
    <Substitution in="GR__ban" out="GR__ban_man__nar"/>
    <Substitution in="GR__chin" out="GR__chin_in__qar"/>
    <Substitution in="GR__ghan" out="GR__ghan_in__qar"/>
    <Substitution in="GR__las" out="GR__las_in__qar"/>
    <Substitution in="GR__rae" out="GR__rae_in__qar"/>
  </SingleSubst>
</Lookup>
<Lookup index="63">
  <LookupType value="1"/>
  <LookupFlag value="0"/>
  <!-- SubTableCount=1 -->
  <SingleSubst index="0" Format="2">
    <Substitution in="GR__chin" out="GR__chin_in__nar"/>
    <Substitution in="GR__ghan" out="GR__ghan_in__nar"/>
    <Substitution in="GR__las" out="GR__las_in__nar"/>
    <Substitution in="GR__rae" out="GR__rae_in__nar"/>
  </SingleSubst>
</Lookup>
<Lookup index="64">
  <LookupType value="1"/>

```

```

<LookupFlag value="0"/>
<!-- SubTableCount=1 -->
<SingleSubst index="0" Format="2">
  <Substitution in="GR__chin" out="GR__chin_in__an"/>
  <Substitution in="GR__ghan" out="GR__ghan_in__an"/>
  <Substitution in="GR__las" out="GR__las_in__an"/>
  <Substitution in="GR__rae" out="GR__rae_in__an"/>
</SingleSubst>
</Lookup>
<Lookup index="65">
  <LookupType value="1"/>
  <LookupFlag value="0"/>
  <!-- SubTableCount=1 -->
  <SingleSubst index="0" Format="2">
    <Substitution in="GR__ban" out="GR__ban_man__tar"/>
    <Substitution in="GR__chin" out="GR__chin_in__san"/>
    <Substitution in="GR__ghan" out="GR__ghan_in__san"/>
    <Substitution in="GR__las" out="GR__las_in__san"/>
    <Substitution in="GR__rae" out="GR__rae_in__san"/>
  </SingleSubst>
</Lookup>
<Lookup index="66">
  <LookupType value="1"/>
  <LookupFlag value="0"/>
  <!-- SubTableCount=1 -->
  <SingleSubst index="0" Format="2">
    <Substitution in="GR__ban" out="GR__ban_man__tar"/>
    <Substitution in="GR__chin" out="GR__chin_in__tar"/>
    <Substitution in="GR__ghan" out="GR__ghan_in__tar"/>
    <Substitution in="GR__las" out="GR__las_in__tar"/>
    <Substitution in="GR__rae" out="GR__rae_in__tar"/>
  </SingleSubst>
</Lookup>
<Lookup index="67">
  <LookupType value="1"/>
  <LookupFlag value="0"/>
  <!-- SubTableCount=1 -->
  <SingleSubst index="0" Format="2">
    <Substitution in="GR__ban" out="GR__ban_man__nar"/>
    <Substitution in="GR__chin" out="GR__chin_in__nar"/>
    <Substitution in="GR__ghan" out="GR__ghan_in__nar"/>
    <Substitution in="GR__las" out="GR__las_in__nar"/>
    <Substitution in="GR__rae" out="GR__rae_in__nar"/>
  </SingleSubst>
</Lookup>
<Lookup index="68">
  <LookupType value="1"/>
  <LookupFlag value="0"/>
  <!-- SubTableCount=1 -->
  <SingleSubst index="0" Format="2">
    <Substitution in="GR__ban" out="GR__ban_man__un"/>
    <Substitution in="GR__chin" out="GR__chin_in__un"/>
    <Substitution in="GR__ghan" out="GR__ghan_in__un"/>
    <Substitution in="GR__las" out="GR__las_in__un"/>
    <Substitution in="GR__rae" out="GR__rae_in__un"/>
  </SingleSubst>
</Lookup>
<Lookup index="69">
  <LookupType value="1"/>
  <LookupFlag value="0"/>
  <!-- SubTableCount=1 -->
  <SingleSubst index="0" Format="2">
    <Substitution in="GR__chin" out="GR__chin_in__san"/>
    <Substitution in="GR__ghan" out="GR__ghan_in__san"/>
    <Substitution in="GR__las" out="GR__las_in__san"/>
    <Substitution in="GR__rae" out="GR__rae_in__san"/>
  </SingleSubst>

```

```

</Lookup>
<Lookup index="70">
  <LookupType value="1"/>
  <LookupFlag value="0"/>
  <!-- SubTableCount=1 -->
  <SingleSubst index="0" Format="2">
    <Substitution in="GR__chin" out="GR__chin_in__an"/>
    <Substitution in="GR__ghan" out="GR__ghan_in__an"/>
    <Substitution in="GR__jan" out="GR__jan_en__an"/>
    <Substitution in="GR__las" out="GR__las_in__an"/>
    <Substitution in="GR__rae" out="GR__rae_in__an"/>
  </SingleSubst>
</Lookup>
<Lookup index="71">
  <LookupType value="1"/>
  <LookupFlag value="0"/>
  <!-- SubTableCount=1 -->
  <SingleSubst index="0" Format="2">
    <Substitution in="GR__jan" out="GR__jan_en__ban"/>
    <Substitution in="GR__san" out="GR__san_san__ban"/>
  </SingleSubst>
</Lookup>
<Lookup index="72">
  <LookupType value="1"/>
  <LookupFlag value="0"/>
  <!-- SubTableCount=1 -->
  <SingleSubst index="0" Format="1">
    <Substitution in="GR__jan" out="GR__jan_en__an"/>
  </SingleSubst>
</Lookup>
<Lookup index="73">
  <LookupType value="1"/>
  <LookupFlag value="0"/>
  <!-- SubTableCount=1 -->
  <SingleSubst index="0" Format="1">
    <Substitution in="GR__jan" out="GR__jan_en__san"/>
  </SingleSubst>
</Lookup>
<Lookup index="74">
  <LookupType value="1"/>
  <LookupFlag value="0"/>
  <!-- SubTableCount=1 -->
  <SingleSubst index="0" Format="1">
    <Substitution in="GR__jan" out="GR__jan_en__chin"/>
  </SingleSubst>
</Lookup>
<Lookup index="75">
  <LookupType value="1"/>
  <LookupFlag value="0"/>
  <!-- SubTableCount=1 -->
  <SingleSubst index="0" Format="2">
    <Substitution in="GR__jan" out="GR__jan_en__in"/>
    <Substitution in="GR__san" out="GR__san_san__qar"/>
  </SingleSubst>
</Lookup>
<Lookup index="76">
  <LookupType value="1"/>
  <LookupFlag value="0"/>
  <!-- SubTableCount=1 -->
  <SingleSubst index="0" Format="2">
    <Substitution in="GR__jan" out="GR__jan_en__an"/>
    <Substitution in="GR__san" out="GR__san_san__nar"/>
  </SingleSubst>
</Lookup>
<Lookup index="77">
  <LookupType value="1"/>
  <LookupFlag value="0"/>

```

```
<!-- SubTableCount=1 -->
<SingleSubst index="0" Format="2">
  <Substitution in="GR__jan" out="GR__jan_en__san"/>
  <Substitution in="GR__san" out="GR__san_san__tar"/>
</SingleSubst>
</Lookup>
<Lookup index="78">
  <LookupType value="1"/>
  <LookupFlag value="0"/>
  <!-- SubTableCount=1 -->
  <SingleSubst index="0" Format="2">
    <Substitution in="GR__jan" out="GR__jan_en__an"/>
    <Substitution in="GR__san" out="GR__san_san__nar"/>
  </SingleSubst>
</Lookup>
<Lookup index="79">
  <LookupType value="1"/>
  <LookupFlag value="0"/>
  <!-- SubTableCount=1 -->
  <SingleSubst index="0" Format="2">
    <Substitution in="GR__jan" out="GR__jan_en__san"/>
    <Substitution in="GR__san" out="GR__san_san__un"/>
  </SingleSubst>
</Lookup>
</LookupList>
</GSUB>
```